

THE JOURNAL OF GENERAL CHEMISTRY OF THE U.S.S.R

Index to Vol. XXI, 1951

Publication of the Academy of Sciences of the U.S.S.R.

IN ENGLISH TRANSLATION

Copyright, 1954

CONSULTANTS BUREAU
152 West 42nd Street
New York 18, N. Y.

Printed in Great Britain

Annual subscription	\$95.00
Single issue	20.00
Index	5.00

Polynomial

AUTHOR INDEX, VOLUME XXI

- Abramov, V.S., and E.A. Militskova. The action of halo-substituted ethers on the sodium salts of di- β -alkoxy ethyl phosphorous acids, 2239.
- Abubakirov, N.K., see Yunusov, S.
- Adomova, V.A., see Turova-Polyak, M.B.
- Afanasyev, B.N. and P.A. Tsyganova. The reaction of metallic iron with ethyl bromide, 535.
- Airapetova, R.P., see Udovenko, V.V.
- Akhrem, A.A., E.N. Prilezhaeva, and A.P. Meshcheryakov. The life and work of Nikolii Aleksandrovich Prilezhaev, 2139.
- Akimova, L.N., and N.I. Gavrilov. The structure of protein micromolecules. VII. Some transformations of acylated 2,5-diketopiperazines when reacted with amino acids and amines, 323.
- Akimova, L.N., see Gavrilov, N.I.
- Akhumov, E.I. and N.S. Spiro. Patterns of solubility change. IV. The solubility equation for isotherms in multicomponent systems, 49.
- Akhumov, E.I. and N.S. Spiro. Patterns of solubility change. V. Raoult's Law, 55.
- Albansky, V.L., Table of the D.I. Mendeleev periodic system of chemical elements based on the electronic structure of atoms, 1523.
- Andreev, S.N., see Domnin, N.A.
- Arbuzov, B.A., and B.P. Lugovkin. Action of triethyl phosphite and diethyl sodium phosphite upon some dihalogen derivatives, 109.
- Arbuzov, B.A., and B.P. Lugovkin. Synthesis of esters of phosphinic acids that contain heterocyclic radicals. I. Synthesis of esters of phosphinic acids containing a thiazole radical, 2075.
- Arbuzov, B.A., and A.R. Vilchinskaya. Action of acrylonitrile and acrolein upon α - and β -pyrones, 2079.
- Arbuzov, B.A., see Pudovik, A.N.
- Arbuzov, G.I., see Solovyeva, I.A.
- Ardashev, B.I., and E.S. Bych. Acetylation of aromatic amines with acetyl chloride in the presence of sodium acetate, 1643.
- Ardashev, B.I., and Z.V. Malina. Researches on the derivatives of quinoline. VIII. Synthesis of substantive quinophthalonic dyes from diphenyldiamines, 1473.
- Ardashev, B.I., and Z.D. Markova. Reaction of some anils with maleic anhydride, 1645.
- Astakhov, K.V., A.G. Elitsur, and K.M. Nikolaev. An investigation of hydrates by the hydride method, 1935.
- Averbukh, B.D., and G.I. Chufarov. The dissociation and reduction of barium and calcium peroxides, 691.
- Babko, A.K., and A.I. Volkova. Investigation of the colored complex of titanium with hydrogen peroxide, 2163.
- Babkov, A., see Sumarokova, T.
- Bainova, M.S., see Livshits, R.S.
- Balabanova, O.M., see Korshunov, I.A.
- Balyan, Kh. V. The action of inhibitors in the catalytic hydrogenation of some acetylenic and ethylenic alcohols, 793.
- Balyan, Kh. V. The action of inhibitors in catalytic hydrogenation with palladium, III, 803.
- Bamdas, E.M., D.A. Bocharov, and M.M. Shemyakin. Structure of bisulfite derivatives of the aromatic compounds, 1407.
- Baranova, Z.A., see Livshits, R.S.
- Barvin, N.S., see Levkoev, I.I.
- Barvinok, M.S., Spectrophotometric investigation of the maxima on the composition-property diagram of solutions of cobalt halides when the system concentration is changed. I. Investigation of complex ions of cobalt (II) in ethyl alcohol, 1315.
- Barvinok, M.S. Position of the maxima on the optical density-composition curve when a system's concentration is changed by the addition of ions, 1541.
- Barvinok, M.S. Spectrophotometric investigation of the maxima on the optical density-composition curves of solutions of cobalt halides when the system concentration is changed. II. Cobalt (II)-bromide complexes in ethyl alcohol, 1549.
- Baskakov, Yu. A., see Melnikov, N. N.
- Baskakov, Yu. A., see Nametkin, S.S.
- Baskova, Z.A., see Ternikova, T.I.
- Bastanov, E. Sh., see Kamai, Gilm.
- Bazilevskaya, G.I., see Livshits, R.S.
- Beiles, R.G., see Gusev, S.I.
- Bekhti, A.F. The reaction of alkyl-aryl reamination in the 2-dialkylaminopropionitriles, 93.
- Berdinsky, I.S., see Petyunin, P.A.
- Berezina, B.B., see Levina, R. Ya.
- Berezovsky, V.M. Di- and tripyridylmethane dyes. IV. Monopyridine analogs of diphenylmethane derivatives, 2115.
- Berezovsky, V.M., V.A. Kurdyukova, and N.A. Preobrazhensky. Chloromethylation and subsequent reduction of aromatic nitro compounds, 1269.
- Bergman, A.G., see Bukhalova, G.A.
- Bergman, A.G., see Evseeva, N.N.
- Bergman, A.G., see Protchenko, P.I.
- Berlin, A.A., and T.A. Makarova. Researches on the chemistry and technology of synthetic high-molecular compounds. II. Preparation and polymerization of acetomethacrylic esters of cellulose, 1383.

- Berlin, A. Ya., V.I. Maimind, and E.S. Golombik. Methylation of the diethyl acetal of formyl hippurate, 145.
- Bobrova, M.I., and P.N. Sokolov. Polarographic investigation of some organic acids, 1957.
- Bobrova, M.I., and P.N. Sokolov. Polarographic investigation of some ketones, 1965.
- Bochvar, D.A., see Bamdas, E.M.
- Bogatsky, D.P. Diagram of the Ni-O₂ system and the physico-chemical nature of the solid phase in this system, 1.
- Bogdanov, S.V., and B.I. Karavaev. 1,2-Naphtho-(3',4)-furan-3- and 4-sulfonic acids, 2127.
- Bogdanov, S.V., and I.B. Migacheva. Some derivatives of 2-naphthol-4-sulfonic acid. II. Sulfonation of 2-naphthol-4-sulfonic acid, 1653.
- Bogdanova, A.V., see Shostakovskiy, M.F.
- Bokarev, K.S., see Nametkin, S.S.
- Bokova, T.N., see Dankova, T.F.
- Bon, M.D. Oxidation of allyl and cinnamic alcohols with a chromic acid mixture, 1379.
- Borodina, G.M., see Shchukina, M.N.
- Braude, M.B., and K.S. Topchiev. Chemical structure and parasitocidal activity. XI. Derivatives of dipyridylguanidine, 2121.
- Braz, G.I. The reaction of ethylene sulfide with amines, 757.
- Bukhalova, G.A., and A.G. Bergman. Adiaagonal reciprocal system consisting of calcium and barium fluorides and chlorides, 1723.
- Bukhalova, G.A., see Voskresenskaya, N.K.
- Bushmakina, I.N. Diagrams for determining the efficiency of rectifying columns by means of the benzene-carbon tetrachloride system, II. 1305.
- Bych, E.S., see Ardashev, B.I.
- Chelpanova, L.F., see Zalkind, Yu. S.
- Chemerisskaya, A.A., see Sergievskaya, S.I.
- Chentsova, M.G., see Rodionov, V.M.
- Cherenkova, L.L., in paper by Kh. V. Balyan, 803.
- Cherkasov, A.S., see Dolgov, B.N.
- Cherkasova, V.A., see Domnin, N.A.
- Chernetsky, V.P., see Serebryanyi, S.B.
- Chernova, N.G., see Mikhailov, B.M.
- Cherntsov, O.M., see Drozdov, N.S.
- Chernyak, M.I., see Ufimtsev, V.N.
- Chufarov, G.I., see Averbukh, B.D.
- Chursina, K.I., see Terentyev, A.P.
- Danilov, S.N. A.M. Butlerov, founder of the theory of chemical structure (1861-1951), 1913.
- Danilov, S.N., and I.S. Lishansky. Anhydrides, amino and guanido derivatives of carbohydrates and polyhydric alcohols. I. 6-Amino-, 6-methylamino-, and 6-guanido-derivatives of glucofuranose, 405.
- Dankova, T.F., T.N. Bokova, N.A. Preobrazhensky, and students A.E. Petrushchenko, I.A. Ishtein, and N.I. Shvetsov. Synthetic research on analogs of the alkaloid colchicine, II. 867.
- Dankova, T.F., N.A. Preobrazhensky and student Miropolskaya. Synthesis of the dimethylamino-ethyl ester of diphenylcarbinol (benadryl) and its analogs, 631.
- Davidenkov, L.R., see Efros, L.S.
- Deichmeister, M.V., see Sytnik, Z.P.
- Dionisyev, D.E., and N.Z. Rudenko. Reaction of urea with diatomic phenols. The ternary system: urea-resorcinol-hydroquinone, 1087.
- Diskina, B.S., see Konovalova, R.A.
- Dobryanina, T.A., in paper by A.V. Novoselova, 457.
- Dolgov, B.N., N.I. Sorokina, and A.S. Cherkasov. Reactions with Radsiwanski AlCl₃. Condensations of benzene with aliphatic monohalogen derivatives, 563.
- Dombrovsky, A.V., see Terentyev, A.P.
- Domnin, N.A., V.A. Cherkasova and S.N. Andreev. Research on unsaturated cyclic hydrocarbons and their halogen derivatives. XI. Mechanism of combined halogenation and dehalogenation reactions, 2011.
- Domnin, N.A., and L.I. Ukhova. Researches on unsaturated cyclic hydrocarbons and their halogen derivatives. X. Transformations of saturated and unsaturated halogen derivatives of cyclopentane, 577.
- Dorokhova, M.I., see Kucherov, V.F.
- Drozdov, N.S., and O.M. Cherntsov. Meso derivatives of acridine. XXI. Reaction of acridines with bisulfite, 1885.
- Drozdov, N.S., and O.M. Cherntsov. Meso derivatives of acridine. XXII. 9-Cyanacridines and their synthesis from acridines, 2131.
- Dubinin, B.M. Aromatic compounds with a musk odor. 2,6-Dinitro-4-tert.-amyl-3-methoxytoluene, 2427.
- Dubinin, B.M., and N.E. Kozhevnikova. 3-Methoxy-5-tert-butyltoluene, 731.
- Durdin, Ya. V. The laws governing the rate at which metals are dissolved, 881.
- Durdin, Ya. V., and M.A. Oranskaya. The rate of solution and the potential of dissolved iron, 669.
- Durmashkina, V.V., in paper by I.I. Levkoev and co-workers, 1463.
- Dyakonov, I.A., Reactions of aliphatic diazo compounds with unsaturated compounds. X. Investigation of the reaction of diphenyldiazomethane with allyl alcohol, 2209.
- Dyakonov, I.A., and N.A. Lugovtsova. Reactions of aliphatic diazo compounds with unsaturated compounds. VII. Reaction of ethyl diazoacetate with vinyl ethyl ether, 921.
- Dyakonov, I.A., and N.D. Pirogova. Reactions of

- aliphatic diazo compounds with unsaturated compounds. IX. Reaction of diazoacetic ester with allyl alcohol in presence of copper, 2201.
- Dyakonov, I.A., and N.B. Vinogradova. Reactions of aliphatic diazo compounds with unsaturated compounds. VIII. Reaction of ethyl diazoacetate with allyl bromide, 933.
- Dzbanovskaya, I.E., see Nametkin, S.S.
- Dzhaparidze, E.S., see Tananaev, I.V.
- Dziomko, V.M., see Kogan, I.M.
- Efros, L.S., and L.R. Davidenkov. Investigations in the field of benzothiazole derivatives. Preparation of 1-benzothiazolyl-3-methyl-5-pyrazolone, 2281.
- Elina, A.S., and O. Yu. Magidson. Introduction of the formyl radical into an acyl amino acid and condensation of the resulting compounds with thiolamino acids into thiazolidine derivatives. I. Ethyl formylhippurate and its derivatives, 619.
- Elina, A.S., and O. Yu. Magidson. Introduction of a formyl group into acyl amino acids and condensation of the resulting compounds with thiolamino acids to form thiazolidine derivatives. II. α -Formylphenacetic ester and its derivatives, 861.
- Elitsur, A.G., see Astakhov, K.V.
- Evseeva, N.N., and A.G. Bergman. Double decomposition in the absence of a solvent. LXX. Irreversible salt-pair reciprocal system of lithium and zinc chlorides and sulfates, 1945.
- Evstigneeva, R.P., see Livshits, R.S.
- Fainzilberg, A.A., see Levina, R. Ya.
- Favorskaya, I.A., and student L.V. Fedorova. Tertiary acetylenic alcohols. III. Dehydration of methyl-n-propylacetylenylcarbinol and of α , α -acetylenylcyclopentanol, 701.
- Fedorov, Yu. V., see Osipov, O.A.
- Fedorova, L.V., see Favorskaya, I.A.
- Fedotova, E.I., see Razuvaev, G.A.
- Feldman, I. Kh., and T. I. Gurevich. Synthesis of amino-sulfones. V. Synthesis of bis-(4-nitrophenylthio)-alkyl and aryl compounds and their reduction products, 1689.
- Feldman, I. Kh., and T. I. Gurevich. Synthesis of amino-sulfones. VII. Pseudo thio ethers of orthoaldehydic acids and their derivatives, 1695.
- Feldman, I. Kh., and T. I. Gurevich. Synthesis of amino-sulfides and aminosulfones. XI. Synthesis of 1,1,1-trichloro-2-hydroxyethane-(p-nitrophenyl) sulfide, its acetoxy derivative, and its sulfoxide, 1817.
- Feldman, I. Kh., and N.G. Prein. Synthesis of amino-sulfides and aminosulfones. X. Synthesis of p-amino-phenyl β -ketosulfide and p-aminophenyl β -ketosulfones, 1811.
- Feofilaktov, V.V. Action of aromatic diazo compounds upon alkylacetox esters as a method of synthesizing aryl hydrazones of α -keto acids, α -amino acids, and indole derivatives. XI. Reaction of ethyl camphorcarboxylate-3 with diazobenzene, 399.
- Feofilaktov, V.V., and T.N. Ivanova. Action of aromatic diazo compounds upon alkyl-acetox esters as a method of synthesizing aryl hydrazones of α -keto acids, α -amino acids, and indole derivatives. XII. Synthesis of d,l-methionine, 1851.
- Fetyukova, V., see Razuvaev, G.
- Fialkov, Ya. A., and A.A. Kuzmenko. Physico-chemical investigation of the phosphorus trichloride-bromine system. I, 479.
- Fialkov, Ya. A., and I.D. Muzyka. A physicochemical study of the systems: iodine chloride-substituted acid amides, 905.
- Fialkov, Ya. A., see Kuzmenko, A.A.
- Fidel, S.N., see Zubarovskiy, V.M.
- Filatova, R.I., see Udovenko, V.V.
- Florinsky, F.S., see Koton, M.M.
- Fodor, G.; A. Gerch, I. Kishsh, Ya. Kollonich, Ya. Vein, and E. Kovach. A modified synthesis of 2-methyl-4-amino-5-ethoxy-methylpyrimidine, 2109.
- Freidlin, L. Kh., and A.M. Levit. Research on kinetics of the dehydration of formic acid with silica gel, 1369.
- Fridman, S.D., and M. Ya. Kagan. Kinetics and reaction mechanisms of catalytic hydro-dehydrogenation. V. Catalytic transformations of cyclohexene in the presence of copper and iron, 959.
- Gabel, Yu. O., and L.F. Shpeier. Structure of the oxidation products of diallyl sulfide, 1807.
- Galchenko, G.L., see Popov, M.M.
- Gavrikova, A.E., in paper by N.V. Shishkin, 505.
- Gavrilov, N.I., and L.N. Akimova. Structure of protein micromolecules. VI. Preparation of some dihydropyrazine amidines and their acylation, 377.
- Gavrilov, N.I., and L.N. Akimova. The microstructure of protein. VIII. Action of oxalylchloride upon diketopiperazine and the ensuing transformation of the products of this reaction into amidine, 1015.
- Gavrilov, N.I., R.G. Petrova, and N.A. Poddubnaya. The structure of protein micromolecules. V. Action of phosphorus pentachloride upon diketopiperazine, 311.
- Gavrilov, N.I., see Akimova, L. N.
- Genkin, E.I., see Livshits, R.S.
- Gerech, A., see Fodor, G.
- Gershtein, N.A., see Shostakovskiy, M.F.
- Ginsberg, M., and Rogovin, Z. Research on the structure and properties of cellulose and its esters. XXXII. Conditions governing the conversion of preparations of natural cellulose into those of

- hydrated cellulose and vice versa, 1023.
- Glikman, S.A., and L.A. Root. Determination of the energy effects of diluting high polymer solutions by a dilatometric method, 63.
- Glushchenko, V., see Sumarokova, T.
- Glushchenko, V., see Usanovich, M.
- Golombik, E.S., see Berlin, A. Ya.
- Golovkova, A.I., see Lapkin, I.I.
- Gorenbein, A. Ya., and E.E. Kriss. Physicochemical investigations of concentrated solutions. XI. $SbBr_3$ - $AlBr_3$ - CBr_4 system, 1517.
- Grigorovsky, A.M., and A.A. Simeonov. Transformations of lucigenin, 653.
- Grishchuk, A.P., see Malinovsky, M.S.
- Gryazev, N.N., see Obolentsev, R.D.
- Gurevich, T.I., see Feldman, I. Kh.
- Gurevich, E., see Pavlyuchenko, M.M.
- Gurvich, S.M., see Terentyev, A.P.
- Gusev, S.I., and R.G. Beiles. Reaction of some pyrazole derivatives with the ion of trivalent iron and with cyanide complexes, 2189.
- Gverdsiteli, I.M., and Sh. G. Mikadze. Addition of hydrogen to an acetylene derivative. Catalytic hydrogenation of *o*-dicumylbutynediol, 1609.
- Ilshtein, I.A., see Dankova, T.F.
- Ioffe, I.I., see Vorozhtsov, N.N.
- Ioffe, I.S., Researches on hydroxyfuchson dyes. XIII. Acetylation of hydroxymethoxyfuchsones, 1439.
- Ioffe, I.S., Researches on hydroxyfuchson dyes. XIV. Structure of bisulfite derivatives of hydroxyfuchson dyes, 1655.
- Ioffe, I.S., Researches on hydroxyfuchson dyes. XV. Acetoxyfuchsones, 1843.
- Isaev, Yu. B., see Ponomarev, A.A.
- Ivanov, A.I., see Kucherov, V.F.
- Ivanov, A.P., see Venus-Danilova, E.D.
- Ivanova, I.I. Thermodynamic functions. Al_2C_3 , Si, SiO_2 , SiC, AlF_3 , and Na_3AlF_6 , 491.
- Ivanova, T.N., see Feofilaktov, V.V.
- Kachmarchik, Yu. M., see Tilicheev, M.D.
- Kadatsky, G.M., see Terentyev, A.P.
- Kagan, M. Ya., see Fridman, S.D.
- Kaganovich, Yu. Ya., and K.P. Mishchenko. Temperature of coefficients of the heats of solution of electrolytes. Heats of solution of KCl in water at 50° and of $MgSO_4 \cdot 7H_2O$ in water and in Na_2SO_4 solutions at 25, 35, and 45°, 29.
- Kamai, Gilm., and E. Sh. Bastanov. Some new phosphonic esters and their derivatives, 2449.
- Kamai, Gilm., see Shugurova, E.I.
- Kanevskaya, S.I., and K.I. Znaeva. Synthesis of some homologs of the aglucones of cardiac glycosides. I. Synthesis of two isomeric β -phenanthryl- $\Delta^{\alpha-\beta}$ -butenolides, 1905.
- Kapitonova, N.A., in paper by A.N. Pudovik, 1801.
- Karaseva, E.A., see Tits-Skvortsova, I.N.
- Karavaev, B.I., see Bogdanov, S.V.
- Karlysheva, K.F., see Sheka, I.A.
- Kashtanov, L.I., and L.N. Sokolova. Formation of a coordination compound of sulfur trioxide and phenol, 1619.
- KhEIFets, S.A., see Levkoev, I.I.
- Khokhlov, A.S., L.A. Shchukina, and M. M. Shemyakin. Oxidative and oxidative-hydrolytic transformations of organic molecules. XVI. Oxidative-hydrolytic transformations of 2,3-dihydroxy-1,4-naphthoquinone and 1,2,3,4-tetraoxotetralin, 1113.
- Khokhlov, A.S., see Shchukina, L.A.
- Khokhlov, A.S., see Shemyakin, M.M.
- Khovyakova, R.F., see Tananaev, N.A.
- Kiprianov, A.I., and Z.N. Pazenko. Researches on the derivatives of benzo-1,4-thiazine. I. Quaternary salts of benzo-1,4-thiazine and its derivatives, 169.
- Kiprianov, A.I., and Z.N. Pazenko. Researches on the derivatives of benzo-1,4-thiazine. II. Cyanin dyestuffs of the benzo-1,4-thiazine series, 177.
- Kiprianov, A.I., and Z.N. Pazenko. Researches on the derivatives of benzo-1,4-thiazine. III. Condensation of quaternary salts of Benzo-1,4-thiazine and of its derivatives with aldehydes, 185.
- Kiprianov, A.I., and Yu. S. Rozum. Ultraviolet absorption spectra of benzothiazole derivatives, 2271.
- Kirillova, A.S., see Korshunov, I.A.
- Kirsanov, A.V., and Yu. M. Zolotov. Methylation of imidosulfamide, 709.
- Kirsanov, A.V., and Yu. M. Zolotov. The dimethylamidation of carboxylic acids, 1273.
- Kiryalov, N.P. The structure of ledol. II. Hydroderivatives of ledol, ledene, and leddiene, 2321.
- Kiryalov, N.P. The structure of ledol. III. The hydrocarbon skeleton of leddiene. Crystalline products of the oxidation of ledene, 2325.
- Kishsh, I., see Fodor, G.
- Kleiner, K.E. Complex fluorides of beryllium in solution, 19.
- Kogan, I.M., and V.M. Dziomko. Reaction of aryl sulfonamides with amines, 2101.
- Kogan, I.M., and D.F. Kutepov. Reaction of dinitrodiphenylurea with aromatic amines, 1149.
- Kogan, I.M., and D.F. Kutepov. Nitration of diphenylurea (carbanilide), 1419.
- Kogan, I.M., and D.F. Kutepov. Hydrolysis of diphenylurea (carbanilide), 1637.
- Kogan, I.M., and D.F. Kutepov. Hydrolysis of 4,4'-dinitrodiphenylcarbamide (4,4'-dinitrocarbanilide), 2259.

- Kokurina, A.S., see Nikitina, E.A.
- Kolesnikov, G.S., V.V. Korshak, and I.P. Krakovnaya. High molecular compounds. XXX. Synthesis of 2-methoxy-1-vinylnaphthalene, 439.
- Kollonich, Ya., see Fodor, G.
- Kononova, L.N., see Perekalin, V.V.
- Konovalova, R.A., B.S. Diskina, and M.S. Rabinovich. Alkaloids of some species of the legume family. X. New alkaloids from *Piptanthus nanus* Pop. — piptantine and piptamine, 853.
- Korenman, I.M. Precipitation of hydroxides as a function of the solution pH, 9.
- Korenman, I.M. The solubility product of hydroxides, 2177.
- Korobitsyna, I.K., see Yuryev, Yu. K.
- Koroleva, M.N., see Razuvaev, G.A.
- Korovsky, Sh. Ya. Correlation of properties in the metal series copper—silver—gold, 475.
- Korshak, V.V., see Kolesnikov, G.S.
- Korshunov, I.A., A.S. Kirillova, M.K. Shchennikova, and L.N. Sazanova. Polarographic investigation of sulfamide compounds, 625.
- Korshunov, I.A., and L.V. Lipatova. Coordination compounds of cadmium with ammonia and some derivatives of ammonia, 679.
- Korshunov, I.A., N.I. Malyugina, and O.M. Balabanova. Polarographic investigation of coordination compounds of cadmium with several monovalent anions, 685.
- Kost, A.N., see Terentyev, A.P.
- Kostomarova, V.L., in paper by A.I. Shavrygina, 833.
- Koton, M.M., and F.S. Florinsky. Esters of methacrylic acid, 2041.
- Koton, M.M., E.P. Moskvina, and F.S. Florinsky. Synthesis of ring-substituted derivatives of styrene, 2043.
- Koton, M.M., E.P. Moskvina, and F.S. Florinsky. Polymerization of ring-substituted halogen derivatives of styrene. I, 2047.
- Kovach, E., see Fodor, G.
- Kovtunovskaya, I.I., see Simon, I.B.
- Kozhevnikova, N.E., see Dubinin, B.M.
- Kozminskaya, T.K., see Mikhailov, B.M.
- Krakovnaya, I.P., see Kolesnikov, G.S.
- Kriss, E.E., see Gorenbein, A. Ya.
- Krogus, E.A., in paper by N.V. Shishkina, 505.
- Kropachev, V.A., see Ternnikova, T.I.
- Kropacheva, A.A., and S.I. Sergievskaya. Synthesis of amino alcohols similar to ephedrine, 2439.
- Kropacheva, E.N., see Ternnikova, T.I.
- Kucherov, V.F. Researches on heterocyclic amino derivatives. VI. Derivatives of 5-halogeno-2-pyridonimide, 1249.
- Kucherov, V.F., and M.I. Dorokhova. Syntheses of derivatives of α -amino acids. II. New methods of synthesizing amides of α -amino acids, 1621.
- Kucherov, V.F., and M.I. Dorokhova. Syntheses of derivatives of α -amino acids. III. Synthesis of decarboxy dipeptides, 1627.
- Kucherov, V.F. and A.I. Ivanov. Syntheses of derivatives of α -amino acids I. N^{α} -benzene-sulfo substituted derivatives of l- and d-lysine, 1243.
- Kuchkarov, A.B. Syntheses employing zinc chloride. VI. The use of metallic zinc and zinc chloride for the alkylation of aromatic compounds of alkyl chlorides, 753.
- Kuleshov, I.M. Normal silver molybdate, 451.
- Kuleshov, I.M., see Spitsyn, V.I.
- Kumov, V.I. Complex compounds of some bivalent metals with antipyrine, 2183.
- Kurdyukova, V.A., see Berezovsky, V.M.
- Kurov, V.I. Salts of alkyl carbonic acids (alkyl carbonates of the metals). I, 541.
- Kurov, V.I. Alkyl carbonates, II, 1795.
- Kuskov, V.K., and V.N. Vasilyev. Reaction of ethylene oxide with salts of alkyl and aryl arsenous acids, 99.
- Kuskov, V.K. Researches on the derivatives of oxazole, 165.
- Kutepov, D.F., see Kogan, I.M.
- Kuzmenko, A.A., and Ya. A. Fialkov. An investigation of the coordination compounds of phosphorous pentachloride and pentabromide with iodine, chloride and bromide, 523.
- Kuzmenko, A.A., see Fialkov, Ya. A.
- Kuzmina, Yu. L., see Spryskov, A.A.
- Kuzovkov, A.D., and G.P. Menshikov. Syntheses in the pseudoheliotridane series, 2515.
- Lagucheva, E.S., see Petrov, K.D.
- Lapkin, I.I., and A.I. Golovkova. Steric hindrances in organomagnesium reactions. XI. Reactions of formates with organo-magnesium compounds, 129.
- Lapkin, I.I., and O.M. Lapkina. Steric hindrances in organomagnesium reactions. X. The singular course of the reaction between α -monochloro-substituted ethers and aryl magnesium halides. (A new method of synthesizing sterically complex symmetrical diaryl ethane hydrocarbons), 119.
- Lapkina, O.M., see Lapkin, I.I.
- Lapushkin, S.A., see Skuratov, S.M.
- Lebedev, N.N. Mechanism of the catalytic action of aluminum chloride. II. Structure of coordination compounds with acid halides, ketones, and other oxygen compounds, 1975.
- Lebedeva, A.I. Electrolytic hydrogenation of diacetylenic glycols, 2021.
- Lebedeva, A.I., and student T.A. Mishnina. Electrolytic dehydrogenation of diethylacetylenylcarbinol and the dehydration of diethylvinylcarbinol, 1227.
- Lebedeva, A.I., and student L.L. Shchukovskaya. Research on the isomerization and polymerization of dimethylvinylcarbinol as functions of the reagent pH, 1235.

- Leonova, A.I., see Tits-Skvortsova, I.N.
- Lerner, O.M., see Perekalin, V.V.
- Levina, R. Ya., A.A. Fainzilberg, V.M. Tatevsky, and E.G. Treshchova. Isomerization of unsaturated hydrocarbons with metallic oxides as contact agent. XII. Preparation of methyl pentadienes by dehydrating dimethylallyl-carbinol above chromium oxide on alumina, 251.
- Levina, R. Ya., E.A. Viktorova, and B.B. Berezhina. Synthesis of hydrocarbons. XV. The synthesis of alkynes-3-(γ -acetylenic hydrocarbons), 259.
- Levina, R. Ya., see Yuryev, Yu. K.
- Levina, S. Ya., see Tits-Skvortsova, I.N.
- Levit, A.M., see Freidlin, L. Kh.
- Levkoev, I.I., S.A. Kheifets, and N.S. Barbin. Researches on cyanin dyes. IV. Some 6,6'-diacyl-aminothiocabocyanins, 1463.
- Levkoev, I.I., and B.S. Portnaya. Researches on cyanin dyes. VI. Properties of 7,7'-bis-(dimethylamino)-thiocabocyanines, 2287.
- Levkoev, I.I., see Sytnik, Z.P.
- Lipatov, Yu. S., see Paushkin, Ya. M.
- Lipatova, L.V., see Korshunov, I.A.
- Lipovich, I.M., and S.I. Sergievskaya. Reduction of β -(alkoxy aroyl) propionic acids and the synthesis of γ -(alkoxy aryl)-butyrolactones, 135.
- Lipovskaya, B.A., in paper by N.V. Shishkina, 505.
- Lishansky, I.S., see Danilov, S.N.
- Livshits, R.S., M.S. Bainova, G.I. Bazilevskaya, E.I. Genkin, N.A. Preobrazhensky, and students Yu. M. Rozanova and Z. A. Baranova. Research on isoquinoline compounds. III. Synthesis of N-methyl-1-(3,4-dimethoxybenzyl)-5,6-dimethoxy-1,2,3,4-tetrahydroisoquinoline, 1479.
- Livshits, R.S., R.P. Evstigneeva, M.S. Bainova, and N.A. Preobrazhensky. Researches on isoquinoline compounds. IV. Synthesis of 1-[β -(3-pyridyl)-ethyl]-6,7-dimethoxy-1,2,3,4-tetrahydroisoquinoline, 1487.
- Livshits, S.S., and N.A. Preobrazhensky. Researches on organic polysulfides. III, 1425.
- Losev, I.P., O.V. Smirnova, and T.A. Pfeifer. Reaction of aromatic compounds with allyl chloride and allyl alcohol in the presence of acid catalysts. I. Reaction of benzene and toluene with allyl chloride and allyl bromide in the presence of $AlCl_3$, 737.
- Lugovkin, B.P., see Arbuzov, B.A.
- Lugovtsova, N.A., see Dyakonov, I.A.
- Lurye, S.I., S.M. Mamiofe, and Kh.M. Ravikovich. Reactions of azlactones (oxazolones) with amines, 1431.
- Lutsky, A.E. The intramolecular hydrogen bond and the color of organic compounds, 589.
- Lutsky, A.E., see Valyashko, N.A.
- Lyubomilov, V.I., and A.P. Terentyev. Condensation of formaldehyde with sodium butylate, 1613.
- Magidson, O.Yu., see Elina, A.S.
- Maimind, V.L., see Berlin, A. Ya.
- Makarova, A.N., see Terentyev, A.P.
- Makarova, T.A., see Berlin, A.A.
- Malina, Z.V., see Ardashev, V.I.
- Maltnovsky, M.S., and A.P. Grishchuk. Thermal decomposition of the calcium salts of monochloro- and trichloroacetic acids, 1969.
- Malyugina, N.I., see Korshunov, I.A.
- Mamiofe, S.M., see Lurye, S.I.
- Manulkin, Z. M., and A.N. Tatarenko. The problem of detaching radicals from organometallic compounds. VIII. The splitting off of radicals by the action of aluminum chloride and ferric chloride upon triphenylbismuth and triphenylantimony, 103.
- Markacheva, E.N., in paper by G.I. Braz, 757.
- Markova, Z.D., see Ardashev, B.I.
- Martynov, I.I., see Venus-Danilova, E.D.
- Martynova, P.A., in paper by N.V. Shishkin, 505.
- Melikyan, M.O., and G.T. Tatevosyan. The synthesis of 1-methyl-4-alkylcyclohexen-1-ones-3, 767.
- Melnikov, N.N., and Yu. A. Baskakov. Mechanism of the oxidation of organic compounds by selenium dioxide. XII. The oxidation of naphthylacetonitrile and the esters of naphthylacetic acid, 763.
- Melnikov, N.N., see Nametkin, S.S.
- Melnikov, N.N., see Rodionov, V.M.
- Menshikov, G.P., see Kuzovkov, A. D.
- Mertsin, R.V., and V.D. Vasev. Solvent systems, 463.
- Meshcheryakov, A.P., see Akhrem, A.A.
- Migacheva, I.B., see Bogdanov, S.V.
- Mikadze, Sh. G., see Gverdtsiteli, I.M.
- Mikhailov, B.M. Synthesis of α -benzylparaconic acids, 395.
- Mikhailov, B.M., and N.G. Chernova. Researches on the phenanthrenes. I. Synthesis of phenanthrene derivatives with organolithium compounds, 1659.
- Mikhailov, B.M., and T.K. Kozminskaia. Organolithium compounds of 1,2-benzanthracene and their transformations, 1395.
- Mikhailov, B.M., and T.K. Kozminskaia. Action of phosphorus pentahalides on 1,2-benzanthracene and its derivatives, 2433.
- Milina, V.P., in paper by N.V. Shishkin, 505.
- Militskova, E.A., see Abramov, V.S.
- Mironova, R., in paper by N.V. Shishkin, 505.
- Miropolskaya, M.A., see Dankova, T.F.
- Mishchenko, K.P., see Kaganovich, Yu. Ya.
- Mishnina, T.A., see Lebedeva, A.I.
- Mokrushin, S.G. Surface energy of molecules and their physico-chemical properties. VI. Molecular diameter, surface energy, and the constant a in the Van Der Waal's equation, 1537.

- Moskvina, E.P., see Koton, M.M.
- Mukhamedova, L.A., see Pudovik, A.N.
- Muzyka, I.D., see Fialkov, Ya. A.
- Nametkin, S.S., Yu. A. Baskakov, and N.N. Melnikov. Synthesis of some alkyl- and aralkyl-phenoxyacetic acids and their derivatives, 2397.
- Nametkin, S.S., and I.E. Dzbanovskaya. Synthesis of a new homolog of camphor -3,4-dimethylcamphor -and some of its derivatives, 2403.
- Nametkin, S.S., N.N. Melnikov, and K.S. Bokarev. 4-Alkoxy-phenoxyacetic acids and their simplest derivatives, 359.
- Nametkin, S.S., and M.A. Volodina. Researches on isomeric transformations. VIII. Transformations of dimethylcyclopentylcarbinol, 363.
- Nazarov, I.N., and S.A. Vartanyan. Derivatives of acetylene. 125. Synthesis based on divinylacetylene. Transformations of 2-methyl-4-vinylethynyl-4-pyranol, 413.
- Nekrasov, A.S., see Rodionov, V.M.
- Nesmeyanov, A.N. Answer to E.A. Shilov, 2343.
- Nikitina, E.A., and A.S. Kokurina. Reduction of silicotungstates by hydrogen. II. Reduction of cis-silicotungstic acid and its potassium salts, 1289.
- Nikitina, E.A., and A.S. Kokurina. Reduction of silicotungstates by hydrogen. III. Reduction of unsaturated potassium silicotungstates, 1527.
- Nikitina, E.A., and A.S. Kokurina. Reduction of silicotungstates by hydrogen. IV. Sodium bronze and the reduction of sodium silicotungstate, 2155.
- Nikolaev, K.M., see Astakhov, K.V.
- Novoselova, A.V. Crystal hydrates of beryllium nitrate, 457.
- Novoselova, A.V., and I.G. Sosnovskaya. The $\text{LiCl}-\text{BeCl}_2-\text{H}_2\text{O}$ system at 0° , 893.
- Obolentsev, R.D. Kinetics of the isomerization of n-butane in the liquid phase over aluminum chloride, 79.
- Obolentsev, R.D., and N.N. Gryazev. Kinetics of the dealkylation of isopropyl-benzene above an aluminosilicate catalyst, 943.
- Obolentsev, R.D., and N.N. Gryazev. Transformations of olefin hydrocarbons in the presence of metallo-silicate catalysts. III. Transformations of some unsaturated hydrocarbons possessing a quaternary carbon atom with an aluminosilicate catalyst, 1741.
- Obolentsev, R.D., and Yu. N. Usov. Transformations of hydrocarbons with oxide catalysts. III. The role of various transformations in the aromatization of paraffin and olefin hydrocarbons by chrome catalysts, 1567.
- Obolentsev, R.D., and students K.A. Vershinina and E.V. Skvortsova. Transformations of hydrocarbons with oxide catalysts. IV. Dehydrogenation of the butanes with a chrome catalyst, 1989.
- Oldekop, Yu. A., see Razuvaev, G.A.
- Oranskaya, M.A., see Durdin, Ya. V.
- Orestova, V.A., in paper by Kh. V. Balyan, 803.
- Osipov, O.A., and Yu. V. Fedorov. Investigation of the reaction between maleic anhydride and diphenylamine by the methods of physico-chemical analysis. Fusibility, viscosity, specific gravity, and conductance, 1563.
- Osipov, O.A., and N.A. Trifonov. Surface tension and total surface energy of rational binary liquid systems, 899.
- Ovsyankina, N.A., see Spryskov, A.A.
- Ozhigov, E.P. Distribution of mechanical and magnetic moments of nuclei in the periodic system of groups of isotopes, 1931.
- Ozhigov, E.P. Nuclear periodicity of the Mendeleev type, 2143.
- Panferova, N.G., see Petyunin, P.A.
- Pansevich-Kolyada, V.I. Research on allene hydrocarbons. I. Synthesis of methylphenylpropadiene, 547.
- Pansevich-Kolyada, V.I. Research on allene hydrocarbons. II. Addition of bromine to as-dimethylpropadiene, 551.
- Pansevich-Kolyada, V.I., and N.A. Prilezhaev. Bromination of tertiary alcohols, 571.
- Panyukova, M.A., see Postovsky, I. Ya.
- Paushkin, Ya. M., and Yu. S. Lipatov. Influence of boron fluoride upon the cracking of hydrocarbons, 1983.
- Pavlova, L.A., see Venus-Danilova, E.D.
- Pavlyuchenko, M.M., and E. Gurevich. Kinetic investigation of the decomposition of silver oxide, 517.
- Pazenko, Z.N., see Kiprianov, A.I.
- Perekalin, V.V. Determination of intramolecular hydrogen bonds, 141.
- Perekalin, V.V. Azo dyes from 1,5-aminonaphthol and some of its derivatives. VII. Potentiometric titration of some intermediates and azo dyes of the naphthalene series, 1157.
- Perekalin, V.V., and O.M. Lerner. Reactions of ketene dimer. Reaction of ketene dimer with some weakly basic aromatic amines, 2219.
- Perekalin, V.V., and L.N. Kononova. Azo dyes from 2,8-aminonaphthol and some of its derivatives. II. Interaction of the sulfo acids of 2,8-aminonaphthol with diazo compounds, 1255.
- Perekalin, V.V., and M.V. Savostyanova. Azo dyes from 1,5-aminonaphthol and some of its derivatives. VIII. Research on the absorption spectra of some intermediates and azo dyes of the naphthalene series, 1451.
- Perekalin, V.V., and N.M. Slabachevskaya. Azo dyes produced from 2,8-aminonaphthol and

- its derivatives. I. Azo dyes from 2,8-aminonaphthol, 985.
- Peshkov, V.P., see Tilicheev, M.D.
- Petrov, K.D., and E.S. Lagucheva. Reactions of dimethyl-acetenylcarbinol with ethylene oxide. I, 1361.
- Petrov, K.D., and E.S. Lagucheva. Reaction of dimethyl-ethynylcarbinol with propylene oxide. II, 1589.
- Petrova, E.N., see Sergievskaya, S.I.
- Petrova, L.A., see Temnikova, T.I.
- Petrova, R.G., see Gavrilov, N.I.
- Petrushchenko, A.E., see Dankova, T.F.
- Petukhov, G.G., see Razuvaev, G.A.
- Petyunin, P.A., and I.S. Berdinsky. N-Arylamides of hydroxycarboxylic acids and their conversion into heterocyclic compounds. V. Intramolecular condensation of aryl amides of benzoic acid, 1877.
- Petyunin, P.A. N-Arylamides of hydroxycarboxylic acids and their conversion into heterocyclic compounds. VI. Structure of the intramolecular condensation products of the α - and β -naphthalides of α -hydroxy carboxylic acids, 2055.
- Petyunin, P.A., and I.S. Berdinsky. N-Arylamides of hydroxycarboxylic acids and their conversion into heterocyclic compounds. VII. Intramolecular condensation of the aryl amides of p,p-ditolylglycolic acid, 2063.
- Petyunin, P.A. N-Arylamides of hydroxycarboxylic acids and their transformation into heterocyclic compounds. X. The equilibrium between carbonium and ester forms in colored sulfuric acid solutions of arylamides of hydroxycarboxylic acids, 2455.
- Petyunin, P.A., and Berdinsky, I.S. N-Arylamides of hydroxy carboxylic acids and their transformation into heterocyclic compounds. VIII. Intramolecular condensation of arylamides of m,m-ditolyl glycolic acid, 2245.
- Petyunin, P.A., and I.S. Berdinsky. N-Arylamides of hydroxycarboxylic acids and their transformation into heterocyclic compounds. IX. Intramolecular condensation of aryl amides of o,o-ditolyl glycolic acid, 2249.
- Petyunin, P.A., and N.G. Panferova. N-Arylamides of hydroxycarboxylic acids and their conversion into heterocyclic compounds. II. Naphthalides of α -hydroxy carboxylic acids, 1673.
- Petyunin, P.A., and N.G. Panferova. N-Arylamides of hydroxycarboxylic acids and their conversion into heterocyclic compounds. III. Reactions of organomagnesium compounds with the esters of orthomethoxymalonamic and succinamic acids. Synthesis of the amides of γ -hydroxy acids, 1679.
- Petyunin, P.A., and N.G. Panferova. N-Aryl amides of hydroxycarboxylic acids and their conversion into heterocyclic compounds. IV. Mechanism involved in the reaction of organomagnesium compounds with the esters of N-aryl-substituted amides of dicarboxylic acids, 1871.
- Pfeifer, T.A., see Losev, I.P.
- Pirogova, N.D., see Dyakonov, I.A.
- Pishchimuka, P.S. Action of elements of the oxygen-sulfur-selenium group on primary aromatic and heterocyclic amines, 1859.
- Plekhan, M.I. Spectrophotometry of biuret coordination compounds as a method of investigating proteins. X. Spectrophotometric investigation of biuret-copper coordination compounds of a heptapeptide and an octapeptide, 341.
- Plekhan, M.I. Spectrophotometry of biuret coordination compounds as a method of investigating proteins. XI. Spectrophotometric investigation of a biuret-copper coordination compound in the presence of a mixture of di-, tri-, and tetrapeptides, 347.
- Plekhan, M.I. Spectrophotometry of biuret coordination compounds as a method of protein research. XII. Spectrophotometric investigation of the formation of a copper-biuret coordination compound in the presence of a mixture of two peptides with differing chain lengths, 635.
- Plekhan, M.I. Spectrophotometry of biuret coordination compounds as a method of protein research. XIII. Analysis of the spectrophotometric curves of biuret-copper coordination compounds of serum albumin, casein, and gelatin, 641.
- Poddubnaya, N.A., see Gavrilov, N.I.
- Pokhvalensky, E.D., in paper by N.V. Shishkin, 505.
- Ponomarev, A.A., and Isaev, Yu. B. Using ketene as an acetylating agent. II. Some new findings on the acetylation of alcohols, 1143.
- Popov, M.M., and G.L. Galchenko. Determination of the true specific heat of powdered substances as high temperatures, 2489.
- Portnaya, B.S., see Levkoev, I.I.
- Postovsky, I.Ya. and M.A. Panyukova. Syntheses of anthelmintics of the coumarin series, 1893.
- Prein, N.G., see Feldman, I. Kh.
- Preobrazhensky, N.A., see Berezovsky, V.M.
- Preobrazhensky, N.A., see Dankova, T.F.
- Preobrazhensky, N.A., see Livshits, R.S.
- Preobrazhensky, N.A., see Livshits, S.S.
- Prik, K.E., see Yatsimirsky, K.B.
- Prilezhaev, N.A., see Pansevich-Kolyada, V.I.
- Prilezhaeva, E.N., see Akhrem, A.A.
- Proskurnina, N.F., and V.M. Merlis. The alkaloids of *Salsola Richteri*. VI. The N-derivatives of salsoline. II, 815.
- Protsenko, P.L., and A.G. Bergman. Reactions of nitrates and nitrites of metals of the first and second groups of D.I. Mendeleev's periodic

- system in the molten state. II. Investigation of the ternary system consisting of the nitrates of strontium - potassium - sodium in molten state, 1509.
- Protchenko, P.I., and A.G. Bergman. Interaction of nitrates and nitrites of the metals of the first and second groups of D.I. Mendeleev's periodic system in the molten state. III. Research on the ternary system of nitrates of barium - potassium - sodium in the molten state, 1731.
- Pudovik, A.N. Acetylene-allene rearrangements. II. Reaction of alcoholic alkali and of alcoholates and acetates of the alkali metals upon acetylene and allene chlorides, 1593.
- Pudovik, A.N. Allyl rearrangements. XIV. Action of amines on isomeric methoxychloropentenes, 1801.
- Pudovik, A.N. Acetylene-allene rearrangements. IV. An ionic theory of acetylene-allene rearrangements, 2003.
- Pudovik, A.N., and B.A. Arbuzov. The addition of dialkyl phosphorous acids to unsaturated compounds. I. Addition of dialkyl phosphorous acids to β,β -dimethyl divinyl ketone, 423.
- Pudovik, A.N., and B.A. Arbuzov. Addition of dialkylphosphorous acids to unsaturated compounds. II. Addition of dialkylphosphorous acids to acrylonitrile and methyl methacrylate, 2035.
- Pudovik, A. N., and L.A. Mukhamedova. Acetylene - allene rearrangements. III. Action of organomagnesium compounds and dimethylvinylethynylchloromethane, 1603.
- Rasina, F.V., in paper by V.F. Kucherov, 1243, 1627.
- Ravikovich, Kh. M., see Lurye, S.I.
- Razuvaev, G.A., and E.I. Fedotova. Free radicals in the decomposition reactions of benzeneazotriphenylmethane, nitrosoacetanilide, and benzeneazotrinotromethane in solutions, 1219.
- Razuvaev, G., and V. Fetyukova. Detachment of radicals from complete asymmetric derivatives of tin, 1107.
- Razuvaev, G.A., and Yu. A. Oldekop. Photoreactions of organometallic compounds of mercury in solutions. VII. Reactions of diphenylmercury, 1225.
- Razuvaev, G.A., and Yu. A. Oldekop. Photoreactions of organometallic compounds of mercury in solutions. VIII. Reactions in mixed solvents, 2459.
- Razuvaev, G.A., Yu. A. Oldekop, and student M.N. Koroleva. Photoreactions of organometallic compounds of mercury in solution. VI. Reactions of dimesitylmercury, 717.
- Razuvaev, G.A., Yu. A. Oldekop, and N.S. Vyazankin. Reaction of some organomercury compounds with succinimide, 1403.
- Razuvaev, G.A., and G.G. Petukhov. The photoreaction of phenylmercury hydroxide, 713.
- Razuvaev, G.A., and M.A. Shubenko. Photoreactions of organoiodine compounds, 2193.
- Redkin, I.A., see Shvetsov, Yu. B.
- Reutov, O.A. Some problems of the theory of organic chemistry, 203.
- Rikelman, M.D., see Zubarovsky, V.M.
- Rodionov, V.M., and M.G. Chentsova. The reaction of cotarnine and hydrastinine and of their benzoyl derivatives with caustic alkalis, 353.
- Rodionov, V.M., A.K. Ruzhentsova, A.S. Nekrasov, and N.N. Melnikov. Academician Sergei Semenovitch Nametkin, 2351.
- Rogovin, Z., see Ginsberg, M.
- Root, L.A., see Glikman, S.A.
- Rozanova, Yu. M., see Livshits, R.S.
- Rozum, Yu. S., see Kiprianov, A.I.
- Rudenko, N.A., see Dionisyev, D.E.
- Ruzhentsova, A.K., see Rodionov, V.M.
- Ryabtseva, V.I., see Zalkind, Yu. S.
- Rabinovich, B. Ya. Molecular compounds of aluminum bromide with ammonia and aromatic hydrocarbons, 71.
- Rabinovich, M.S., see Konovalova, R.A.
- Savchenko, G.S., and I.V. Tananaev. Types of complex fluoraluminates in aqueous solutions, 2505.
- Savostyanova, M.V., see Perekalin, V.V.
- Sazanova, L.N., see Korshunov, I.A.
- Serebryanyi, S.B., and V.P. Chernetsky. Synthesis of derivatives of 1-hydroxyphenazine. II. 1,6- and 1,8-Dialkoxyphenazines, 2265.
- Sergievskaia, S.I., and A.A. Chmerisskaya. β -[2-Propoxy(butoxy)naphthoyl-6]-propionic acids and their transformations, 647.
- Sergievskaia, S.I. and E.N. Petrova. (N-Alkyl-N-hydroxyethyl)-amides of 4(5)-nitro-1-naphthoic acids, 2433.
- Sergievskaia, S.I., and R.G. Vdovina. Amino ketones of the tetrahydronaphthalene series. Synthesis of ar-1-hydroxy-4-(aminoaceto)-tetrahydronaphthalenes, 975.
- Sergievskaia, S.I., see Kropacheva, A.A.
- Sergievskaia, S.I., see Lipovich, I.M.
- Serkova, V.I., see Venus-Danilova, E.D.
- Shamshurin, A.A. Synthesis of structural fragments of rotenone and of its congeners. II. Syntheses in the field of tubaic acid, 2313.
- Shavrygin, A.I. Camphene rearrangements and their optical consequences. II. Change in optical activity in the transition from tert-propyl-borneol to 4-propylisoborneol, 825.
- Shavrygin, A.I. The isomerization of isoborneol and 4-methylisoborneol when dehydrated by the xanthogenic method, 833.

- Shchennikova, M.K., see Korshunov, I.A.
- Shchukina, L.A., Yu. B. Shvetsov, and M.M. Shemyakin. Oxidative and oxidative-hydrolytic transformations of organic molecules. XI. The mechanism of the S. Hooker reaction, 381.
- Shchukina, L.A., A.S. Khokhlov, and M.M. Shemyakin. Oxidative and oxidative-hydrolytic transformations of organic molecules. XIV. Hydrolytic cleavage of 3-hydroxy-1,4-naphthoquinone, 997.
- Shchukina, L.A., A.S. Khokhlov and M.M. Shemyakin. Oxidative and oxidative-hydrolytic transformations of organic molecules. XV. Transformations of 1,4-naphthoquinone oxide, 1005.
- Shchukina, L.A., E.I. Vinogradova, and M.M. Shemyakin. Oxidative and oxidative-hydrolytic transformations of organic molecules. XVIII. Synthesis and properties of some quinone oxides, 1823.
- Shchukina, L.A., see Khokhlov, A.S.
- Shchukina, M.N., G.M. Borodina and Yu. N. Sheinker. Synthesis and structure of some derivatives of colchicine, 809.
- Shchukina, L.A., see Shemyakin, M.M.
- Shchukovskaya, L.L., see Lebedeva, A.A.
- Stender, V.V., see Garkavy, I. Ya.
- Sheka, I.A., and K.F. Karlysheva. Compounds of aluminum halides with dioxane, 915.
- Shemyakin, M.M., L.A. Shchukina, Yu. B. Shvetsov, D.P. Vitkovsky, and A.S. Khokhlov. Oxidative and oxidative-hydrolytic transformations of organic molecules. XIX. Relationship between the degree of oxidation of carbocyclic compounds and the ability of their rings to be cleaved hydrolytically, 1831.
- Shemyakin, M.M., see Bamdas, E.M.
- Shemyakin, M.M., see Khokhlov, A.S.
- Shemyakin, M.M., see Shchukina, L.A.
- Shemyakin, M.M., see Shvetsov, Yu. B.
- Shemyakin, M.M., see Vitkovsky, D.P.
- Shilov, E.A. The hypothesis of the quasi-complex state and related questions in the theory of organic reactions, 2333.
- Shishkin, N.V. The oxonium ion in the crystal lattices of inorganic compounds, 505.
- Shokhor, I.N., see Slobodin, Ya. M.
- Shorygina, N.V., Condensation of ethylene oxide with homologs of benzene, 1391.
- Shostakovsky, M.F., and A.V. Bogdanova. Decomposition of α -halogen ethers. I. α -Halogen ethyl alkyl ethers, 429.
- Shostakovsky, M.F., and A.V. Bogdanova. Decomposition of α -halogen ethers. II. α -halogen ethyl phenyl ethers, 435.
- Shostakovsky, M.F., and A.V. Bogdanova. Hydrolysis of vinyl phenyl ether, 697.
- Shostakovsky, M.F., and N.A. Gershtein. Conversion of vinyl ethers. V. The chemical properties of incomplete acylals of $\text{CH}_3\text{CH} \begin{smallmatrix} \text{OR} \\ \diagup \\ \text{OCOR}_1 \end{smallmatrix}$ type, 1581.
- Shostakovsky, M.F., and N.A. Gershtein. Conversions of vinyl ether. VI. Chemical properties of partial acylals of the $\text{CH}_3\text{CH} \begin{smallmatrix} \text{OR} \\ \diagup \\ \text{OCOR}_1 \end{smallmatrix}$ type, 1757.
- Shostakovsky, M.F., and F.P. Sidelkovskaya. Synthesis of α, β -dichloroethyl alkyl ethers and their transformations. II. Synthesis of α, β -dichloroethyl methyl, α, β -dichlorodiethyl- and α, β -dichloroethyl isopropyl ethers, 1767.
- Shostakovsky, M.F., and F.P. Sidelkovskaya. Synthesis of acetals of chloroacetaldehyde, 2419.
- Shostakovsky, M.F., and P.V. Tyupaev. Synthesis and properties of methyl vinyl ether, 2027.
- Shostenko, Yu. V., and student I. Ya. Uralova. Polarographic investigation of some cardiac glycosides, 155.
- Shpeier, L.F., see Gabel, Yu. O.
- Shubenko, M.A., see Razuvaev, G.A.
- Shugurova, E.I., and Gilm. Kamai. Diallyl-phosphorous acid and its derivatives, 727.
- Shvetsov, N.I., see Dankova, T.F.
- Shvetsov, Yu.B., I.A. Redkin, and M.M. Shemyakin. Oxidative and oxidative-hydrolytic transformation of organic molecules. X. Ammonolysis of 2-chloro-2-methyl-1,3,4-trioxotetralin, 373.
- Shvetsov, Yu. B., see Shchukina, L.A.
- Shvetsov, Yu.B., see Shemyakin, M.M.
- Sidelkovskaya, F.P., see Shostakovsky, M.F.
- Sidorova, N.G. Cycloalkylation of aromatic compounds. IV. Condensation of 1-methylcyclohexanol-1 with benzene, toluene and phenol, 951.
- Simeonov, A.A., see Grigorovskaya, A.M.
- Simon, I.B. Synthesis of some derivatives of nicotinic acid, 1685.
- Simon, I.B., and L.I. Kovtunovskaya. Synthesis of substances possessing antithyroid activity. III. S-Methyl-6 derivatives of thiouracil, 837.
- Simonov, A.M., and P.A. Uglov. Application of amination by sodium amide to benzimidazole compounds, 971.
- Skuratov, S.M. and S.A. Iapushkin. Specific heat of the halides KCl, KBr and KI at high temperatures, 2485.
- Skvirskaya, E.P., see Yatsimirsky, K.B.
- Skvortsova, E.V., see Obolentsev, R.D.
- Slabachevskaya, N.M., see Perekalin, V.V.
- Slobodin, Ya. M., and I.N. Shokhor. Synthesis of methylcyclopropyl carbinol, 2225.
- Slobodin, Ya. M., and I.N. Shokhor. The problem of the structure of Gustavson's hydrocarbon. II. The stepwise synthesis of spiropentane, 2231.
- Smirnova, O.V., see Losev, I.P.
- Sinorgonsky, L.M. Reactions catalyzed by inorganic halides. II. The reaction of acid fluorides of carboxylic acids with aromatic compounds in the presence of boron trifluoride, 723.
- Sokolov, P.N., see Bobrova, M.I.

- Sokolova, L.N., see Kashtanov, L.I.
- Sokolskaya, A.M., The saponin of the roots of *Patrinia intermedia* R. et Schult. 1053.
- Sokolskaya, A.M., The saponin of the roots of *Patrinia intermedia* R. et Schult. 1049.
- Solovyeva, I.A., and G.I. Arbuzov, Action of chlorosulfonic acid upon 2-cyanacetyl coumarone, 843.
- Sorokina, N.I., see Dolgov, B.N.
- Sosnovskaya, I.G., see Novoselova, A.V.
- Spiro, N.S., see Akhumov, E.I.
- Spitsyn, Viktor, I., and I.M. Kuleshov, Investigation of the thermal stability and volatility of normal molybdates of the alkali metals, 445.
- Spitsyn, Viktor I., and I.M. Kuleshov, Normal molybdates of rubidium and cesium 453.
- Spitsyn, V.I., and I.M. Kuleshov, Thermal analysis of the systems $K_2MoO_4-MoO_3$, $RbMoO_4-MoO_3$ and $Cs_2MoO_4-MoO_3$, 1493.
- Spitsyn, V.I., and I.M. Kuleshov, Research on isopoly-molybdates of the alkali elements by the hydration method, 1701.
- Spitsyn, V.I., and I.M. Kuleshov, Research on the thermal stability and volatility of the isopoly-molybdates of the alkali elements, 1717.
- Spryskov, A.A., Research on sulfonation. XIX. Preparation of 1,3,5-naphthalenetrisulfo chloride, 2253.
- Spryskov, A.A., and Yu. L. Kuzmina, Research on sulfonation. XVI. Equilibrium between a sulfonic acid and its acid chloride, 787.
- Spryskov, A.A., and Yu. L. Kuzmina, Research on sulfonation. XVIII. Equilibrium between *p*-dichlorobenzenesulfonic acid and its acid chloride, 2097.
- Spryskov, A.A., and N.A. Ovsyankina, Research on sulfonation. XVII. Hydrolysis of sulfo acids with hydrochloric, sulfuric and phosphoric acids, 1649.
- Stabrovsky, A.I., Electrolytic brassplating from non-cyanide solutions, 1333.
- Starostin, V.V., see Yatsimirsky, K.B.
- Stavrovskaya, V.I., Chemical structure and parasiticidal activity. X. Effect of structural features of the cyclic sidechain substituent upon antimalaria activity of quinoline and acridine derivatives (the part played by the location of the methylene group); 1897.
- Stavrovskaya, V.I., and K.S. Topchiev, The structure of Einhorn's "2-hydroxy-5-nitrobenzyl diethylamine", 581.
- Studensky, A.G., in paper by S.V. Bogdanov, 2127.
- Sumarokova, T., and A. Babkov, Binary systems constituted by $SnCl_4$, $SbCl_3$, and $AsCl_3$, VI. $AsCl_3-CCl_3COOH$ system, 1503.
- Sumarokova, T., and student V. Glushchenko, Binary systems constituted by $SnCl_4$, $SbCl_3$, and $AsCl_3$, VII. $AsCl_3-CH_2ClCOOH$ and $AsCl_3-CH_3COOH$ systems, 1505.
- Sumarokova, T., and M. Usanovich, Binary systems constituted by $SnCl_4$, $SbCl_3$, and $AsCl_3$, II. The $SnCl_4-CCl_3COOH$ and $SnCl_4-CHCl_2COOH$ systems, 1079.
- Sumarokova, T., and M. Usanovich, The binary systems constituted by $SnCl_4$, $SbCl_3$, and $AsCl_3$, V. The $SbCl_3-CCl_3COOH$ system, 1329.
- Sumarokova, T., see Usanovich, M.
- Sveshnikov, B., In memory of academician S.I. Vavilov, 667.
- Sytnik, Z.P., I.I. Levkoev, and M.V. Diechmeister, Merocyanin dyes that are derivatives of rhodanine. I. Properties of the methyl-methyl sulfate of 2-methylmercapto-5-(3'-ethylbenzothiazolinyldene-2-ethylidene)-thiazolinone-4), 847.
- Tananaev, I.V., and E.S. Dzhaparidze, Research on the reaction between ions of bivalent manganese and $K_4Fe(CN)_6$, 1097.
- Tananaev I.V., see G.S. Savchenko.
- Tananaev, N.A., and R.F. Khovyakova, Detection and determination of minute quantities of zirconium in platinum, 889.
- Tatarenko, A.N., see Manulkin, Z.M.
- Tatevosyan, G.T., and A.G. Vardanyan, Synthesis of polycyclic hydroaromatic ketones. IV. 3-Keto-6-methyl-1,2,3,9,10,11-hexahydrophenanthrene, 1277.
- Tatevosyan, G.T., and S.A. Vardanyan, Synthesis of polycyclic hydroaromatic ketones V. 3-Keto-7-methoxy-1,2,3,11,12,12a-hexahydrochrysene, 1349.
- Tatevosyan, G.T., see Melikyan, M.O.
- Tatevsky, V.M., see Levina, R.Ya.
- Temnikova, T.I., and Z.A. Baskova, Action of aluminum amalgams on 3-chloro-3-methylbutyne-1, 2017.
- Temnikova, T.I., and E.N. Kropacheva, Researches on the cyclic acetals of hydroxy carbonyl compounds. II. Action of an alkali upon 1-methoxy-1-phenylpropene-1 oxide, 199.
- Temnikova, T.I., and V.A. Kropachev, Researches on α -ketonic ethers. IV. The hydrogenation of α -ketonic ethers as a method of preparing α -ketols, 555.
- Temnikova, T.I., and L.A. Petrova, Research on the isomeric transformations of α -ketols. VIII. The effect of methyl in the para position of the phenyl ring upon the comparative stability of isomeric aliphatic aromatic α -ketols, 745.
- Temnikova, T.I., and L.A. Petrova, Research on the molecular rearrangements of α -ketols. IX. Reactions of methyl-*p*-tolyl ketols with organo-magnesium compounds 2083.

- Terentyev, A.P., and A.V. Dombrovsky. Sulfonation and sulfo acids of acidophobic compounds. XIII. Sulfonation of cyclopentadiene 303.
- Terentyev, A.P., and A.V. Dombrovsky. Sulfonation and sulfo acids of acidophobic compounds. XV. Sulfonation of diene hydrocarbons with conjugated double bonds, 775.
- Terentyev, A.P., and A.N. Makarova. Stereoisomerism of the oximes of 2-pyrrolaldehyde and 2-pyrrole ketones, 295.
- Terentyev, A.P., and L.A. Yanovskaya. Sulfonation and sulfo acids of acidophobic compounds. XIV. Sulfonation of 2-chloropyrrole and 2-benzeneazopyrrole. 307.
- Terentyev, A.P., and L.A. Yanovskaya. Sulfonation and sulfo acids of acidophobic compounds. XVI. Sulfonation of some derivatives of indole. 1415.
- Terentyev, A.P., and S.M. Gurvich. Syntheses employing acrylonitrile. XIII. γ -Acetobutyronitrile and its reduction products, 1789.
- Terentyev, A.P., and G.M. Kadatsky. Sulfonation and sulfo acids of acidophobic compounds. XVII. Sulfonation of 2-chloro-, 2-bromo-, and 2-iodothiophenes, 1667.
- Terentyev, A.P., and A.N. Kost. Syntheses employing acrylonitrile. XIV. Synthesis of succinonitrile. 2073.
- Terentyev, A.P., A.N. Kost and K.I. Chursina. Syntheses employing acrylonitrile. XII. Synthesis of some analogs of spermine and spermidine, 291.
- Terentyev, A.P., see Lyubomilov, V.I.
- Tilicheev, M.D., and Yu. M. Kachmarchuk. Principal physico-chemical constants of the n-alkanes C_{13} - C_{18} , 85.
- Tilicheev, M.D., V.P. Peshkov, and S.A. Yuganova. Cryoscopic constants and transition points of the n-alkanes C_6 - C_{20} , 1341.
- Tishchenko, D. Vicinal effect. II. Anomalous properties of carbon fluorides, 1783.
- Tits-Skvortsova, L.N., S. Ya. Levina, A.I. Leonova, and E.A. Karaseva. Synthesis and catalytic transformations of aliphatic sulfides in contact with an aluminosilicate catalyst 263.
- Topchiev, A.V., and T.P. Vishnyakova. Polymerization of oleic acid and its methyl ester with molecular compounds of boron fluoride and the phosphoric acids, 1775.
- Topchiev, K.S., see Braude, M.B.
- Topchiev, K.S., see Stavrovskaya, V.I.
- Treshchova, E.G., see Turova-Polyak, M.B.
- Treshchova, E.G., see Levina, R. Ya.
- Treshchova, E.G., see Zelinsky, N.D.
- Trifonov, N.A., see Ostipov, O.A.
- Tronova, V.A., see Yuryev, Yu. K.
- Tsvetkova, N.F., see Zelinsky, N.D.
- Tsyganova, P.A., see Afanasyev, B.N.
- Turova-Polyak, M.B., V.A. Adamova, and E.G. Treshchova. Isomerization of polymethylene hydrocarbons with aluminum chloride. XVI. The isomerization of 1,1-dimethylcyclopentane, 271.
- Turova-Polyak, M.B., see Zelinsky, N.D.
- Tyupaev, P.V., see Shostakovsky, M.F.
- Udovenko, V.V., R.P. Airapetova and R.I. Filatova. Viscosity of the binary systems: alcohols - dichloroethane, 1559.
- Ufimtsev, V.N., and M.I. Chernyak. Researches on bisulfite compounds. XIV. Structure of the bisulfite compound of 2-methyl-1,4-naphthoquinone and its reaction with phenylhydrazine, 2091.
- Uglov, P.A., see Simonov, A.M.
- Ukhova, L.I., see Domnin, N.A.
- Uralova, I. Ya., see Shostenko, Yu. V.
- Usanovich, M. The acidic properties of MnO_2 , 2181.
- Usanovich, M., and Sumarokova, T. Binary systems constituted by $SnCl_4$, $SbCl_3$, and $AsCl_3$. III. The $SbCl_3$ - CH_3COOH system, 1083.
- Usanovich, M., and T. Sumarokova. Binary systems constituted by $SnCl_4$, $SbCl_3$, and $AsCl_3$. IV. The $SbCl_3$ - CH_3Cl COOH system, 1323.
- Usanovich, M., T. Sumarokova and student V. Glushchenko. Binary systems constituted by $SnCl_4$, $SbCl_3$, and $AsCl_3$. I. The $SnCl_4$ - CH_3Cl COOH system, 1075.
- Usanovich, M., see Sumarokova, T.
- Usov, Yu. N., see Obolentsev, R.D.
- Valyashko, N.A., and A.E. Lutsky. Absorption spectra and structures of benzene derivatives. XV. 3-Hydroxy- and 3-methoxyacetophenone, 1029.
- Valyashko, N.A., and A.E. Lutsky. Absorption spectra and structures of benzene derivatives. XVI. 3,5-Dihydroxy- and 3,5-dimethoxyacetophenone, 1171.
- Valyashko, N.A., and A.E. Lutsky. Absorption spectra and structures of benzene derivatives. XVII. 2,6-Dihydroxyacetophenone and its methyl esters, 1193.
- Vardanyan, A.G., see Tatevosyan, G.T.
- Vardanyan, S.A., see Tatevosyan, G.T.
- Vartanyan, S.A., see Nazarov, I.N.
- Vasev, V.D., see Mertsin, R.V.
- Vasilyev, V.N., see Kuskov, V.K.
- Vdovina, R.G., see Sergievskaya, S.I.
- Vein, Ya., see Fodor, G.
- Vendelshtein, E.G., see Yuryev, Yu. K.
- Venus-Daniilova, E.D., A.P. Ivanov and I.I. Martynov. Isomerization of methylphenylethynylcarbinol in an acid medium, 1997.
- Venus-Daniilova, E.D., V.I. Serkova, and L.A. Pavlova. A study of transformations of pinacones with substituted acetylenic radicals. VIII. Synthesis and transformations of trimethylphenylacetylenyl ethylene glycol (2,3-dimethyl-5-phenylpentyn-4-diol-2,3), 2477.
- Vershinina, K.A., see Obolentsev, R.D.

- Viktorova, E.A., see Levina, R. Ya.
- Vilchinskaya, A.R., see Arbuzov, B. A.
- Vinogradova, N.B., see Dyakonov, L.A.
- Vinogradova, E.I., see Shchukina, L.A.
- Vishnyakova, T.P., see Topchiev, A. V.
- Vitkovsky, D.P. and M.M. Shemyakin. Oxidative and oxidative-hydrolytic transformations of organic molecules. XII. Hydrolytic cleavage of 2-pyridine-3(1)-oxy-1,4(3,4)-naphthoquinone betaine, 599.
- Vitkovsky, D.P., and M.M. Shemyakin. Oxidative and oxidative-hydrolytic transformations of organic molecules. XIII. Hydrolytic cleavage of 2-chloro-2-pyridine-1,2,3,4-tetrahydronaphthalene-1,2,4-trione chloride, 607.
- Vitkovsky, D.P., and M.M. Shemyakin. Oxidative and oxidative-hydrolytic transformations of organic molecules. XVII. Oxidative-hydrolytic transformations of substituted hydroxynaphthoquinones, 1131.
- Vitkovsky, D.P., see Shemyakin, M.M.
- Volkova, A.I., see Babko, A.K.
- Volodina, M.A., see Nametkin, S.S.
- Voronkov, M.G. Condensation of alkyl vinyl ethers with amides of monocarboxylic acids. New method of synthesizing ethylenediacetyl amides, 1631.
- Vorozhtsov, N.N., and I.I. Ioffe. Addition of aniline at the double bond of olefins in the presence of heterogeneous catalysts, 1821.
- Voskresenskaya, N.K., and G.A. Bukhalova. Heats of formation of the double salts $\text{Li}_2\text{SO}_4 \cdot \text{K}_2\text{SO}_4$, $\text{BaF}_2 \cdot \text{BaCl}_2$, and $\text{SrF}_2 \cdot \text{SrCl}_2$, 2171.
- Vyazankin, N.S., see Razuvaev, G. A.
- Yanovskaya, L.A., see Terentyev, A.P.
- Yatsimirsky, K.B., and students: Prik, Skvirskaya and Starostin. Coordination compounds containing anions of aromatic sulfo acids in their outer sphere, 537.
- Yuganova, S.A., see Tilicheev, M.D.
- Yunusov, S., and N.K. Abubakirov. Alkaloids of Delphinium semibarbatum. II. Alkaloids of the Ranunculaceae family. V, 189.
- Yunusov, S., and N.K. Abubakirov. Alkaloids of Delphinium oreophilum. III. Alkaloids of the Ranunculaceae family. V, 1095.
- Yuryev, Yu. K. and R. Ya. Levina. Academician Nikolai Dmitrevich Zelinsky, 217.
- Yuryev, Yu. K. and V.A. Tronova. XXIX Behavior of furan and furanidine with metal sulfides and amides, 277.
- Yuryev, Yu. K., and I.K. Korobitsyna. XXXIII. Activity of amines in the transformation of heterocyclic compounds containing oxygen into compounds containing nitrogen, 1067.
- Yuryev, Yu. K. and V.A. Tronova. XXXII. Chromic oxide on alumina as a catalyst for conversions of heterocyclic compounds, 819.
- Yuryev, Yu. K. and E.G. Vendelshtein. XXX. Reaction of methyl pyromucate with aniline, 281.
- Yuryev, Yu. K., and E.G. Vendelshtein. XXXI. Reaction of methyl tetrahydropyromucate with aniline, 287.
- Yushenko, Yu. I. Reaction of vinyl iodide with magnesium, 1357.
- Zakharchenko, B.A. Thermal analysis of the binary systems: $\text{CdBr}_2\text{--ZnBr}_2$, $\text{CdBr}_2\text{--PbBr}_2$, and $\text{CdBr}_2\text{--AgBr}$, 501.
- Zakharova, A.I. The problem of analyzing the Raman spectra of acetylenic hydrocarbons, 545.
- Zalkind, Yu. S., and L.F. Chelpanova. Catalytic hydrogenation of 2,7-dimethyloctadiene, 3,5-diol-2,7, 1281.
- Zalkind, Yu. S., and V.I. Ryabtseva. Conversion of asymmetrical dimethyldiphenylbutynediol in an acid medium. III. Condensation with phenol in the presence of sulfanilic acid, 503.
- Zelinsky, N.D., M.B. Turova-Polyak, N.F. Tsvetkova, and E.G. Treshchova. Isomerization of polymethylene hydrocarbons under the influence of aluminum chloride. XVII. Isomerization of methylcyclohexane, 1,1-dimethylcyclohexane, 1,2-dimethylcyclohexane, and ethylcyclohexane, 2409.
- Zelinsky, N.D., M.B. Turova-Polyak, N.F. Tsvetkova, and E.G. Treshchova. Some new data on the isomerization of cyclohexane by aluminum chloride, 2415.
- Zhivopistsev, V.P. A spot reaction for cobalt, using dimethylaminopyrine, 531.
- Znaeva, K.I., see Kanevskaya, S.I.
- Zolotov, Yu. M., see Kirsanov, A.V.
- Zubarovsky, V.M. 2-Hydroxymethylbenzothiazole and its transformations, 2295.
- Zubarovsky, V.M. Condensation of o-aminothiophenol with α -hydroxyacids, 2463.
- Zubarovsky, V.M., and S.N. Fidel. Synthesis of 2-alkyl- α -naphthathiazoles. II, 2307.
- Zubarovsky, V.M., and M.D. Rikelman. Alcohols and ketones of the benzothiazole series, 2471.

SUBJECT INDEX, VOLUME XX.

- Absorption spectra and structures of benzene derivatives.
 - 3-hydroxy- and 3-methoxyacetophenone, 1029.
- Acetoacetyl derivatives of amines, 2219.
- Acetone, cyanethylation, 1789.
- Acetylene-allene rearrangements. Reaction of alcoholic alkali and of alcoholates and acetates of the alkali metals upon acetylene and allene chlorides, 1593;
 - Action of organomagnesium compounds on dimethylvinylethynylchloromethane, 1603;
 - An ionic theory of acetylene allene rearrangements, 2003.
- Acetylene derivatives, 413; catalytic hydrogenation of *o*-dicumylbutynediol, 1609; pinacones, 2477. See Alcohols, acetylenic.
- Acetylation, of alcohols with ketene, 1143.
 - of aromatic amines with acetyl chloride in the presence of sodium acetate, 1643.
 - of hydroxymethoxyfuchsones, 1439.
- Acid amides, substituted, systems with iodine chloride, physicochemical study, 905.
- Acid, acetic, thermal decomposition of chloro-substitution derivatives. of, 1969.
 - acyl amino, introduction of formyl radical into, 619.
 - benzilic, intramolecular condensation of aryl amides of, 1877.
 - chlorosulfonic, action upon 2-cyanacetyl coumarone, 843.
 - chromic, oxidation of allyl and cinnamic alcohols with, 1379.
 - diallylphosphorous, and its derivatives, 727.
 - formic, kinetics of dehydration with silica gel, 1369.
 - hydrochloric, hydrolysis of sulfo acids with, 1649.
 - methacrylic, esters of, 2041.
 - 2-naphthol-4-sulfonic, sulfonation of, 1653.
 - oleic and its methyl ester, polymerization with molecular compounds of boron fluoride and the phosphoric acids, 1775.
 - penicilloic, synthesis of analogs of, 619.
 - phosphoric, hydrolysis of sulfo acids with, 1649.
 - *cis*-silicotungstic, reduction and potassium salts, 1289.
 - sulfanic, condensation of dimethyldiphenylbutynediol with phenol in presence of, 593.
 - sulfo, equilibrium with its acid chloride, 787. (See also Sulfo acids).
 - sulfuric, hydrolysis of sulfo acids with, 1649.
 - tubaic, syntheses in the field of, 2313.
- Acidic properties of MnO_4^- , 2181.
- Acids, acyl amino, introduction of a formyl group and condensation of the resulting compounds with thiol-amino acids to form thiazolidine derivatives, 861.
 - β -(alkoxy aryl)-propionic, reduction of, 135.
 - 4-alkoxy-phenoxyacetic, and their simplest derivatives, 359.
 - alkyl- and aralkylphenoxyacetic and their derivatives, synthesis, 2397.
 - alkyl and aryl arsenous, salts of in reaction with ethylene oxide, 99.
 - alkyl carbonic, salts of, 541.
 - amino, see amino acids.
 - α -benzylparaconic, synthesis, 395.
 - carboxylic, acid fluorides of, reaction with aromatic compounds in the presence of boron trifluoride, 723.
 - carboxylic, dimethylamidation, 1273.
 - hydroxycarboxylic, aryl amides, transformation into heterocyclic compounds; 1673, 1679, 1871, 1877, 2055, 2063, 2245, 2245, 2455.
 - monocarboxylic, amides of, condensation with alkyl vinyl ethers, 1631.
 - concentrated, dissolution of metals, 881.
 - dissolution of iron, 669.
 - α -hydroxy, condensation with *o*-aminothiophenol; 2463, 2471.
 - γ -hydroxy, synthesis of anilides, 1679.
 - α , 2-naphtho-(3',4')furazan-3- and 4-sulfonic, synthesis, 2127.
 - 4(5)-nitro-1-naphthoic, (N-alkyl-N-hydroxyethyl)-amides of, 2437.
 - organic polarographic investigation, 1957.
 - phosphinic, containing a thiazole radical, synthesis of esters of, 2075.
 - di- β -alkoxy ethyl phosphorous, action of halo-substituted ethers on sodium salts of, 2239.
 - dialkylphosphorous, addition to unsaturated compounds: addition to β , β -dimethyl divinyl ketone, 423; addition to acrylonitrile and methyl methacrylate, 2035.
 - β -[2-propoxy(butoxy)naphthoyl-6]-propionic, and their transformations, 647.
 - sulfo, see Sulfo acids.
- Acridine derivatives, effect of structural features of the cyclic side-chain substituent upon antimalarial activity of, 1897.
 - meso derivatives: reaction of acridines with bisulfite, 1885; 9-cyanacridines and their synthesis from acridines, 2131.
 - reaction with bisulfites, 1885.
- Acridines, twinned, new method of synthesizing, 653.
- Acrolein, action upon α - and β -pyronenes, 2079.
- Acrylonitrile, action upon α - and β -pyronenes, 2079.
 - addition of dialkylphosphorous acids to, 2035.
 - use in syntheses: synthesis of some analogs of spermine and spermidine, 291; cyanethylation of acetone, 1789; synthesis of succinonitrile, 2073.

Acylals, incomplete, properties, 1757; incomplete of vinyl ethers, 1581.

Acylation of amides of sulfo acids by primary amines, 2101.

Addition of dialkylphosphorous acids to acrylonitrile and methyl methacrylate, 2035.

Agricultural chemistry: Action of aromatic diazo compounds of the alkylacetoacetic ester type as a method of synthesizing aryl hydrazones of α -keto acids, α -amino acids, and indole derivatives: reaction of ethyl camphorcarboxylate-3 with diazobenzene, 399; synthesis of d,l-methionine, 1851.

- Action of elements of the oxygen-sulfur-selenium group on primary aromatic and heterocyclic amines, 1859

- Organo-iron compounds, proof of existence of, 535.

Albumin, analysis of the spectrophotometric curves of biuret-copper coordination compounds of: 341, 347, 635, 641.

- structure of micromolecules; 311, 317, 323, 1015.

Alcohol, allyl: reaction with aromatic compounds in presence of acid catalysts, 737.

- reaction with diazoacetic ester in presence of copper, 2201.

- reaction with diphenyldiazomethane, 2209.

Alcoholic alkali and alcoholates and acetates of the alkali metals, reaction upon acetylene and allene chlorides, 1593.

Alcohols, acetylation with ketene, 1143.

- acetylenic, action of inhibitors in the catalytic hydrogenation of, 793.

- acetylenic, isomerization of methylphenylethynylcarbinol in an acid medium, 1997.

- acetylenic, tertiary, dehydration of methyl-n-propyl-acetylenylcarbinol and of α, α -acetylenylcyclopentanol, 701.

- allyl and cinnamic, oxidation with a chromic acid mixture, 1379.

- β -arylethyl, preparation, 1273.

- benzthiazolyl, products of condensation of o-aminothiophenol with monobasic α -hydroxy acids, 2463.

- change in optical activity in the transition from terpropylborneol to 4-propylisborneol, 825.

- ethylenic, action of inhibitors in the catalytic hydrogenation of, 793.

- isomerization of isoborneol and 4-methylisoborneol dehydrated by the xanthogenic method, 833.

- and ketones, of the benzthiazole series, 2471.

- polyhydric, anhydrides of amino and guanido derivatives of alcohols and carbohydrates, 405

- reaction with α, β -dichloroethyl alkyl ethers, 2422.

- systems with dichloroethane, viscosity of, 1559.

- tertiary, bromination of, 571.

- tertiary, method of synthesis, 1871.

Aldehydes, condensation with quaternary salts of benzo-1,4-thiazine, 185.

o-Aldehydic acids, pseudo thio ethers and their derivatives, 1695.

Alkali elements, isopolymolybdates of, investigation by the hydration method, 1701; thermal stability and volatility, 1717.

Alkali metals, alcoholates and acetates of, reaction with alcoholic alkali upon acetylene and allene chloride, 1593.

Alkaloids: colchicine, synthesis of analogs, 867.

- new, from Piptanthus nanus M. Pop. - piptantine and piptamine, 853.

- saponin of the roots of Patrinia intermedia R. et Schult, 1049. sapogenin, 1053.

- of the Ranunculaceae family: alkaloids of Delphinium semibarbatum, 189; of Delphinium oreophilum, 1059.

Alkaloids of Salsola richteri, N-derivatives of sal-soline, 815.

n-Alkanes, physico-chemical constants, 85 1341.

Alkyl carbonates, of metals, 541.

- synthesis, 1795

- carbonic acids, salts of, 541.

Alkylation of aromatic compounds with the use of metallic zinc and zinc chloride, 753.

Alkylene oxides, reaction with dimethylacetenylcarbinol, 1361.

Allene hydrocarbons, addition of bromine to as-dimethylpropadiene, 551 (See also Hydrocarbons, allene)

Alloys of the acid molybdates of the alkali elements, investigation by hydration method, 1701; thermal stability and volatility, 1717.

Allyl rearrangements, 1801.

Aluminosilicate catalyst, kinetics of the dealkylation of isopropylbenzene above, 943.

Aluminum compounds, amalgams, action on 3-chloro-3-methyl-butene-1, 2017.

- bromide, compound with dioxane, 915.

- bromide, coordination compounds with n-butylbromide, acetophenone, benzophenone, and benzoylbromide, 1975.

- bromide, molecular compounds with ammonia and aromatic hydrocarbons, 71.

- bromide, system $SbBr_3 \cdot AlBr_3 \cdot CBr_4$, physico-chemical investigation, 1517.

- carbide, thermodynamic functions of, 491.

- chloride, as catalyst in the reaction of benzene and toluene with allyl chloride and allyl bromide, 737.

- chloride, action on triphenylbismuth and triphenylantimony, 103.

- chloride, compounds with dioxane, 915.

- chloride, in condensation of 2-propoxy(butoxy)naphthalenes with succinic anhydride, 647.

- chloride, isomerization of 1,1-dimethylcyclopentane, 271.

- chloride, kinetics of isomerization of n-butane, 79.

- chloride, mechanism of catalytic action, structure of coordination compounds with acid halides,

- ketones, and other oxygen compounds, 1975.
- chloride, new data on isomerization of cyclohexane by, 2415.
 - chloride, Radszwanowski, condensations with aliphatic monohalogen derivatives, 563.
 - chloride, reaction with polymethylene hydrocarbons, 2409.
 - chloride, see also Catalysts.
 - complex fluoraluminate in aqueous solutions, 2505.
 - cryolite, thermodynamic functions, 491.
 - fluoride, thermodynamic functions, 491.
 - halides, compounds with dioxane, 915.
 - hydroxide, investigation by hydride method, 1935; solubility product, 16.
- Amidation**, (dimethyl-), of carboxylic acids, 1273.
- Amides**, N-alkyl-N-hydroxyethyl. of 4(5)-nitro-1-naphthoic acids, 2433.
- of α -amino acids, new method of synthesizing, 1621.
 - aryl, of benzoic acid, intramolecular condensation, 1877.
 - N-aryl, of hydroxycarboxylic acids and their conversion into heterocyclic compounds. naphthalides of α -hydroxycarboxylic acids, 1673; reactions of organomagnesium compounds with the esters of the methoxymalonanilic and succinanilic acids. Synthesis of the anilides of γ -hydroxy acids, 1679; mechanism involved in reaction of organomagnesium compounds with the esters of N-aryl-substituted amides of dicarboxylic acids, 1871; intramolecular condensation of aryl amides of benzoic acid, 1877; structure of the intramolecular condensation products of the α - and β -naphthalides of α -hydroxycarboxylic acids, 2055; intramolecular condensation of the aryl amides of p,p-ditolylglycolic acid, 2063; intramolecular condensation of aryl amides of m,m-ditolyl glycolic acid, 2245; intramolecular condensation of arylamides of o,o-ditolyl glycolic acid, 2249; equilibrium between carbonium and ester forms in colored sulfuric acid solutions of arylamides of hydroxycarboxylic acids, 2455.
 - of monocarboxylic acids, condensation with alkyl vinyl ethers, 1631.
 - sulfo acid, see Sulfamides.
 - substituted acid, system with ICl , 905.
- Amidines**, dihydropyrazine, preparation and acylation, 317.
- Amination** of benzimidazole compounds, 971.
- Amines**: action on isomeric methoxychloropentenes, 1801.
- activity in the transformation of heterocyclic compounds containing oxygen into compounds containing nitrogen, 1067.
 - aromatic, acetylation with acetyl chloride in the presence of sodium acetate, 1643.
 - aromatic, reaction with dinitrodiphenylurea, 1149.
 - aromatic, weakly basic, reaction with ketene dimer, 2219.
 - coordination compounds with cadmium, 679.
 - potentiometric titration, 1157.
 - primary aromatic and heterocyclic, action of elements of the oxygen-sulfur-selenium group on, 1859.
 - reaction of alkyl-aryl reamination in the 2-di-alkylaminopropionitriles, 93.
 - reaction with aryl sulfonamides, 2101.
 - reaction with ethylene sulfide, 757.
 - reactions with azlactones, 1431.
- α -Amino acids**: preparation of α -amino-homocamphoric acid, 399.
- ethyl formylhippurate, 619; α -formyl phenaceturic ester, 861.
 - synthesis, 1851.
 - synthesis of derivatives of 1243, 1621, 1627.
 - and amines, reaction with acylated 2,5-diketopiperazines, 323.
- Amino alcohols**: similar to ephedrine, synthesis, 2439.
- of the tetrahydronaphthalene series, synthesis, 2437.
- Amino derivatives**, of carbohydrates and polyhydric alcohols, 405.
- heterocyclic, of 5-halogeno-2-pyridonimide, 1249.
- Amino ketones** of the tetrahydronaphthalene series, 975.
- Aminosulfides**, synthesis, 1811, 1817.
- Aminosulfones**: pseudo thio ethers of orthoaldehydic acids and their derivatives, 1695.
- synthesis, 1817.
 - synthesis of p-aminophenyl β -ketosulfones, 1811.
 - synthesis of bis-4-nitrophenylthio-alkyl and aryl compounds and their reduction products, 1689.
- Ammonia**, and some derivatives of ammonia, coordination compounds with cadmium, 679.
- molecular compounds of aluminum bromide with ammonia and aromatic hydrocarbons, 71.
- Ammonium chloride**, apparent molecular heat, heat of polymorphic transformation, 2489.
- Ammonium ion**, isomorphism with oxonium ion, 506.
- Ammonolysis** of 2-chloro-2-methyl-1,3,4-trioxotetralin, 373.
- Analysis, thermal**, of the binary systems CdBr_2 - ZnBr_2 , CdBr_2 - PbBr_2 and CdBr_2 - AgBr , 501.
- of the cyclodimethyl dilactolides as a method of determining direction and extent of isomeric transformations, 745.
 - of the systems K_2MoO_4 - MoO_3 , RbMoO_4 - MoO_3 , and Cs_2MoO_4 - MoO_3 , 1493.
- Analytical chemistry**: Detection and determination of minute quantities of zirconium in platinum, 889.
- Manganese, determination by means of $\text{K}_4\text{Fe}(\text{CN})_6$, 1097.
 - Polarographic investigation of some cardiac glycosides, 155.
 - Polarographic investigation of some ketones, 1965.
 - Quantitative determination of beryllium, 19.
 - Separation of isomeric sulfo acids, 537.
 - A spot reaction for cobalt, using dimethylamino-antipyrine, 531.
- Anhydrides**, amino and guanido derivatives of

carbohydrates and polyhydric alcohols. 6-Amino, 6-methylamino, and 6-guanido derivatives of glucosfuranose, 405.

Aniline: addition at double bond of olefins in presence of heterogeneous catalysts, 1821.

-reaction with methyl pyromucate, 281; reaction with methyl tetrahydropyromucate, 287.

Anils, reaction with maleic anhydride, 1645.

Anthelmintics of the coumarin series, synthesis, 1893.

Anthracene, action of phosphorus pentahalides on 1,2-benzanthracene and its derivatives, 2443.

Antimony: system with CH_3CICOOH , 1323; system with CCl_3COOH , 1329; system with CH_3COOH , 1083; physicochemical investigation of SbBr_3 - AlBr_3 - CBr_4 system, 1517.

-triphenyl; splitting off of radicals by the action of aluminum and ferric chloride, 103.

Antipyrine, complex compounds with bivalent metals, 2183, 2189.

Argon, diameter of molecule, 1538.

Aromatic amines, acetylation with acetyl chloride in presence of sodium acetate, 1643.

-reaction with dinitrodiphenylurea, 1149.

Arsenic, AsCl_3 - CCl_3COOH system, viscosity and density, 1503; AsCl_3 - CH_3CICOOH and AsCl_3 - CH_3COOH systems, viscosity, density, 1505

Arsenic compounds, reaction of salts of alkyl and aryl arsenous acids with ethylene oxide, 99.

Aromatic compounds, of alkylacetacetic ester type, action of as a method of synthesizing aryl hydrazones of α -keto acids, α -amino acids, and indole derivatives, 399.

-of alkyl chlorides, alkylation with use of metallic zinc and zinc chloride, 753.

-bisulfite, derivatives of, structure, 1407.

-cycloalkylation, 951.

-with a musk odor: 2,6-dinitro-4-tert.-amyl-3-methoxytoluene, 2427.

-nitro, chloromethylation and reduction 1269.

-reaction with acid fluorides of carboxylic acids in the presence of boron trifluoride, 723.

-reaction with allyl chloride and allyl alcohol in presence of acid catalysts, 737.

Aromatization of paraffin and olefin hydrocarbons over chrome catalyst, 1567.

Azines, formation, 1859.

Azlacones, formation, 165; reaction with amines, 1431.

Azo compounds, formation, 1690; structure of bisulfite derivatives, 1407; from 1,5-aminonaphthol, absorption spectra, 1451; potentiometric titration, 1157; from 2,8-aminonaphthol, 185, 1255; from acetoacetyldiphenylamine, 2223.

-products of reactions of primary aromatic (and heterocyclic) amines with sulfur or with red selenium, 1859.

Azo dyes from 2,8-aminonaphthol, 985. See also Dyes.

Azulene, preparation, 2325.

Beryllium compounds: complex fluorides in solution, 19.

-chloride-lithium chloride-water system at 0°, 893.

-nitrate, crystal hydrates of, 457.

Barium compounds: and calcium fluorides and chlorides, adiaagonal reciprocal system, 1723.

-and calcium peroxides, dissociation and reduction, 691.

-heat of formation of BaF_2 - BaCl_2 , 2171; peroxides, dissociation and reduction, 691, chloride, true molecular heat, 2489.

-nitrates, ternary system with nitrates of potassium and sodium, 1731.

Benadryl and its analogs, synthesis of dimethylaminoethyl ester of, 631.

1,2-Benzanthracene, lithium derivatives and their transformations, 1395.

Benzene-carbon tetrachloride system, diagrams for determining efficiency of rectifying columns with, 1305.

Benzene, condensations with aliphatic monohalogen derivatives, 563.

-condensation with 1-methylcyclohexanol-1, 951.

-derivatives, absorption spectra and structure: of 3-hydroxy- and 3-methoxyacetophenone, 1029; of 3,5-dihydroxy- and 3,5-dimethoxyacetophenone, 1171; of 2,6-dihydroxyacetophenone and its methyl esters, 1193.

-homologs, condensation of ethylene oxide with, 1391.

-reaction with allyl chloride and allyl bromide in presence of aluminum chloride, 737.

Benzimidazole series compounds, amination, 971.

Benzo-1,4-thiazine, derivatives of, quaternary salts 179, 177, 185.

Benzothiazole, alcohols and ketones, 2471.

-derivatives, preparation of 1-benzothiazolyl-3-methyl-5-pyrazolone, 2281.

-ultraviolet absorption spectra of, 2271.

-2-hydroxymethyl-, and its transformations, 2295.

Betaine, 2-pyridine-3(1)-oxy-1,4(3,4)-naphthoquinone, hydrolytic cleavage, 599.

Bibliography, the published papers of S.S. Nametkin, 2351.

Binary systems, CdBr_2 - ZnBr_2 , CdBr_2 - PbBr_2 , and CdBr_2 - AgBr , the thermal analysis of, 501.

Biological and Medical Chemistry. The action of aromatic diazo compounds upon alkylacetox esters as a method of synthesizing aryl hydrazones of α -keto acids, α -amino acids, and indole derivatives, 1851.

-Relationship between the degree of oxidation of carboxylic compounds and ability of their rings

- to be cleaved hydrolytically, 1831.
- Synthesis of some alkyl- and aralkylphenoxyacetic acids and their derivatives, 2397.
 - Syntheses of derivatives of α -amino acids: N^{α} -benzenesulfo substituted derivatives of l and d-lysine, 1243.
 - Synthesis and properties of some quinone oxides, 1823.
 - Oxidative and oxidative-hydrolytic transformations of organic molecules: Ammonolysis of 2-chloro-2-methyl-1,3,4-trioxotetralin, 373.
 - Oxidative-hydrolytic transformations of 2,3-dihydroxy-1,4-naphthoquinone and 1,2,3,4-tetraoxotetralin, 1113.
 - Oxidative-hydrolytic transformations of substituted hydroxynaphthoquinones, 1131.
- Bismuth, triphenyl-, splitting off of radicals by the action of aluminum and ferric chlorides, 103.
- Bisulfite compounds, aromatic, structure, 1403.
- hydroxyfuchson dyes, 1655.
 - structure of the bisulfite compound of 2-methyl-1,4-naphthoquinone and its reaction with phenylhydrazine, 2091.
 - see also Sodium bisulfite.
- Biuret coordination compounds, see Albumin.
- Bonds, chemical, in carbon fluorides, 1783.
- Bonds, hydrogen, intramolecular, determination, 141.
- See also Hydrogen Bond.
- Boron fluoride, influence upon cracking of hydrocarbons, 1983.
- molecular compounds with phosphoric acids as polymerization catalysts, 1775.
- Boron trifluoride, as catalyst in the reaction of acid fluorides of carboxylic acids with aromatic compounds, 723.
- Brassplating, electrolytic, from non-cyanide solutions, 1333.
- Bromide, allyl, reaction with benzene and toluene in the presence of aluminum chloride, 737.
- Bromide of iodine, coordination compounds with PBr_5 , 523.
- Bromination of tertiary alcohols, 571.
- Bromine, addition to as-dimethylpropadiene, 551.
- system with PCl_3 , 479.
- Bronze, 1289, 1527, 2155.
- n-Butane, isomerization of in the liquid phase over aluminum chloride, 79.
- Butanes, dehydrogenation with a chrome catalyst, 1989.
- Butlerov, A. M., founder of the theory of chemical structure, 1913.
- Cadmium compounds: cadmium bromide, thermal analysis of system with $ZnBr_2$, $PbBr_2$, $AgBr$, 501.
- hydroxide, investigation by the hydride method, 1935.
 - complex compounds with antipyrine, 2183.
 - coordination compounds with ammonia and some derivatives of ammonia, 679.
 - coordination compounds with several monovalent anions, polarographic investigation, 685.
- Calcium compounds: Calcium and barium fluorides and chlorides, adiaagonal reciprocal system, 1723.
- peroxide, dissociation and reduction, 691.
 - salts of monochloro- and trichloroacetic acids, thermal decomposition, 1969.
- Calorimetric apparatus for determination of the specific heat of powdered substances at high temperatures, 2485; for determination of true specific heat at high temperatures, 2289.
- Camphene rearrangements and their optical consequences, 825.
- Camphor compounds. α -Aminohomocamphoric acid, 400.
- synthesis of 3,4-dimethylcamphor and some of its derivatives, 2403.
- Cannizzaro reactions of hydrastinine and cotarnine, 353.
- Carbanilide, hydrolysis of, 1637.
- 4,4'-dinitro-, hydrolysis, 2259.
- Carbocyclic compounds, relation between degree of oxidation and ability of their rings to be cleaved hydrolytically, 1831.
- Carbohydrates: anhydrides, amino and guanido derivatives, and polyhydric alcohols, 405.
- Carbon, fluorides, anomalous properties, 1783.
- thermodynamic calculation of system in melts, 498.
 - thermodynamic functions of aluminum carbide and silicon carbide, 491.
- Carbonates, alkyl, synthesis, 541, 1795.
- Carbonyl group in β -(alkoxyaroyl)-propionic acids, reduction 135.
- Casein, analysis of spectrophotometric curves of biuret-copper coordination compounds of, 641.
- Catalysis—reactions catalyzed by inorganic halides, reaction of acid fluorides of carboxylic acids with aromatic compounds in the presence of boron trifluoride, 723.
- Catalyst, aluminosilicate, kinetics of dealkylation of isopropylbenzene above, 943.
- aluminosilicate, in transformations of some unsaturated hydrocarbons possessing a quaternary carbon atom, 1741.
 - aluminosilicate, transformations of aliphatic sulfides, 263.
 - aluminum chloride, in reaction of benzene and toluene with allyl chloride and allyl bromide, 737.
 - boron fluoride, in cracking of hydrocarbons, 1983.
 - chrome, in dehydrogenation of the butenes, 1989.
 - chromic oxide on alumina, for conversions of heterocyclic compounds, 819.
 - metallic zinc and zinc chloride for the alkylation of aromatic compounds of alkyl chlorides, 753.

Catalysts: acid, reaction of aromatic compounds with allyl chloride and allyl alcohol in the presence of, 737.

- aluminum chloride, isomerization of 1,1-dimethylcyclopentane with, 271.
- aluminum chloride, kinetics of the isomerization of n-butane in the liquid phase over, 79.
- AlCl_3 , Radszwanowski, condensations of benzene with aliphatic monohalogen derivatives, 563.
- chrome, role of various transformations in the aromatization of paraffin and olefin hydrocarbons by, 1567.
- heterogeneous, in addition of aniline at the double bond of olefins, 1821.
- inorganic halides as, reaction of carboxylic acids with aromatic compounds in presence of boron trifluoride, 723.
- oxide, transformations of hydrocarbons, 1567.
- polymerization, compounds of boron fluoride and the phosphoric acids as, 1775.

Catalytic action of aluminum chloride: mechanism. Structure of coordination compounds with acid halides, ketones, and other oxygen compounds, 1976.

- dehydration of formic acid on silica gel, 1369.
- hydro-dehydrogenation, kinetics and reaction mechanisms, 959.
- hydrogenation of some acetylenic and ethylenic alcohols, action of inhibitors, 793.
- hydrogenation of 2,7-dimethyloctadiene-3,5-diol-2,7, 1281.
- hydrogenation of α -ketonic ethers, 555.
- hydrogenation with palladium, action of inhibitors, 803.
- isomerization of polymethylene hydrocarbons over AlCl_3 , 2409.
- transformation of some unsaturated hydrocarbons possessing a quaternary carbon atom, with an aluminosilicate catalyst, 1741.
- transformations of cyclohexene in the presence of copper and iron, 959.

Cellulose, acetomethacrylic esters of: preparation and polymerization, 1383.

- and its esters, structure and properties, 1023.
- natural, conditions governing conversion into hydrated cellulose preparations, and vice versa, 1023.
- see Ethyl cellulose.

Cesium, isopolymolybdates, 1701, 1717.

- molybdate, system with MoO_3 , 1493.
- normal molybdates, of, 453.
- molybdate, thermal analysis of binary system with molybdenic anhydride, 1498.

Chemical engineering. Diagrams for determining the efficiency of rectifying columns by means of the benzene-carbontetrachloride system, 1305.

Chemical structure and parasiticidal activity. Derivatives of dipyrilidylguanidine, 2121.

Chrome catalyst, dehydrogenation of butanes, 1989.

Chlorine, diameter of molecule, 1537.

Chloracetaldehyde, synthesis of acetals, 2419.

Chloride, allyl, reaction with aromatic compounds in presence of acid catalysts, 737.

- iodine, coordination compounds with PCl_5 , 523; system with substituted acid amides, 905.

Chlorides, acetylenic and allenic, reaction with alcoholic alkali and alcoholates and acetates of the alkali metals, 1593.

- alkyl, alkylation of aromatic compounds of by use of metallic zinc and zinc chloride, 753.
- aluminum and ferric, action on triphenylbismuth and triphenylantimony, 103.
- and fluorides of barium and calcium, adiaxonal reciprocal system, 1723.
- and sulfates of zinc and lithium, irreversible salt-pair reciprocal system, 1945.

Chlorination of vinyl ethers, 1767, 2419.

Chloromethylation of aromatic nitro compounds, 1269.

Chlorosulfonation, of 1,5-naphthalene-disulfochloride, 2253.

α -Chlorotriketones, ammonolysis, 373.

Chrome catalyst, in dehydrogenation of butanes, 1989.

- chromic hydroxide, investigation by hydride method, 1935.
- coordination compounds with aromatic sulfo acids, 537.
- oxide on alumina as a catalyst for conversions of heterocyclic compounds, 819.
- oxide on alumina as catalyst for dehydration of dimethylallylcarbinol, 251.

Cobalt (II)-chloride, complex ions, in ethyl alcohol, 1315.

- chloride, effect on trend of organomagnesium reactions, 129.
- complex compound, 2193.
- complex salts with anions of aromatic sulfo acids, 537.
- halide solutions, maxima in the composition property diagram when the system concentration is changed, 1315.
- perchlorate, system with $\text{LiCl} + \text{LiBr} + \text{acetone}$ in ethyl alcohol, 1541, 1549.
- spot reaction for, using dimethylaminoantipyrine, 531.

Colchicine, synthesis and structure of derivatives, 809, synthesis of analogs, 867.

Colloid chemistry, energy effects of diluting high polymer solutions by a dilatometric method, 63.

Color, of organic compounds, and intramolecular hydrogen bond, 589.

Columns, rectifying, see Rectifying columns.

Complex compounds of some bivalent metals with antipyrine, 2183.

Complex fluorides of beryllium in solution, 19.

Condensation of alkyl vinyl ethers with amides of monocarboxylic acids, 1631.

- of ethylene oxide with homologs of benzene, 1391.
- of o-aminothiophenol with α -hydroxyacids, 2463, 2471.
- of benzene with aliphatic monohalogen derivatives, 563.
- of benzene, toluene, and phenol with 1-methylcyclohexanol-1, 951.
- of formaldehyde with sodium butylate, 1613.
- of 2-propoxy(butoxy)-naphthalene with succinic anhydride in presence of $AlCl_3$, 647.
- intramolecular, of aryl amides of hydroxy acids, 1877, 2055, 2063, 2245, 2249.
- of quaternary salts of benzo-1,4-thiazine and its derivatives with aldehydes, 185.

Conversion of N-aryl amides of hydroxycarboxylic acids into heterocyclic compounds, 1673, 1679, 1871, 1877, 2055, 2063, 2245, 2249, 2455.

- of asymmetrical dimethyldiphenylbutynediol in acid medium. Condensation with phenol in presence of sulfanilic acid, 593.
- of heterocyclic compounds using chromic oxide on alumina as catalyst, 819.
- of vinyl ethers: chemical properties of partial acylals

of the $CH_3CH \begin{matrix} \diagup OR \\ \diagdown OCOR_1 \end{matrix}$ type, 1581; chemical properties of partial acylals of the $CH_3CH \begin{matrix} \diagup OR \\ \diagdown OCOR_1 \end{matrix}$ type, 1757.

Coordination compounds of aluminum chloride with acid halides, ketones, and other oxygen compounds, structure, 1975.

- of aluminum halides with dioxane, 905.
- containing anions of aromatic sulfo acids in their outer sphere, 537.
- biuret, see Albumin.
- of cadmium with ammonia and some derivatives of ammonia, 679.
- of cadmium with several monovalent anions, polarographic investigation, 685.
- of cobalt with pyrimidin, 531.
- complex fluoraluminate in aqueous solutions, 2505.
- of phosphorous pentachloride and pentabromide with iodine chloride and bromide, 523.
- of sulfur dioxide and phenol, formation, 1619.
- in the system PCl_3-Br_2 , 479.
- (see also Heteropoly acids, Cobalt, Molecular compounds).

Copper, biuret coordination compounds, see Albumin.

- as catalyst of transformation of cyclohexene, 959.
- complex salts in electrolytic brassplating, 1333.
- correlation of properties in the metal series copper-silver-gold, 475.
- hydroxide, investigation by the hydride method, 1935.

Corrosion, rate of solution and potential of dissolved iron, 677

Cotarnine and hydrastinine and their benzoyl derivatives, reaction with caustic alkalis, 353.

Cracking of hydrocarbons, effect of boron fluoride upon, 1983.

Coumarin series, anthelmintics of, 1893.

Cryolite, thermodynamic functions of, 491.

Cryoscopic constants of n-alkanes C_6-C_{20} , 1341.

Crystal lattices of inorganic compounds, oxonium ion in, 505.

-structure of silver oxide, 517.

9-Cyanacridines and their synthesis from acridines, 2131.

Cyanethylation, 291, 1789, 2073.

Cyanide complexes, reaction with the ion of trivalent iron and some pyrazole derivatives, 2189.

Cyclic compounds, oxidation, 1831.

-synthesis of methylcyclopropylcarbinol, 2225.

-see Hydrocarbons, cyclic.

Cycloalkylation of aromatic compounds. Condensation of 1-methylcyclohexanol-1 with benzene, toluene, and phenol, 951.

Cyclohexane, new data on isomerization by aluminum chloride, 2415.

Cymarol, polarographic investigation, acid hydrolysis, 155.

Dealkylation of isopropylbenzene above an aluminosilicate catalyst, 943.

Decomposition, double, in absence of solvent, 1945.

-reactions of benzeneazotriphenylmethane, nitrosoacetanilide, and benzeneazotritromethane in solutions free radicals in, 1219.

Dehydration of acetylenic alcohols, 701.

-of diethylvinylcarbinol, 1227.

-of dimethylallyl carbinol, 251.

-of formic acid with silica gel, kinetics, 1369.

-of butanes with chrome catalyst, 1989.

Diaryl ethane hydrocarbons, sterically complex symmetrical, a new method of synthesizing, 119.

Diazo compounds, aliphatic, reactions with unsaturated compounds: reaction of ethyl diazoacetate with vinyl ethyl ether, 921; reaction of ethyl diazoacetate with allyl bromide, 933; reaction of diazoacetic ester with allyl alcohol in presence of copper, 2201; reaction of diphenyldiazomethane with allyl alcohol, 2209.

-aromatic, action on alkylacetoacetic esters as a method of synthesizing aryl hydrazones of α -keto acids, α -amino acids, and indole derivatives: reaction of diazobenzene with ethyl camphorcarboxylate, 399; synthesis of d,l-methionine, 1851.

Dichloroethane, systems with alcohols, viscosity, 1559.

Dihalogen derivatives, action of triethyl phosphite and diethyl sodium phosphite upon, 109.

Dimethylcyclopentylcarbinol, transformation, 363.
 -reaction with propylene oxide 1589.
Dimethyldiphenylbutynediol, asymmetrical, conversion in acid medium, 593.
Dioxane, compounds with aluminum halides, 915.
Diphenylamine, reaction with maleic anhydride, fusibility, specific gravity, and conductance, 1563.
Diphenylurea, hydrolysis of, 1637.
Dissociation and reduction of barium and calcium peroxides, 691.
Dissociation constants of some intermediates and azo dyes of the naphthalene series, 1157.
Double decomposition in the absence of a solvent. Irreversible salt-pair reciprocal system of lithium and zinc chlorides and sulfates 1945
Dyes: acetoxylfuchsones, 1843
 -2-alkyl- α -naphthothiazoles, 2307.
 -azo, from 2,8-aminonaphthol, 985
 -azo, interaction of sulfo acids of 2,8-amino-naphthol with diazo compounds, 1255.
 -azo, from 1,5-aminonaphthol and some of its derivatives: potentiometric titration of some intermediates and azo dyes of the naphthalene series 1157; research on the absorption spectra of some intermediates and azo dyes of the naphthalene series, 1451.
 -azo (hydrazones) containing an oxazole nucleus, 165.
 -cyanin, of benzo-1,4-thiazine series 177
 -cyanin; some 6,6'-diacylaminothiacarbocyanins, 1463; properties of 7,7-bis-(dimethylamino)-thiacarbocyanines, 2287.
 -formation, 1859.
 -hydroxylfuchsones: acetylation of hydroxymethoxylfuchsones, 1439; structure of bisulfite derivatives of, 1655.
 -2-hydroxymethylbenzothiazole and its transformations, 2295.
 -merocyanin, that are derivatives of rhodanine, 847.
 -modified synthesis of 2-methyl-4-amino-5-ethoxymethylpyrimidine, 2109.
 -preparation of 1-benzothiazolyl-3-methyl-5-pyrazolone 2281.
 -di- and tripyridylmethane. Monopyridine analogs of diphenylmethane derivatives, 2115.
 -substantive quinophthalonic, synthesis from diphenyldiamines, 1473.
 -sulfonation of 2-naphthol-4-sulfonic acid, 1653.
 -structure of bisulfite derivatives of the aromatic compounds, 1407.
 -see also Halochromism Oxazole derivatives
Dyestuffs, hydrogen bond, intramolecular, determination of, 141.
Einhorn's "2-hydroxy-5-nitrobenzyl-diethylamine", structure, 581.
Electrolytes, coefficients of the heats of solution of, 29.
Electrolytic brassplating from non-cyanide solutions, 1333.

-hydrogenation of diacetylenic glycols, 2021.
 -hydrogenation of diethylacetylenylcarbinol and the dehydration of diethylvinylcarbinol, 1227.
Elements, table of the Mendeleev periodic system, based on the electronic structure of atoms, 1523.
Emetine, synthesis of analogs, 1487.
Ephedrine, synthesis of analogous aminoalcohols, 2439.
Energy effects of diluting high polymer solutions by a dilatometric method, 63.
Ester, diazoacetic, reaction with allyl alcohol in presence of copper, 2201.
 -dimethylaminoethyl of diphenylcarbinol (benadryl), synthesis and analogs, 631.
 - α -formylphenacetic, and its derivatives, 861.
Esters: acetomethacrylic, of cellulose, preparation and polymerization, 1383.
 -alkylacetacetic, reaction of diazobenzene with ethyl camphorcarboxylate-3, 399.
 -formates, reactions with organomagnesium compounds, 129.
 -formylhippurate and its derivatives, 145, 619.
 -of methacrylic acid, 2041
 -of naphthylacetic acid, oxidation, 763.
 -of phosphinic acids containing a thiazole radical, synthesis, 2075.
 -phosphonic, new and their derivatives, 2449.
Ether: methyl vinyl, synthesis and properties, 2027.
 -vinyl, addition of chlorine, 2419.
 -vinyl phenyl, hydrolysis, 697.
Ethers: alkyl vinyl, condensation with amides of monocarboxylic acids 1631.
 - α, β -dichloroethyl methyl, α, β -dichlorodiethyl, and α, β -dichlorodiethyl and isopropyl, synthesis, 1767.
 - α -halogen, decomposition: α -halogen ethyl alkyl ethers, 429, α -halogen ethyl phenyl ethers, 435.
 -halo-substituted, action on the sodium salts of di- β -alkoxy ethyl phosphorous acids, 2239.
 - α -ketonic, hydrogenation as a method of preparing α -ketols, 555.
 -optical effect of etherification and esterification of hydroxyl groups, 589.
 -of primary acetylenic alcohols, formation, 1593.
 -reaction between α -monochlorosubstituted ethers and aryl magnesium halides, 119.
 -vinyl, partial acylals, 1581, 1757.
Ethyl camphorcarboxylate-3, reaction with diazobenzene, 399.
Ethyl cellulose, volumetric effect of dilution of solutions, 63.
Ethyl diazoacetate reaction with vinyl ethyl ether, reaction with allyl bromide, 933.
Ethyl formylhippurate and its derivatives, 619.

- Ethylene oxide, condensation with benzene homologs, 1361.
 -reaction with salts of alkyl and aryl arsenous acids, 99.
Ethylene sulfide, reaction with amines, 757.
Ethylidenediacylamides, new method of synthesizing, 1631.
- Fluoraluminates, complex, types in aqueous solutions, 2505.
Fluoride, boron, influence upon cracking of hydrocarbons, 1983.
 -molecular compounds with phosphoric acids as polymerization catalysts, 1775.
- Fluorides, acid, of carboxylic acids, reaction with aromatic compounds in the presence of boron trifluoride, 723.
 -of carbon, anomalous properties of, 1783
 -and chlorides of calcium and barium, adiaagonal reciprocal system, 1723.
 -complex, of beryllium in solution, 19
- Formaldehyde, condensation with sodium butylate, 1613.
Formates, reaction with organomagnesium compounds, 129.
Formylation of hippuric acid, 619, of acyl amino acids, 831
Friedel-Crafts reaction, mechanism, 723.
Furan and furanidine, behavior with metal sulfides and amides, 277
- Gallium hydroxide, investigation by the hydride method 1935.
Gelatin, analysis of the spectrophotometric curves of biuret-copper coordination compounds of, 641.
Glycols, acetylenic, condensation of asymmetrical dimethyldiphenylbutynediol with phenol, 593.
 -diacetylenic, electrolytic hydrogenation, 2021.
Glycosides, cardiac, polarographic investigation of, 155
 -cardiac, aglucones of, synthesis, 1905.
- Gold, correlation of properties in the metal series copper-silver-gold, 475.
 -hydroxide, investigation by the hydride method, 1935.
Growth stimulating substances, synthesis, 2397.
Guanidine, derivatives, 2121, of carbohydrates and polyhydric alcohols, 405.
Gustavson's hydrocarbon, problem of structure of, Stepwise synthesis of spiropentane, 2231.
- Halides, acid, coordination compounds with $AlCl_3$, 1975.
 -of aluminum, compounds with dioxane, 915.
 -inorganic, catalytic action, 723.
 -KCl, KBr and KI, specific heats at high temperatures, 2485.
- Halochromism of arylamides of hydroxycarboxylic acids, 2455.
- Halogen derivatives, aliphatic series, condensation with benzene, over Radsiwonowsky $AlCl_3$, 563.
 -cyclopentane, preparation, 577.
 -of styrene, ring-substituted, polymerization, 2047.
 -unsaturated, reaction of vinyl iodide with magnesium, 1357.
 -of unsaturated cyclic hydrocarbons see Hydrocarbons.
- Halogen substitution derivatives of the styrenes, synthesis, 2043, 2047.
- α -Halogen ethers, decomposition, 429, 435.
Halogenation and dehalogenation, combined, 2011.
Halurgy, temperature coefficients of the heats of solution of electrolytes, 29.
Heats of formation of double salts $Li_2SO_4 \cdot K_2SO_4$, $BaF_2 \cdot BaCl_2$, and $SrF \cdot SrCl_2$, 2171.
Helium, diameter of molecule, 1537.
- Heterocyclic compounds: amino derivatives, 1249.
 -containing oxygen, activity of amines in transformation into compounds containing nitrogen, 1067.
 -conversions over chromic oxide on alumina, 819.
 -derivatives of 5-halogeno-2-pyridonimide, 1249.
 -heterocyclic radicals in esters of phosphinic acids, 2075
 -intramolecular condensation of the aryl amides of p,p-ditolylglycolic acid, 2063.
 -3-methoxy-5-tert.-butyltoluene, synthesis, 731.
 -prepared from N-Aryl amides of hydroxy carboxylic acid, 1673, 1679, 1871, 1877, 2055, 2063, 2245, 2249, 2455.
- Heteropoly acids, structure, 1289, 1527, 2155.
- High-molecular compounds: acetomethacrylic esters of cellulose, preparation and polymerization 1383.
 -anhydrides, amino and guanido derivatives of carbohydrates and polyhydric alcohols: 6-amino, 6-methylamino, and 6-guanido derivatives of glucofuranose, 405.
 -methacrylate polymers, 2041.
 -polymers of styrene, 2047
 -synthesis of 2-methoxy-1-vinylnaphthalene, 439.
- History of chemistry: A. M. Butlerov, founder of the theory of chemical structure, 1913.
 -Life and work of Nikolai Aleksandrovich Prilezhaev, 2139.
 -S. I. Vavilov (obituary), 667.
 S. Hooker reaction, mechanism, 381.
Hydrastinine and its benzoyl derivatives, reaction with caustic alkalies, 353
Hydrates, investigation by the hydride method, 1935.
Hydrazones, product of azotization of 5-hydroxy-2-phenyloxazole, 165.
Hydride method, investigation of hydrates by, 1935.
- Hydrocarbons, acetylenic, problem of analyzing the Raman spectra of, 545.
 -n-alkanes C_6-C_{20} , cryoscopic constants and transition points, 1341.
 -n-alkanes $C_{13}-C_{19}$, physico-chemical constants, 85.
 -allene, addition of bromine to asymdimethylpropadiene, 551.
 -allene, cyclic, attempt to prepare, 581.
 -allene, synthesis of methylphenylpropadiene, 547.
 -aromatic, alkylation with metallic zinc, 753.

- aromatic, condensation with ethylene oxide, 1391.
- aromatic, condensation of benzene with aliphatic monohalogen derivatives, 563.
- aromatic, molecular compounds of aluminum bromide with ammonia, 71.
- 3-chloro-3-methylbutyne-1, reduction with aluminum amalgam, 2017
- cracking, influence of boron fluoride upon, 1983
- dehydration of methyl-n-propylacetylenylcarbinol and of α, α -acetylenylcyclopentanol, 701.
- diene, with conjugated double bonds, sulfonation, 775.
- Gustavson's, problem of structure of, stepwise synthesis of spiropentane, 2231
- isomerization of methylcyclohexane, 1,1-dimethylcyclohexane, 1,2-dimethylcyclohexane and ethylcyclohexane 2409.
- olefin, addition of aniline, 1821.
- polymethylene, isomerization of 1,1-dimethylcyclopentane, 271.
- sterically complex symmetrical diarylethane, new method of synthesis, 119
- synthesis of alkynes-3 (γ -acetylenic hydrocarbons), 259
- transformations with oxide catalysts: role of various transformations in the aromatization of paraffin and olefin hydrocarbons by chrome catalysts 1567, dehydrogenation of the butanes with a chrome catalyst, 1989
- unsaturated, isomerization with metallic oxides as contact agent, 251.
- unsaturated, possessing a quaternary carbon atom transformations with an aluminosilicate catalyst 1741
- unsaturated cyclic and their halogen derivatives: transformation of saturated and unsaturated halogen derivatives of cyclopentane, 577; mechanism of combined halogenation and dehalogenation reactions 2011.

Hydrogen, addition to an acetylene derivative: catalytic hydrogenation of o-dicumylbutynediol, 1609.

- diameter of molecule 1537
- peroxide, colored complex with titanium, 2163
- reduction of silicotungstates, 1289.
- reduction of unsaturated potassium silicotungstates, 1527.

Hydrogen bond, intramolecular, determination, 141.

- and color of organic compounds, 589.
- and color of azo dyes, 1451.

Hydrogenation, catalytic, of o-dicumylbutynediol, 1609.

- catalytic, of 2,7-dimethyloctadiyne-3,5-diol-2,7, 1281.
- catalytic, with palladium, action of inhibitors 803
- of some acetylenic and ethylenic alcohols, action of inhibitors, 793
- electrolytic, of diacetylenic glycols, 2021.
- electrolytic, of diethylacetylenylcarbinol and the dehydration of diethylvinylcarbinol, 1227.
- of α -ketonic ethers, 555.

Hydrolysis of 4,4'-dinitrodiphenylcarbamide (4,4'-dinitrocarbanilide), 2259

- of diphenylurea (carbanilide), 1637.
- of sulfo acids with hydrochloric, sulfuric, and phosphoric acids, 1649.
- of vinyl phenyl ether 697.

Hydrolytic cleavage of carbocyclic compounds, dependence on degree of oxidation, 1831.

- of carbon bonds 599
- of 3-hydroxy-1,4-anthraquinone, 597.
- See also Oxidative and oxidative-hydrolytic transformations of organic molecules.

Hydroquinone, system with urea and resorcinol, 1087.

Hydroxides, precipitation, 9.

-solubility product of, 2177.

Hydroxy carbonyl compounds, cyclic acetals of, 199

α -Hydroxy carboxylic acids, condensation with o-aminothiophenol 2463, 2471; N-arylamides, 1673 1679, 1871, 1877, 2055, 2063, 2245, 2249 2455.

Hydroxyacetophenones, absorption spectra and structure, 1029, 1171, 1193.

Hydroxyfuchsons dyes, see Dyes, hydroxyfuchsons.

Hydroxynaphthoquinone, substituted, oxidative-hydrolytic transformations, 1131.

Hydroxyphenazine derivatives, 2265.

Hypothesis of the quasicomplex state and related questions in the theory of organic reactions, 2333

Imidosulfamide, methylation, 709.

Indole derivatives, arylhydrazones, method of synthesizing, 399, 1851.

-sulfonation 1415.

Inhibitors, action in the catalytic hydrogenation of some acetylenic and ethylenic alcohols, 793.

-in catalytic hydrogenation with palladium, 803.

Inorganic compounds, oxonium ion in the crystal lattices of, 505.

Intramolecular hydrogen bond and the color of organic compounds, 589.

Iodine bromide and chloride, coordination compounds with phosphorous, pentachloride and pentabromide, 523

-chloride-substituted acid amides systems, physicochemical study, 905.

-chloride, systems with substituted acid amines, 905.

-organo- compounds, photoreactions, 2193.

-periodic acid, investigation by the hydride method, 1935

Ionic theory of acetylene-allene rearrangements, 2003.

Ions, addition, effect on the maxima on the optical-density-composition curve of a system, 1541.

-of bivalent manganese and $K_4Fe(CN)_6$, 1097.

-complex of cobalt (II), in ethyl alcohol, 1315.

- Iron**, as catalyst of the transformation of cyclohexene, 959.
 -metallic, reaction with ethyl bromide, 535.
 -rate of solution and potential of dissolving iron, 669.
 -trivalent, ion of, reaction with some pyrazole derivatives, 2189.

Iron compounds: ferric chloride, action of triphenylbismuth and triphenylantimony, 103.

- ferric hydroxide, investigation by the hydride method, 1935.
 -reaction of $K_4Fe(CN)_6$ with ions of bivalent manganese, 1097, binary salt $Mn_2Fe(CN)_6 \cdot K_4Fe(CN)_6$, 1102.
 -structural formulas of basic sulfate of iron oxide and ammonium derivatives, 505.
Isomeric transformations. Transformations of dimethylcyclopentylcarbinol, 363.
Isomerization, of n-butane in the liquid phase over aluminum chloride, kinetics, 79.
 -of cyclohexane with $AlCl_3$, 2409; some new data, 2415.
 -of isoborneol and 4-methylisoborneol when dehydrated by the xanthogenic method, 833.
 -of α -Ketols, see α -Ketols.
 -of methylphenylethynylcarbinol, 1997.
 -and polymerization of dimethylvinylcarbinol as functions of the reagent pH, 1235.
 -of polymethylene hydrocarbons with aluminum chloride catalyst: isomerization of 1,1-dimethylcyclopentane, 271; isomerization of methylcyclohexane, 1,1-dimethylcyclohexane, 1,2-dimethylcyclohexane, and ethylcyclohexane, 2409.

- of unsaturated hydrocarbons with metallic oxides as contact agent, 251.

Isopolymolybdates, see Molybdates.

Isoquinoline compounds, synthesis of N-methyl-1-(3',4'-dimethoxybenzyl)-5,6-dimethoxy-1,2,3,4-tetrahydroisoquinoline, 1479; synthesis of 1-(β -(3'-pyridyl)-ethyl)-6,7-dimethoxy-1,2,3,4-tetrahydroisoquinoline, 1487.

Isotopes, periodic system of groups, 1931, 2145.

Ketene, as an acetylating agent, acetylation of alcohols, 1143.

- dimer, reaction with some weakly basic aromatic amines, 2219.

α -Keto acids, formation of naphthalides, 1673.

-aryl hydrazones of, method of synthesizing, 399.

α -Ketols, cyclic acetals, 199.

-from hydrogenation of α -ketonic ethers, 555.

-molecular rearrangements, 745, 2083.

Ketones, absorption spectra of hydroxy and methoxyacetophenones, 1029, 1171, 1193.

-and alcohols, of the benzthiazole series, 2471.

-amino, of the tetrahydronaphthalene series, 975.

-coordination compounds with $AlCl_3$, 1975.

- β , β -dimethyl divinyl, addition of dialkyl phosphorous acids to, 423.

-1-methyl-4-alkylcyclohexen-1-ones-3, synthesis, 767.

-polarographic investigation, 1965.

-polycyclic hydroaromatic: 3-keto-6-methyl-1,2,3,9,10,11-hexahydrophenanthrene, 1277; 3-keto-7-methoxy-1,2,3,11,12,12a-hexahydrochrysene, 1349.

-2-pyrrolealdehyde and 2-pyrrole, stereoisomerism of the oximes of, 295.

α -Ketonic ethers by hydrogenation of α -ketols, 555.

Kinetic investigations of the decomposition of silver oxide, 517.

Kinetics of aromatization of paraffinic and olefinic hydrocarbons, 1567.

-of the dealkylation of isopropylbenzene above an aluminosilicate catalyst, 943.

-of dehydration of formic acid with silica gel, 1369.

-of hydrolysis of acetylenic chlorides, 2003.

-of the isomerization of n-butane in the liquid phase over aluminum chloride, 70.

-and reaction mechanisms of catalytic hydrodehydrogenation, 959.

Lactones, γ -(alkoxy aryl)-butyro-, synthesis, 185.

Lead bromide, system with cadmium bromide, 501.

Ledol, structure: Hydroderivatives of ledol, ledene, and leddiene, 2321; hydrocarbon skeleton of leddiene, crystalline products of the oxidation of ledene, 2325.

Lithium compounds: heat of formation of double salts of $Li_2SO_4 \cdot K_2SO_4$, 2171.

-chloride, alcoholic solutions with cobalt perchlorate, optical density, 1315.

-chloride -beryllium chloride -water system at 0°, 893.

-chlorides and sulfates, irreversible salt-pair reciprocal system with zinc chlorides and sulfates, 1945.

-isopolymolybdates, 1701.

-organic compounds, of 1,2-benzanthracene and their transformations, 1395.

-organic compounds, synthesis of phenanthrene derivatives with, 1659.

-system with $Co(ClO_4)_2$ + acetone in ethyl alcohol, 1541, 1549.

Lucigenin, transformations, 653.

Luminescence, chemical, of lucigenin and its solutions, 653.

Magnesium, reaction with vinyl iodide, 1357.

-sulfide, coefficient of heat of solution in H_2O , and in Na_2SO_4 solutions, 29.

-see also Organomagnesium.

Magnetic and mechanical moments of nuclei, distribution in the periodic system of groups of isotopes, 1931.

Maleic anhydride, reaction with anils, 1645.

—reaction with diphenylamine, fusibility, specific gravity, and conductance, 1563

Manganese, analytical determination, 1105.

—bivalent, reaction of ions with $K_4Fe(CN)_6$, 1097.

—see also Permanganate.

Medicinal chemistry, see Pharmaceutical chemistry

Mendeleev periodic law, see Periodic law of Mendeleev

Mercury organo- compounds photoreactions in mixed solvents, 2459 of dimethylmercury, 717. of phenylmercury hydroxide, 715 with iodo derivatives 2193 of diphenyl mercury, 1225.

—reaction with succinimide, 1403

Meso derivatives of acridine 9-cyanacridines and their synthesis from acridines, 2131

Metallo-organic compounds detaching radicals from 103

—hypothesis of the quasicomplex state and related questions in the theory of organic reactions 2333 2343

Metals, alkali, thermal stability and volatility of normal molybdates of, 445.

—bivalent, complex compounds with antipyrine 2183

—correlation of properties in the metal series copper-silver-gold, 475.

—detection and determination of minute quantities of zirconium in platinum 889

—of the first and second groups of the periodic system reaction of nitrates and nitrites in the molten state 1509, 1731

—laws governing rate of dissolution in concentrated acids, 881

Methacrylic acid, esters of 2041

Methanol, catalytic vinylation 2027

Methionine, synthesis, 1851

Methylcyclopropyl carbinol synthesis, 2225

Methyl methacrylate, addition of dialkylphosphorous acids to, 2035.

Methyl tetrahydropyromucate reaction with aniline 287.

Methylation of diethyl acetal of formyl hippurate, 145

—of imidosulfamide, 709.

Minerals, oxonium ion in crystal lattice, 505.

Molecular compounds of aluminum bromide with ammonia and aromatic hydrocarbons, 71

Molecular diameter, surface energy and the constant a in Van der Waal's Equation 1537

Moments, mechanical and magnetic, distribution in the periodic system of groups of isotopes, 1931.

Molybdate, normal silver 451

Molybdates, acid, of the alkali elements, investigation by the hydrate method 1701 isopolymolybdates, thermal stability and volatility 1717

—normal, of the alkali metals, thermal stability and volatility 445.

—of potassium, rubidium and cesium thermal analysis of binary systems with molybdic anhydrides 1493.

—of rubidium and cesium 453

Morphine, preparation of compounds with similar structure 1479.

Musk see Perfumes

Nametkin, Sergei Semeonovich, 75th birthday greetings, review of work and bibliography, 2351.

Naphthalides, α - and β - of α -hydroxycarboxylic acids, structure of the intramolecular condensation products of 2055.

Naphthalides of α -hydroxycarboxylic acids, 1673.

Naphthol nitroso- and amino-, structure of bisulfite derivatives, 1407.

2-Naphthol-4-sulfonic acid, derivatives, 1653.

Naphthylacetonitrile oxidation, 763

Nickel hydroxide, investigation by the hydride method 1935

Nickel-O₂ system diagram and physicochemical nature of the solid phase, 1.

Nicotinic acid, synthesis of some derivatives, 1685.

Nitrates of strontium, potassium and sodium in the molten state 1509 of barium, potassium and sodium in the molten state, 1731.

Nitration of diphenylurea (carbanilide), 1419.

Nitro compounds, aromatic, chloromethylation and subsequent reduction 1269

Nitrocellulose volumetric effect of diluting solutions in acetone 65

Nitrogen, diameter of molecule, 1538.

Nuclear periodicity of the Mendeleev type, 2145

Nuclei, distribution of mechanical and magnetic moments of nuclei in the periodic system of groups of isotopes, 1931.

Olefins addition of aniline at double bond in presence of heterogeneous catalysts, 1821.

Optical activity change in the transition from tert-propylborneol to 4-propylisoborneol, 825.

Optical density—composition curve, position of the maxima when a system's concentration is changed by the addition of ions 1541.

Organic chemistry, some problems of the theory of 203

Organic reactions theory of, hypothesis of the quasicomplex state and related questions, 2353.

Organo-iron compounds proof of existence of, 535

Organolithium compounds of 1,2-benzanthracene and their transformations, 1395

—synthesis of phenanthrene derivatives with, 1659.

Organomagnesium compounds action on dimethylvinylethynylchloromethane, 1603.

—mechanism involved in reaction with the esters of N-aryl-substituted amides of dicarboxylic acids, 1871.

—reactions with the esters of orthomethoxymalonitic and succinanitic acids, 1679.

—reactions with methyl-p-tolyl ketols, 2083

- reaction with α - and β -naphthylloxaminic acid, 1673.
- Organomagnesium reactions**, steric hindrances in, 119, 129
- Organomercury compounds**, reaction with succinimide, 1403
- Organometallic compounds of mercury**, photoreaction of phenylmercury hydroxide, 713.
- Orthoboric acid**, investigation by hydride method, 1935.
- Oxazole**, researches on the derivatives of, 165
- Oxazolones**, see **Azactones**.
- Oxidation of allyl and cinnamic alcohols with a chromic acid mixture**, 1379.
- of organic compounds by selenium dioxide, mechanism, oxidation of naphthylacetonitrile and the esters of naphthylacetic acid, 763.
- products of diallyl sulfide, structure, 1807.
- Oxide**, ethylene, condensation with homologs of benzene, 1391.
- ethylene, reactions with dimethylacetylenylcarbinol, 1361.
- Oxidative and oxidative-hydrolytic transformations of organic molecules**: ammonolysis of 2-chloro-2-methyl-1,3,4-trioxotetralin, 373; S. Hooker reaction 381; hydrolytic cleavage of 2-pyridine-3(1)-oxy-1,4(3,4)-naphthoquinone betaine, 569; hydrolytic cleavage of chloro-2-pyridine-1,2,3,4-tetrahydronaphthalene-1,3,4-trione chloride, 607; hydrolytic cleavage of 3-hydroxy-1,4-naphthoquinone, 997; transformations of 1,4-naphthoquinone oxide, 1005; oxidative-hydrolytic transformations of 2,3-dihydroxy-1,4-naphthoquinone and 1,2,3,4-tetraoxotetralin, 1113; oxidative-hydrolytic transformations of substituted hydroxynaphthoquinones, 1131; synthesis and properties of some quinone oxides, 1823; relationship between degree of oxidation of carbocyclic compounds and ability of their rings to be cleaved hydrolytically, 1831
- Oxides of quinone**, synthesis and properties, 1823.
- Oximes of 2-pyrrolealdehyde and 2-pyrrole ketones**, 295.
- Oxonium compounds**, decomposition of α -halogen ethers, 429, 435.
- Oxonium ion in the crystal lattices of inorganic compounds**, 505
- Oxygen**, diameter of molecule, 1537.
- diagram of the Ni-O_2 system, 1.
- Palladium**, in catalytic hydrogenation, action of inhibitors, 803.
- Parasitocidal activity**, and chemical structure, 1897, derivatives of dipyritylguanidine, 2121.
- Pathological chemistry**; synthesis of substances possessing antithyroidin activity, 837.
- see also **Pharmaceutical chemistry**.
- Pectin**, volumetric effect of dilution of solution, 63.
- Penicillin II**, ethyl ester of the penicilloic acid of, synthesis, 861.
- Penicilloic acid**, synthesis of analogs, 619.
- Pentadienes**, methyl, preparation by dehydrating dimethylallylcarbinol above chromium oxide on alumina, 251.
- Peptides**, spectrophotometric curves of biuret-copper coordination compounds of, 341, 347, 635, 641.
- decarboxylation, new method of synthesis, 1627.
- Perfumes**: aromatic compounds with a musk odor: 2,6-dinitro-4-tert-amyl-3-methoxytoluene, 2427.
- Periodic law of D. I. Mendeleev**, coordination of properties in the series copper-silver-gold, 475.
- Periodic system of groups of isotopes**, distribution of mechanical and magnetic moments of nuclei in 1931.
- Mendeleev, table based on the electronic structure of atoms, 1523.
- Periodicity, nuclear**, of the Mendeleev type, 2145.
- Periplocin**, polarographic investigation, 155.
- Permanganate**, acidic properties of, 2181.
- Peroxides of calcium and barium**, dissociation and reduction 691.
- Petroleum chemistry**: Dehydrogenation of the butanes with a chrome catalyst, 1989
- Influence of boron fluoride upon cracking of hydrocarbons, 1983
- Polymerization of oleic acid and its methyl ester with molecular compounds of boron fluoride and the phosphoric acids, 1775.
- Principal physicochemical constants of the n-alkanes 85, 1341.
- Synthesis and catalytic transformations of aliphatic sulfides in contact with an aluminosilicate catalyst, 263.
- pH of reagent as function of the isomerization and polymerization of dimethylvinylcarbinol, 1235.
- Pharmaceutical chemistry**: Action of acrylonitrile and acrolein upon α - and β -pyrones, 2079.
- Action of phosphorus pentahalides on 1,2-benzanthracene and its derivatives, 2443.
- 4-Alkoxy-phenoxyacetic acids and their simplest derivatives, 359.
- Amino ketones of the tetrahydronaphthalene series, synthesis of ar-1-hydroxy-4-(aminoaceto)-tetrahydronaphthalenes, 975.
- Chemical structure and parasitocidal activity: Effect of structural features of the cyclic side-chain substituent upon antimalarial activity of quinoline and acridine derivatives (part played by location of the methylene group), 1897
- Complex compounds of some bivalent metals with antipyrine, 2183
- Derivatives of dipyritylguanidine, 2121.
- Detaching radicals from triphenyl bismuth and from triphenylantimony by the action of aluminum chloride and ferric chloride, 103.
- Equilibrium between a sulfo acid and its acid chloride, 787.
- Equilibrium between p-dichlorobenzene-sulfonic acid and its acid chloride, 2097.
- Equilibrium between carbonium and ester forms in colored sulfuric acid solutions of arylamides of hydroxycarboxylic acids, 2455.

- Hydrolytic cleavage of 3-hydroxy-14 naphthoquinone, 997
- Hydrolysis of sulfo acids with hydrochloric, sulfuric and phosphoric acids, 1649.
- Intramolecular condensation of aryl amides of benzoic acid, 1877, of p,p-ditolylglycolic acid, 2063, of m,m-ditolylglycolic acid, 2245, of o,o-ditolylglycolic acid 2249
- Introduction of the formyl radical into an acyl amino acid and condensation of the resulting compounds with thiolamino acids into thiazolidine derivatives Ethyl formylhippurate and its derivatives, 619
- Mechanism involved in the reaction of organomagnesium compounds with the esters of N-aryl substituted amides of dicarboxylic acids, 1871
- Methylation of the diethylacetal of formylhippurate, 145
- Naphthalides of α -hydroxy carboxylic acids, 1673.
- Organolithium compounds of 1,2-benzanthracene and their transformations, 1365
- Polarographic investigation of some cardiac glycosides, 155
- Polarographic investigations of sulfamide compounds 625
- B-[2-Propoxy(butoxy)naphthoyl-6-propionic acids and their transformations 647.
- Pseudo thio ethers of ortho aldehydic acids and their derivatives, 1695
- Reaction of alkyl-aryl reamination in the 2-dialkylamino-propionitriles, 93
- Reactions of cotarnine and hydrastinine and of their benzoyl derivatives with caustic alkalies, 353
- Reaction of ethylene sulfide with amines, 757
- Reactions of organomagnesium compounds with the esters of orthomethoxymalonanilic and succinanilic acids, synthesis of the anilides of γ -hydroxy acids 1679
- Reaction of some pyrazole derivatives with the ion of trivalent iron and with cyanide complexes 2189
- Spermine and spermidine, synthesis of analogs 291
- Structure of Einhorn's "2-hydroxy-5-nitrobenzylideneethylamine", 581.
- Structure of the intramolecular condensation products of the α - and β -naphthalides of α -hydroxy carboxylic acids, 2055.
- Syntheses in the pseudoheliotridane series, 2515.
- Synthesis of amino alcohols similar to ephedrine 2439
- Synthesis of p-aminophenyl β -ketosulfide and p-aminophenyl β -ketosulfones, 1811.
- Synthesis of analogs of the alkaloid colchicine 867
- Synthesis of γ -(alkoxy aryl)-butyrolactones, 135
- Synthesis of anthelmintics of the coumarin series 1893
- Synthesis of the dimethylaminoethyl ester of diphenylcarbinol (benadryl) and its analogs, 631
- Synthesis of the ethyl ester of the penicilloic acid of penicillin II, 861.
- Synthesis of methylcyclopropyl carbinol, 2225
- Synthesis of S-methyl-6-derivatives of thioracil 837
- Synthesis of bis-(4-nitrophenylthio)-alkyl and aryl compounds and their reduction products, 1689.
- Synthesis of some derivatives of nicotinic acid, 1685
- Synthesis of phenanthrene derivatives with organolithium compounds, 1659.
- Synthesis of structural fragments of rothenone and of its congeners, 2313
- Synthesis of 1,1,1-trichloro-2-hydroxyethane-(p-nitrophenyl) sulfide its acetoxy derivative, and its sulfoxide 1817
- Transformations of 1,4-naphthoquinone oxide 1005.
- See also Alkaloids. Oxidative and oxidative-hydrolytic transformations of organic molecules.
- Phenanthrene derivatives, synthesis with organolithium compounds 1659
- Phenazine 1-hydroxy, synthesis of derivatives 2265.
- Phenols, absorption spectra of hydroxy and methoxyacetophenones 1029 1171 1193.
- condensation with dimethyldiphenylbutynediol in presence of sulfanilic acid 593
- condensation with 1-methylcyclohexanol-1, 951.
- diatomic reaction with urea 1087
- formation from derivatives of acetic acid, 1969
- potentiometric titration in naphthalene series, 1157.
- structure of bisulfite derivatives 1407
- and sulfur trioxide, formation of coordination compound 1619
- N-Phenyl lepidone, synthesis 2219
- Phenyl mustard oil, inhibiting effect on hydrogenation 793 803
- Phosphonic esters, new and their derivatives, 2449.
- Phosphorus pentahalides, action on 1,2-benzanthracene and its derivatives 2443.
- Phosphite, triethyl and diethylsodium, action on dihalogen derivatives 109
- Photographic chemistry, Action of chlorosulfonic acid upon 2-cyanacetylcoumarone, 843
- Properties of 7,7-bis-(dimethylamino)-thiacarbocyanines 2287
- Properties of the methyl-methyl sulfate of 2-methylmercapto-5-(3'-ethyl-benzothiazolinyldene-2-ethylidene)-thiazolinone-4, 847.
- Some 6,6'-diacylaminothiacarbocyanins, 1463.
- Phosphorus compounds, Action of halo-substituted ethers on sodium salts of di- β -alkoxy ethylphosphorous acids, 2239
- addition of dialkylphosphorous acids to acrylonitrile and methyl methacrylate 2035.
- addition of dialkyl phosphorous acids to β , β -dimethyl divinyl ketone, 423
- diallylphosphorous acid and its derivatives, 727.
- molecular compounds of boron fluoride and phosphoric acids, catalytic action, 1775
- organo compounds, action of halo-substituted ethers on the sodium salts of di- β -alkoxy ethyl phosphorous acids 2239
- pentachloride and pentabromide, coordination compounds with iodine chloride and bromide, 523.
- trichloride-bromide system, 479.
- Photoreactions, of asymmetric derivatives of tin, 1107.
- of organoiodine compounds 2193
- of organometallic compounds of mercury in solution; reaction of dimethylmercury, 717, of diphenylmercury, 1225 in mixed solvents, 2459.

-of phenylmercury hydroxide, 713.

Physical chemistry Binary systems of SnCl_4 , SbCl_3 and AsCl_3 , 1075 1079, 1083, 1503, 1505

-Binary systems constituted by SnCl_4 , SbCl_3 and AsCl_3 , conductance, viscosity, and density 1323 1333

-Kinetic investigations of the decomposition of silver oxide, 517

-Oxonium ion in the crystal lattices of inorganic compounds, 505

-Position of maxima on optical density - composition curves when system concentration is changed 1541 1546

-Spectrophotometric investigation of maxima in the composition - property diagram when the system concentration is changed in solutions of cobalt halides. Complex ions of cobalt (II) in ethyl alcohol

-Thermodynamic functions of aluminum carbide crystalline silicon quartz, silicon carbide aluminum fluoride and cryolite 461

-see System Systems

Physicochemical analysis investigation of the reaction between maleic anhydride and diphenylamine 1563

-constants of the n-alkanes 85 1341

-investigation of concentrated solutions SbBr_3 , AlBr_3 - CBr_4 system, 1517

-nature of the solid phase of the $\text{Ni}-\text{O}_2$ system 1

-study of the systems iodine chloride - substituted acid amides 905

Physiologically active substances synthesis of anti-thyroidin substances 837

-synthesis of N-methyl-1-(3',4'-dimethoxybenzyl)-5,6-dimethoxy-1,2,3,4-tetrahydroisoquinoline 1479, of 1-[β -(3'-pyridyl)-ethyl]-6,7-dimethoxy-1,2,3,4-tetrahydroisoquinoline 1487

-see Benadryl, Pharmaceutical chemistry

Pinacones with substituted acetylenic radicals transformations Synthesis and transformations of trimethylphenylacetylenyl ethylene glycol 2477

Piptamine, isolation properties 853

Piptantine, isolation properties 853

Plastics, Condensation of ethylene oxide with homologs of benzene 1391

-Polymerization of acetomethacrylic esters of cellulose 1389

-Reaction of dimethylethynylcarbinol with propylene oxide, 1589

-Reactions of dimethylacetylenylcarbinol with ethylene oxides, 1361

Platinum, detection and determination of minute quantities of zirconium in, 88

Pseudoheliotridane series, synthesis, 2515

Pyramidine derivatives, synthesis of 2-methyl-4-amino-5-ethoxymethylpyrimidine, 2101

Pyranole derivatives, preparation 413

Pyrazole derivatives, reaction with the ion of trivalent iron and with cyanide complexes 2189

Pyromucate methyl reaction with aniline, 281.

α - and β -Pyronenes action of acrylonitrile and acrolein upon 2079

Polarographic investigation of cardiac glycosides, 155

-of coordination compounds of cadmium with several monovalent anions, 685

-of some ketones 1965

-of some organic acids, 1957

-of sulfamide compounds, 625

Polymerization of acetomethacrylic esters of cellulose 1383

-of dimethylvinylcarbinol as function of the reagent pH, 1235

-of methacrylates 2041

-of 2-methoxy-1-vinylnaphthalene, 439

-of oleic acid and its methyl ester with molecular compounds of boron fluoride and the phosphoric acids 1775

-of ring-substituted halogen derivatives of styrene,

Polymorphic transformations of salts, heat of, 2489

Polystyrene volumetric effect of dilution of solutions 63

Polysulfides organic compounds, 1425

Potassium compounds Potassium bromide, specific heat at high temperatures 2485

-chloride coefficient of heat of solution in H_2O , 29.

-chloride specific heat at high temperatures, 2485.

-dibromide determination of molecular heat at high temperature 2505

-heat of formation of Li_2SO_4 , K_2SO_4 , 2171.

-iodide specific heat at high temperatures, 2485

-isopolymolybdate 1701, 1717

-molybdate and molybdic anhydride binary system, thermal analysis 1493.

-nitrate, ternary system with strontium and sodium nitrates in the molten state, 1501

-nitrate ternary system with nitrates of barium and sodium in the molten state, 1731

-silicotungstates, reduction with hydrogen, 1527.

-salts of cis-silicotungstic acid, 1289

Potential of dissolving iron 669

Potentiometric titration of some intermediates and azo dyes of the naphthalene series, 1157

Powdered substances, true specific heat, 2489

Precipitation of hydroxides, 9

Prilezhaev, N. A. life and work, 2139

Propylene oxide reaction with dimethylethynylcarbinol, 1589

Protein structure of micromolecules: action of phosphorus pentachloride upon diketopiperazine, 311; preparation of some dihydropyrazine amidines and their acylation, 317; transformations of acylated 2,5-diketopiperazines when reacted with amino acids and amines, 323; action of oxalylchloride upon diketopiperazine and transformation of the reaction

products into amidine, 1015.

Proteins, investigation by spectrophotometry of biuret coordination compounds: 341, 347, 635, 641.

Quartz, thermodynamic functions, 491

Quasicomplex state, hypothesis of and related questions in the theory of organic reactions, 2333, 2343.

Quinoline derivatives, effect of structural features of the cyclic side-chain substituent upon antimalarial activity of, 1897.

—synthesis of substantive quinophthalonic dyes from diphenyldiamines, 1473.

Quinones, bisulfite compounds of 2-methyl-1,4-naphthoquinone, 2091.

—oxides, synthesis and properties, 1823.

—see Hydroxynaphthoquinone.

Radicals, detaching from organometallic compounds, 103.

—detachment from complete asymmetric derivatives of tin, 1107.

—free, in the decomposition reactions of benzene, azotriphenylmethane, nitrosoacetanilide, and benzene-azotriphenylmethane in solutions, 1219.

Raoult's law, 55.

Reaction, of aliphatic diazo compounds with unsaturated compounds—ethyl diazoacetate with vinyl ethyl ether, 921, ethyl diazoacetate with allyl bromide 933

—S. Hooker, mechanism of, 381.

Reamination, alkyl-aryl, in the 2-dialkylaminopropionitriles, reaction of, 93

Rearrangements, allyl, 1801; amide-ester, N-alkyl-N-hydroxyethyl amides of nitronaphthoic acids, 2433; acetylene-allene, 1593, 1603, 2003; camphene and their optical consequences, 825; of α -ketols, 745, 2083; mechanism of rearrangement of α -halogen ketones into acids, 199

Rectifying columns, diagrams for determining efficiency by means of the benzene-carbon tetrachloride system, 1305.

Reduction of β -(alkoxyaroyl)-propionic acids, 135.

—of barium and calcium peroxides, 691.

—of the products of chloromethylation of aromatic nitro compounds, 1269

—of silicotungstates by hydrogen, 1289, 1527, 2155.

—of sulfides, 1815.

Resolution of Conference on theory of chemical structure and organic chemistry, 1909.

Resorcinol, system with urea and hydroquinone, 1087.

Rhodanine derivatives, merocyanin dyes, 847.

Rothenone, synthesis of structural fragments of rothenone and of its congeners, 2313

Rubidium, isopolymolybdates, 1701, 1717

—molybdate, thermal analysis of binary system with molybdic anhydride, 1496.

—normal molybdates of, 453.

Rearrangements, acetylene-allene, 1593, 1603, 2003.

—allyl, 1801.

—amide-ester, N-alkyl-N-hydroxyethyl amides of nitronaphthoic acids, 2433

—camphene, and their optical consequences, 825.

—of α -ketols, 745, 2083

—mechanism of rearrangement of α -halogen ketones into acids, 199.

Salsoline, N-derivatives, 815

Salts of alkyl carbonic acids, 490, 1795.

—of alkyl and aryl arsenous acids, reaction with ethylene oxide, 99.

—calcium, of mono- and trichloroacetic acids, thermal decomposition 1969.

—complex, of cobalt and chrome with anions of aromatic sulfo acids, 537.

—double, $\text{Li}_2\text{SO}_4 \cdot \text{K}_2\text{SO}_4 \cdot \text{BaF}_2 \cdot \text{BaCl}_2$, and $\text{SrF} \cdot \text{SrCl}_2$ heats of formation, 2171.

—molten, irreversible salt-pair reciprocal system of lithium and zinc chlorides and sulfates, 1945.

—potassium, of cis-silicotungstic acid, 1289.

—KCl, KBr, and KI, specific heats at high temperatures, 2485.

—quaternary of benzo-1,4-thiazine and its derivatives, 169, 177, 185.

—thermal analysis of the binary systems $\text{CdBr}_2\text{—ZnBr}_2$, $\text{CdBr}_2\text{—PbBr}_2$ and $\text{CdBr}_2\text{—AgBr}$, 501.

—true molecular heats and heats of polymorphic transformations, 2489.

Sapogenin of the roots of *Patrinia intermedia* R et Schult 1053

Saponin, from roots of *Patrinia intermedia* R et Schult 1049

—polarographic determination of minute quantities, 155

Selenium dioxide, oxidation of organic compounds by, mechanism, 763

—reaction with amines 1859

Serum albumin, spectrophotometry of biuret copper coordination compounds, 641

Silica, thermodynamic functions, 491.

Silica gel, kinetics of dehydration of formic acid, 1369

Silicon carbide, thermodynamic functions, 491.

Silicon, crystalline, thermodynamic functions, 491.

Silicotungstates, reduction by hydrogen, reduction of cis-silicotungstic acid and its potassium salts, 1289; reduction of unsaturated potassium silicotungstates, 1527; sodium bronze and the reduction of sodium silicotungstate, 2155.

Silver bromide, system with CdBr_2 , 501.

Silver, correlation of properties in the metal series copper-silver-gold, 475.

Silver oxide, decomposition, kinetic investigations of, 517

Silver molybdate, normal, 451.

Sodium acetate, acetylation of aromatic amines with acetyl chloride in presence of, 1643.

—alkynes reaction with diethylsulfate, 259.

—amide amination of benzimidazole compounds 971

—bisulfite reaction with acridine 1885.

—bronze and reduction of sodium silicotungstate, 2155.

—carbonate determination of true molecular heat heat of polymorphic transformation 2489

—chloride determination of true molecular heat 2489

—butylate condensation with formaldehyde 1613

—cryolite thermodynamic functions 491

—diethylphosphite action on some dihalogen derivatives 109

—dichromate determination of true molecular heat 2500

—ethyl carbonate preparation properties thermal decomposition 541

—heat of solution of $MgSO_4$ in Na_2SO_4 solutions 29

—isopolymolybdates, 1701, 1717

—nitrate ternary system with potassium and strontium nitrate in the molten state 1509

—nitrate, ternary system with barium and potassium nitrate in the molten state, 1731.

—salts of di-8-alkoxy ethyl phosphorous acids action of halo-substituted ethers on 2239

—silicotungstate reduction to sodium bronze 2155

—sulfate determination of true molecular heat heat of polymorphic transformation 2489

Solubility change patterns of equations for isotherms in multicomponent systems 49 Raoult's law, 55

Solubility product of hydroxides 2177

Solution acidity precipitation of hydroxides as a function of, 9

—electrolyte heat of 29

—of metals in concentrated acids 881

—rate and potential of dissolved iron 669

Solutions aqueous of complex fluoraluminate 2505

—concentrated physicochemical investigation 1517

—conductance of PCl_5 and PF_5 in nonaqueous 525

—free radicals in decomposition reactions in 1219

—high-polymer determination of energy effects of diluting by a dilatometric method, 63

Solvent systems 463

1-Sparteine, isolation 853

Specific heat of the halides KCl , KBr and KI at high temperatures, 2485.

—true of powdered substances at high temperatures 2489 specific, of KCl , KBr and KI at high temperatures 2485

Spectra, absorption of coordination compounds of aluminum bromide with n-butyl bromide, acetophenone, and benzophenone, 1075

—absorption of some intermediates and azo dyes of the naphthalene series, 1451

—absorption and structure of benzene derivatives, 1029 1171 1193

—Raman, of acetylenic hydrocarbons, problem of analyzing, 545

—Raman, of isomerization product of methyl cyclohexane, 1,1-dimethylcyclohexane, 1,2-dimethylcyclohexane, and ethylcyclohexane, 2409

—Raman, of methylpentadienes, 257.

—Raman, of product of isomerization of cyclohexane 2415

—ultraviolet absorption, of benzothiazole derivatives 2271

Spectrophotometric investigation of maxima in the composition - property diagram when the system concentration is changed in solutions of cobalt halides investigation of complex ions of cobalt (II) in ethyl alcohol 1315, 1541, 1549.

Spectrophotometry of biuret coordination compounds as a method of protein research, 341, 347, 635, 641.

Spermine and spermidine, synthesis of analogs, 291.

Spiropentane stepwise synthesis, 2231.

Stannic chloride system with $CH_3ClCOOH$, 1075, with CCl_3COOH and $CHCl_2COOH$, 1079.

Stereochemistry effect of substituents on polymerizability 439.

Stereoisomerism of the oximes of 2-pyrrolealdehyde and 2-pyrrole ketones, 295.

Steric hindrances in organomagnesium reactions, 119 129

Strontium compounds heat of formation of SrF_2 , $SrCl_2$ 2171

—nitrate, ternary system with potassium and sodium nitrate in the molten state, 1509.

Strophanthidin polarographic investigation, 155.

γ -Strophantin polarographic investigation, 155.

Styrene polymerization of ring-substituted halogen derivatives 2047.

—ring substituted derivatives synthesis, 2043.

Succinonitrile, synthesis, 2073

Sulfamide compounds polarographic investigations of 625

—imido methylation 723

Sulfates and chlorides of lithium and zinc, irreversible salt-pair reciprocal system, 1945.

Sulfide diallyl structure of oxidation products, 1807.

—ethylene reaction with amines 757.

—1,1,1-trichloro-2-hydroxyethane-(p-nitrophenyl), synthesis acetox derivative, sulfoxide, 1817.

Sulfides aliphatic, synthesis of and catalytic transformations in contact with an aluminosilicate catalyst 263

—and sulfones, amino, synthesis of, 1811, 1817.

—synthesis 1811

Sulfides, double of sodium acridiniums, synthesis, 1885.

Sulfonamides aryl, reaction with amines, 2101.

Sulfonation of 2-cyanacetyl coumarone, 843.

- of 2-naphthol-4-sulfonic acid, 1653.
- reaction: equilibrium between a sulfo acid and its acid chloride, 787; equilibrium between p-dichlorobenzene-sulfonic acid and its acid chloride, 2097; hydrolysis of sulfo acids with hydrochloric, sulfuric, and phosphoric acids, 1649; preparation of 1,3,5-naphthalene-trisulfochloride, 2253.
- and sulfo acids of acidophobic compounds: sulfonation of cyclopentadiene, 303; sulfonation of 2-chloropyrrole and 2-benzeneazopyrrole, 307; sulfonation of some derivatives of indole, 1415; sulfonation of 2-chloro-, 2-bromo-, and 2-iodothiophenes, 1667; sulfonation of diene hydrocarbons with conjugated double bonds, 775.
- Sulfo acids, aromatic, in outer sphere of coordination compounds, 537.
- bisulfite derivatives of, 1407.
- equilibrium with acid chloride, 787.
- hydrolysis with hydrochloric, sulfuric, and phosphoric acids, 1649
- naphthofurazan sulfonic acids, 2127.
- potentiometric titration, 1157.
- of acidophobic compounds, 303, 307, 775.
- Sulfones, amino, pseudo thio ethers of orthoaldehydic acids and their derivatives, 1695.
- synthesis of bis-(4-nitrophenylthio)-alkyl and aryl compounds and their reduction products, 1689.
- Surface energy of molecules and their physicochemical properties, 1537
- Surface tension and total surface energy of rational binary liquid systems, 899.
- Sulfur compounds, action of sulfur on amines, 1859.
- aliphatic sulfides, synthesis and catalytic transformations, 263
- metal sulfides, behavior with furan and furanidine, 277.
- organic polysulfides, synthesis, 1435.
- structure of bisulfite derivatives of aromatic compounds, 1403
- sulfur trioxide and phenol, formation of coordination compounds, 1611
- see also Aminosulfides and aminosulfones, Sulfonation
- Syntheses, employing acrylonitrile, 291, 1789, 2073.
- of amides of α -amino acids, new method, 1621.
- in the pseudoheliotridane series, 2515.
- employing zinc chloride, 753.
- of acetals of chloroacetaldehyde, 2419.
- of aliphatic sulfides, 263.
- of 2-alkyl- α -naphthothiazoles, 2307.
- of some alkyl- and aralkylphenoxyacetic acids and their derivatives, 2397.
- of alkynes (γ -acetylenic hydrocarbons) 251.
- of p-aminophenyl β -ketosulfide and p-aminophenyl β -keto sulfones, 1811.
- of aminosulfones: pseudo thio ethers of orthoaldehydic acids and their derivatives, 1695; bis-(4-nitrophenylthio)-alkyl and aryl compounds and their reduction products, 1689
- of ar-1-hydroxy-4-(aminoaceto)-tetrahydro-naphthalenes, 975.
- of 2-arylamino propionitriles, 93.
- of α -benzylparaconic acids, 399.
- of colchicine derivatives, 809
- of decarboxy dipeptides, new method, 1627.
- of derivatives of α -amino acids 1243
- of derivatives of 1-hydroxyphenazine, 1,6- and 1,8-dialkoxyphenazines, 2265.
- of some derivatives of nicotinic acid, 1685.
- of α, β -dichloroethyl methyl, α, β -dichloroethyl, and α, β -dichlorodiethyl and isopropyl ethers, 1767.
- diene, of α - and β -pyronene with acrolein and acrylonitrile, 2079
- of 3-keto-6-methyl-1,2,3,9,10,11-hexahydro-phenanthrene, 1277.
- of d,l-methionine, 1851
- of methylcyclopropyl carbinol, 2225.
- 1-methyl-4-alkylcyclohexen-1-ones-3, 767.
- of 2-methyl-4-amino-5-ethoxymethylpyrimidine, 2109
- of two isomeric β -phenanthryl- $\Delta^{\alpha, \beta}$ -butenolides, 1905
- of esters of phosphinic acids that contain heterocyclic radicals. Synthesis of esters of phosphinic acids containing a thiazole radical, 2075.
- of quaternary salts of benzo-1,4-thiazine, 169.
- of sterically complex symmetrical diaryl ethane hydrocarbons, 119.
- of structural fragments of rothenone and of its congeners. Syntheses in the field of tubaic acid, 2313
- of substances possessing antithyreoidin activity, 837.
- of tertiary alcohols 1871.
- of 1,1,1-trichloro-2-hydroxyethane-(p-nitrophenyl) sulfide, its acetoxy derivative and its sulfoxide, 1817.
- Systems: adiaagonal reciprocal, of calcium and barium fluorides and chlorides, 1723.
- SbCl₃ in acetic acid, 1083.
- SbCl₃-CCl₃COOH, 1329.
- SbBr₃-AlBr₃-CBr₄, 1517.
- Benzene-carbon tetrachloride, for determining the efficiency of rectifying columns, 1305.
- binary, of alcohols - dichloroethane, viscosity, 1559.
- binary, of SnCl₄, SbCl₃, and AsCl₃, 1075, 1078, 1083.
- binary, SbCl₃ with CH₃COOH, 1083, AsCl₃ with CCl₃COOH, 1503, AsCl₃ with CH₂ClCOOH and CH₃COOH, 1505.
- binary, thermal analysis of zinc, lead, and silver bromides in cadmium bromide as the solvent, 501.
- Co(ClO₄)₂-LiBr in ethyl alcohol, spectrophotometric investigation, 1549.
- iodine-chloride -substituted acid amides, physicochemical study, 905.
- irreversible salt-pair reciprocal, of lithium and zinc

- chlorides and sulfates 1945.
- LiCl-BeCl₂-H₂O at 0°, 893.
- MnSO₄-K₄Fe(CN)₆-H₂O, 1097.
- maleic anhydride - diphenylamine, fusibility, specific gravity, conductance 1563
- multicomponent, patterns of solubility change, solubility equation for isotherms in, 49.
- Ni-O₂, 1
- PBr₅-Br and PCl₅-ICl, 523; in nitrobenzene, 528.
- K₂MoO₄-MoO₃, Rb₂MoO₄-MoO₃, Cs₂MoO₄-MoO₃, 1493.
- rational binary liquid, surface tension and total surface energy, 899.
- ternary, of nitrates of barium, potassium, and sodium in the molten state 1731.
- ternary, urea - resorcinol - hydroquinoline 1087.
- ternary, of nitrates of strontium, potassium, and sodium in the molten state, 1509.
- systems of the type aluminum salt - hydrogen fluoride, 2505.
- solvent, 463.
- H₂O-SO₃-Fe₂O₃-(NH₄)₂, 505

Terpenes, preparation from dimethylvinylcarbinol, 1235.

- synthesis of 3,4-dimethylcamphor and its derivatives 2403

Theory of chemical structure in organic chemistry, 203 1909, 1913

Thermal analysis of binary systems: CdBr₂-ZnBr₂, CdBr₂-PbBr₂, and CdBr₂-AgBr, 501.

- of systems K₂MoO₄-MoO₃, Rb₂MoO₄-MoO₃, and Cs₂MoO₄-MoO₃, 1493

Thermal decomposition of calcium salts of mono- and trichloroacetic acids 1969

Thermal effect of diluting high polymer solutions 63

Thermal stability and volatility of the isopolymolybdates of the alkali elements 1717

- and volatility of normal molybdates of the alkali metals 445.

Thermodynamic functions, Al₄C₃, Si, SiO₂, SiC, AlF₃, and Na₃AlF₆, 491

Thiazolidine derivatives synthesis 861

Thiocyanate, benzene, hydrogenation inhibiting action, 793

- α -naphthol, inhibiting action on hydrogenation 793

p-Thiocyananiline, hydrogenation inhibiting action, 793, 803.

p-Thiocyanochlorobenzene, inhibiting action on hydrogenation, 793, 803

Thiouracil, S-methyl-6 derivatives 837.

Tin, detachment of radicals from complete asymmetric derivatives of, 1107

- see also Systems.

Titanium, colored complex with hydrogen peroxide 2163

Toluene, condensation with 1-methylcyclohexanol-1, 951.

- 3-methoxy-5-tert-butyl, synthesis, 731

- reaction with allyl chloride in presence of aluminum chloride, 737

Transformations, isomeric, of α -ketols, 745.

- of 1,4-naphthoquinone oxide, 1005.

-of olefin hydrocarbons in the presence of metallosilicate catalysts, 1741.

- of β -[2-propoxy(butoxy)naphthoyl-6]-propionic acids, 647.

- of lucigenin 653.

Triphenylbismuth and triphenylantimony, the splitting of radicals from by the action of aluminum chloride and ferric chloride, 103.

Tubac acid synthesis 2313

Tungsten, reduction of silicotungstates by hydrogen, 1289

- reduction of unsaturated potassium silicotungstates with hydrogen 1527.

Unsaturated compounds, addition of dialkyl phosphorous acids to 423.

- oxidation of allyl and cinnamic alcohols with a chromic acid mixture, 1379.

- reaction with aliphatic diazo compounds, 921, 933, 2201, 2209

Urea, reaction with diatomic phenols, 1087.

Van der Waal's equation, molecular diameter, surface energy, and the Constant a in, 1537.

Vavilov, S. I., obituary, 667.

Vicinal effect, anomalous properties of carbon fluorides, 1783

Vinyl compounds, Decomposition of α -halogen ethers:

α -halogen ethyl alkyl ethers, 429; α -halogen ethyl phenyl ethers, 435

- synthesis of acetals of chloroacetaldehyde, 2419.
- synthesis and properties of methyl vinyl ether, 2027.
- ethyl ether, reaction with ethyl diazoacetate, 921.
- ethers, addition of chlorine to synthesis of α, β -dichloroethyl methyl, α, β -dichlorodiethyl, and α, β -dichlorodiethyl and isopropyl ethers, 1767.
- ethers, conversion, Chemical properties of incomplete acylals of the $\text{CH}_3\text{CH}(\text{OR})\text{OCOR}_1$ type, 1581.

- ethers, conversions, chemical properties of partial

acylals of the $\text{CH}_3\text{CH}(\text{OR})\text{OCOR}_1$ type, 1757.

- Vinyl iodide, reaction with magnesium, 1357.

- phenyl ether, hydrolysis, 697.

Viscosity of binary systems: alcohols - dichloroethane, 1559

Vitamins, chloromethylation and subsequent reduction of aromatic nitro compounds, 1269.

Volatility and thermal stability of the isopolymolybdates of the alkali elements, 1717.

Water, diameter of molecule, 1537.

Wolfram, see Tungsten.

Xanthogenic method of dehydration and isomerization of isoborneol and 4-methylisoborneol, 833.

Zelinsky, Academician Nikolai Dmitrevich, 217.

Zinc bromide, system with CdBr_2 , 501.

-chlorides and sulfates, irreversible salt-pair reciprocal system with lithium chlorides and sulfates, 1945.

-complex salts, in brass electroplating, 1333.

-complex compound with antipyrine, 2183.

-metallic and zinc chloride as catalysts for the alkylation of aromatic compounds of alkyl chlorides, 753.

-isomorphism with cobalt and coordination compound with pyramidon, 531

Zirconium detection and determination of minute quantities in platinum, 889.

INDEX OF EMPIRICAL FORMULAS OF ORGANIC COMPOUNDS

Group C₁

1. I

- CBr₄. Carbon tetrabromide, system with SbBr₃, AlBr₃, 1517.
 CCl₄. Carbon tetrachloride, system with benzene, diagrams for determining efficiency of rectifying columns with 1305; reaction with dimesitylmercury 719; photoreaction with phenylmercury hydroxide 713; photoreaction with mercury diphenyl in mixtures 2459.

1. II

- CHCl₃. Chloroform, condensation with benzene in presence of AlCl₃ prepared according to Radsiwanski, 569, reaction with dimesitylmercury, 719, photoreaction with phenylmercury hydroxide 713.
 CH₂O. Formaldehyde, condensation with sodium butylate, 1613, reaction with cotarnine and hydrastinine and caustic potash, 356, 357.
 CH₂O₂. Formic acid, polarographic investigation, 1958 kinetics of dehydration with silica gel, 1369, reaction of esters with organomagnesium compounds, 129.
 CH₃I. Methyl iodide, condensation with benzene in presence of Radsiwanski AlCl₃, 565, photoreactions, 2193.
 CH₄O. Methanol, system with dichloroethane, 1559, vinylation, 2027, photoreaction with mercury diphenyl in mixtures, 2460, 2461, photoreaction with phenylhydroxide, 713.
 CH₅N. Methylamine coordination compounds with cadmium, 679.

1. III

- CH₄ON₂. Urea, system with resorcinol and hydroquinone, 1087.

1. IV

- CH₇O₄N₃S₂. 3-Methylimidisulfamide, preparation, properties, 709.

Group C₂

2. I

- C₂H₂. Acetylene, reaction with methanol, 2028.
 C₂H₄. Ethylene, formation, 1069.
 C₂Cl₆. Hexachlorethane, photoreaction with mercury diphenyl in mixtures 2461.

2. II

- C₂H₂O. Ketene, acetylation of alcohols, 1143.
 C₂H₂O₄. Oxalic acid, polarographic investigation, 1960.
 C₂H₃I. Vinyl iodide, reaction with magnesium, 1357.
 C₂H₄O. Ethylene oxide, condensation with benzene homologs, 1391, reaction with dimethylacetylenylcarbinol, 1361, reaction with salts of alkyl and aryl arsenous acids, 99.
 C₂H₄O₂. Acetic acid, systems with AsCl₃, 1506; system with SbCl₃, 1083; dimethylamide, 1274.
 C₂H₄O₃. Glycolic acid, polarographic investigation, 1959.
 C₂H₄Cl₂. Dichlorethane, systems with alcohols, 1559.
 C₂H₄S. Ethylene sulfide, reaction with amines, 757.
 C₂H₅Br. Ethyl bromine, reaction with metallic iron, 535, photoreaction with mercury diphenyl 1225; photoreaction with mercury diphenyl in mixtures, 2461.
 C₂H₅O. 1) Ethanol, system with dichlorethane, 1559.
 2) Methyl vinyl ether, synthesis, properties, 2031.
 C₂H₅Hg. Dimethylmercury, photoreaction with iodo-derivatives, 2198.
 C₂H₇N. Ethylamine, reaction with furanidine, 1068.

2. III

- C₂HO₂Cl₃. Trichloroacetic acid, system with SnCl₄, 1079; system with SbCl₃, 1329; system with AsCl₃, 1503; thermal decomposition of calcium salt, 1969.
 C₂H₃O₂Cl₄. Dichloroacetic acid, system with SnCl₄, 1079.
 C₂H₅OC1. 1) Chloroacetaldehyde, acetal, 2419.
 2) Acetyl chloride, reaction with amines, 1642.
 C₂H₅OF. Acetyl fluoride, reaction with aromatic compounds in presence of BF₃, 724.
 C₂H₅O₂Cl. Chloroacetic acid, system with SnCl₄, 1075; system with SbCl₃, 1323; system with AsCl₃, 1505; thermal decomposition of calcium salts, 1969.
 C₂H₅O₂Cl₃. Chloral hydrate, investigation by hydride method, 1941.
 C₂H₅O₃K. Methylpotassium carbonate, preparation, properties, 1798.

$C_7H_5O_2Na$. Methyl sodium carbonate, preparation properties, 1798.
 $C_2H_5OCl_2$. Dichlorodimethyl ether, reaction with aryl magnesium halides 119.
 C_2H_5OBr . Monobromomethyl ether, reaction with sodium salts of di β -alkoxy ethylphosphorous acids 2239
 C_2H_5OCl . Monochlorodimethyl ether, reaction with aryl magnesium halides 119
 $C_7H_7N_2S$. S Methyl-6 isothiouraea, condensation with esters of β keto acids 837
 C_2H_5ON . Ethanolamine complex with cadmium, 679
 $C_2H_5O_2P$. Dimethylphosphorous acid, addition to β β dimethyl divinyl ketone, 427

3 I

C_3H_6 . Propylene formation 1071.

3 II

C_3H_5N . Acrylonitrile, syntheses employing it 291
 1789 2073 addition of dialkylphosphorous acid.
 2035 reaction with α - and β pyrenenes 2079
 C_3H_4O . Acrolein, formation 1379, reaction with α - and β pyrenenes 2079
 $C_3H_4O_2$. Acrylic acid formation 1379
 C_3H_5Br . Allyl bromide, reaction with benzene and toluene in presence of $AlCl_3$, 737
 C_3H_5Cl . Allyl chloride, reaction with benzene and toluene in presence of $AlCl_3$, 737.
 C_3H_5O . 1) Allyl alcohol reaction with diazoacetic ester 2201 oxidation with chromic oxide mixture, 1379
 2) Acetone cyanethylation, 1789.
 3) Vinyl methyl ether, synthesis properties 2027, reaction with chlorine 1770
 4) Propylene oxide reaction with dimethyl ethynyl carbinol 1589
 $C_3H_5O_2$. Ethyl formate reaction with organomagnesium compounds 129
 $C_3H_5O_3$. Lactic acid polarographic investigation, 1960 condensation with o aminothiophenol 2463
 $C_3H_7Br_2$. 1,2 Dibromopropane, synthesis properties, 288
 C_3H_7Br . Isopropylbromide, condensation with benzene in presence of Radsiewiczowski $AlCl_3$, 563, photoreaction with diphenylmercury 1225
 C_3H_7Cl . Isopropyl chloride condensation with benzene in presence of Radsiewiczowski $AlCl_3$, 563
 C_3H_7O . 1) n Propyl alcohol system with dichloroethane 1559 acetylation with ketene, 1143.
 2) Isopropyl alcohol reaction with dimethylmercury 718
 C_3H_7N . 1) Propylamine reaction with furanidine, 1069
 2) Trimethylamine complex with cadmium 679
 $C_3H_{10}N_2$. Trimethylenediamine cyanethylation, 291

3 III

$C_3H_7NBr_2$. α β Dibromopropionitrile, reaction with sodium diethylphosphite and triethylphosphite, 109

C_3H_7OF . Propionyl fluoride reaction with aromatic compounds in the presence of boron fluoride, 723.
 $C_3H_7OCl_3$. α , α , β -Trichloroethyl methyl ether, preparation properties, 1771.

$C_3H_7O_2K$. Ethylpotassium carbonate, preparation, properties 1798

$C_3H_7O_2Na$. Ethylsodium carbonate, preparation, properties 1798

$C_3H_7OCl_2$. Dichloroethyl methyl ether, preparation, properties 1770 reaction with methyl alcohol, 2422

C_3H_7OBr . 1) α -Bromoethyl methyl ether, decomposition 432

2) Bromomethyl ethyl ether action of salt of di β alkoxyethyl phosphorous acids, 2239.

C_3H_7OCl . Monochloromethylethyl ether reaction with aryl magnesium halides 119

$C_3H_7Cl_2As$. β Chloroethylmethylchloroarsine, preparation, properties 100

Group C₄

4 I

C_4H_6 . Divinyl formation, 1067, sulfonation, 777.

C_4H_8 . Butylene formation 1068 1989

C_4H_{10} . 1) n-Butane kinetics of isomerization over $AlCl_3$, 79

2) Butanes dehydrogenation with a chrome catalyst 1989

4 II

$C_4H_2O_3$. Maleic anhydride reaction with diphenylamine, 1563 reaction with anils, 1645

C_4H_4O . Furan, formation from furanidine, 819; behavior with metal sulfides and amides, 277, reaction with benzoyl fluoride, 723.

C_4H_6O . Ketene dimer, reaction with aromatic amines 2219

$C_4H_6O_2$. Succinic anhydride, condensation with 2-propoxy(butoxy) naphthalenes 647.

$C_4H_8N_2$. Succinonitrile synthesis 2073

C_4H_7N . Pyrrole formation from furanidine, 821

$C_4H_7O_2$. Methyl methacrylate addition of dialkylphosphorous acids to 2035; esters of methacrylic acid 2041, anhydride of methacrylic acid reaction with cellulose 1383

$C_4H_6O_4$. Succinic acid dinitrile, synthesis, 2073.

$C_4H_6O_5$. Succinic acid, condensation with o-aminothiophenol 2463

$C_4H_6O_6$. Tartaric acid, condensation with o-aminothiophenol 2463

$C_4H_7Cl_2$. 1,3-Dichlorobutene-2, condensation with alkylacetoacetic esters, 769

C_4H_8O . 1) Furanidine, formation, 288, reaction with amines, 1071 catalytic conversion into nitrogen or sulfur-containing heterocyclic compounds 819; behavior with metal sulfides and amides, 277.

- 2) Vinyl ethyl ether, reaction with chlorine, 1767; action of chlorine in presence of alcohols 2419; reaction with diazoacetate 921
- $C_4H_8O_2$. Dioxane, compounds with aluminum halides 915.
- $C_4H_7O_2$. 1) α -Hydroxybutyric acid, condensation with o-aminophenol, 2471.
- 2) β -Hydroxybutyric acid condensation with o-aminophenol, 2471
- C_4H_4S . Thiophane, formation, 278 821
- C_4H_9Br . Isobutyl bromide, condensation with benzene in presence of Radsiwonowski $AlCl_3$, 563
- C_4H_9Cl . 1) n-Butyl chloride, condensation with aromatic compounds 753.
- 2) Isobutyl chloride, condensation with benzene in presence of Radsiwonowski $AlCl_3$, 563
- C_4H_9N . Pyrrolidine formation from furanidine 819
- $C_4H_{10}O$. Butyl alcohol, system with dichloroethane 1559 acetylation with ketene, 1143 alcoholate condensation with formaldehyde 1613
- $C_4H_{10}O_2$. Cellosolve photoreaction with phenylmercury hydroxide, 713, reaction with dimesityl mercury 718
- $C_4H_{10}Hg$. Diethyl mercury, reaction with succinimide 1203; photoreaction with iodobenzene, 2143
- $C_4H_{11}N$. 1) Butylamine, reaction with furanidine 1071
- 2) Diethylamine reaction with isomeric alkoxy chloropentenes, 1801, reaction with ethylenesulfide 757; system with phenyl mustard oil 901

4. III

- C_4H_3BrS 2-Bromothiophene sulfonation 1667
- C_4H_3ClS 2-Chlorothiophene sulfonation 1667
- C_4H_3IS 2-Iodothiophene sulfonation 1667
- C_4H_4NCl 2-Chloropyrrole, sulfonation 307
- $C_4H_5O_2N$ Succinimide, reaction with organo mercury compounds, 1403, reaction with dimesityl mercury 719
- C_4H_5NS . Allyl mustard oil, systems with amines 899
- $C_4H_6O_2N_2$. 1) Diketopiperazine reaction with PCl_5 311 action of oxalyl chloride 1015
- 2) Ethyl diazoacetate reaction with unsaturated compounds, 921 933 2201
- $C_4H_6O_3S$. α -Divinylsulfo acid synthesis salt transformations, derivatives 775
- C_4H_7OBr . n-Butyryl bromide coordination compound with $AlBr_3$, 1975.
- C_4H_7OCl . 1) Chloromethyl ethyl ketone polarographic investigation, 1967.
- 2) α -Chloroethyl methyl ketone, polarographic investigation, 1967
- $C_4H_7OCl_3$. α, β, β Trichlorodiethyl ether preparation properties, 1772.
- $C_4H_7O_3K$. Propylpotassium carbonate preparation properties, 1798
- $C_4H_7O_3Na$. Propylsodium carbonate, preparation properties, 1798

- $C_4H_8OCl_2$. 1) α, β -Dichlorodiethyl ether, preparation, properties 1771
- 2) β, β -Dichlorodiethyl ether photoreaction with diphenylmercury 1225.
- $C_4H_8O_4N_2$. Glycylglycine spectrophotometry of copper biuret coordination compounds in presence of a mixture of peptides, 347, in mixture with tripeptides 635 in mixture with tetrapeptides 641
- C_4H_8OBr α Bromodiethyl ether, decomposition, 432.
- C_4H_8ON Acetodimethylamide preparation, 1274.
- C_4H_8ONa Sodium butylate, condensation with formaldehyde 1613
- $C_4H_8O_2Cl$ Dimethylchloroacetal preparation, properties 2422
- $C_4H_7Cl_3As$ β Chloroethylethylchloroarsine preparation properties 100
- $C_4H_{11}O_3P$ Diethylphosphorous acid, addition to β, β dimethyl divinyl ketone 425

4. IV

- $C_4H_6O_4BrS_2$. 2-Bromothiophenesulfonic-5 acid, synthesis salt derivatives 1669
- $C_4H_6O_4Cl_2S_2$ 2-Chlorothiophenesulfonic-5 acid, synthesis salt 1668
- $C_4H_6O_4IS_2$ 2-Iodothiophenesulfonic-5 acid, synthesis salt derivatives 1669
- $C_4H_6O_4PNa$ Diethylsodium phosphite, action on dihalogen derivatives, 109

4. V

- $C_4H_6O_2N_2Cl_3P$ Product of the reaction of PCl_5 with diketopiperazine 312
- $C_4H_6O_2NSCl$ 2-Chloropyrrolesulfonic-5 acid, preparation properties oxidation salt, 308.

Group C

5. I

- C_4H_8 . 1) Isopropenylacetylene formation, 2017.
- 2) Cyclopentadiene, sulfonation, 303.
- C_4H_8 . 1) Isoprene sulfonation 779
- 2) Dimethylallene formation, 2018.
- Action of bromine on 551
- 3) Pentyne 1 action of diethyl sulfate on sodium derivative 260
- 4) Isopropyl acetylene, formation, 2018.
- 5) Methylene cyclobutane formation, combination scattering spectrum, 2231.
- C_4H_{10} . Isopropylethylene addition of aniline, 1821.
- C_4H_{10} . Amylbenzene preparation, 568

5. II

- $C_4H_8O_2$. 1) Furyl alcohol acetylation with ketene, 1143

- 2) β -Lactone of angelic acid, polarographic investigation, 155.
- $C_6H_8O_4$. Trans cyclopropane-1,2-dicarboxylic acid preparation, 2207.
- $C_5H_7Cl_2$. 1) 1,2-Dichlorocyclopentene-1, synthesis, properties, 579.
- 2) 1,2-Dichlorocyclopentene-2, synthesis, properties, reaction with quinoline, zinc dust, metallic sodium, 579.
- C_5H_7Cl . 1) 1-Chloro-2-methylbutadien-1,2, reaction with alcoholates 1594.
- 2) 2-Methyl-4-chlorobutadiene 2,3, kinetics of hydrolysis and isomerization 2007.
- 3) Dimethylethylchloromethane (3-chloro-3-methylbutyne-1) synthesis, reaction with alcoholates, alkalis and alcohols 1593, kinetics of hydrolysis and isomerization, 2007, action of aluminum amalgams 2017.
- 4) 1-Chlorocyclopentene-1, chlorination, 578.
- $C_5H_7Cl_3$. 1,1,2-Trichlorocyclopentene, preparation, reaction with quinoline, 578.
- C_5H_8O . Dimethylacetonylcarbinol (2-methyl-3-buten-1-ol-2), reaction with ethylene oxide 1362, condensation with propylene oxide, 1589, inhibitory action on hydrogenation, 793, methyl ether, inhibitory action on hydrogenation, 803.
- $C_5H_8O_2$. 1) Methylmethacrylate, addition of dialkylphosphorous acids 2035.
- 2) Allylacetic acid, ethyl ester, 934.
- $C_5H_8O_3$. 1) α -Hydroxyallylacetic acid, preparation, 940, oxidation, hydrogenation 941.
- 2) Allyl hydroxyacetic acid, preparation, properties, structure, ester, 1979.
- 3) Tetrahydropyromucic acid, preparation, decarbonization 289.
- $C_5H_8Br_2$. 1) 1,2-Dibromo-3-methylbutene-2, preparation, oxidation, 552.
- 2) 1,3-Dibromodimethylcyclopropane, preparation, properties, action of zinc 2235.
- $C_5H_{10}O$. 1) Dimethylvinylcarbinol (2-methyl-3-butenol-2) formation 1357, isomerization and polymerization, 1239, inhibitory action on hydrogenation, 793, methyl ether, inhibitory action on hydrogenation, 803.
- 2) 2-Ethyl allyl alcohol, 1613.
- 3) γ - γ -Dimethylallyl alcohol, formation, 1239.
- 4) Vinylisopropyl ether, reaction with chlorine, 1772.
- 5) 2-Methylbutanol, preparation, properties, 1613.
- 6) Methylcyclopropyl carbinol, synthesis, properties, combination scattering spectra, 2228.
- $C_5H_{10}O_2$. 1) Propylacetate, preparation, 1146.
- 2) 1,1-Dimethylolcyclopropane, preparation, properties, diacetate, 2235.
- $C_5H_{10}O_3$. α -Hydroxyvaleric acid, condensation with o-aminothiophenol, 2472, oxidation, 941.
- $C_5H_{10}Br_2$. 2-Methyl-2,3-dibromobutane, preparation, 571.
- $C_5H_{11}Br$. Isoamylbromide, condensation with benzene in presence of Radsiwansky $AlCl_3$, 563.
- $C_5H_{11}Cl$. Isoamylchloride, condensation with benzene in presence of Radsiwansky $AlCl_3$, 563.
- $C_5H_{12}O$. 1) Isoamyl alcohol, system with dichloroethane 1559.
- 2) Methylbutanol, formation, identification, 1617.
- 3) 2-Methylbutanol-2, bromination, 571.

5. III

- C_5H_8ON . 2-Pyrrolaldehyde stereoisomerism of oxime, 295.
- $C_5H_8ON_2$. Oxime of 2-Pyrrolaldehyde, stereoisomerism 295.
- $C_5H_8O_3S$. Cyclopentadien (1,3)-sulfonic (5) acid, preparation, properties, oxidation, salt, 303.
- $C_5H_7O_2N$. Ethylcyanacetate, synthesis, 839.
- $C_5H_8O_3S$. 2-Methylbutadien-1,3-sulfonic-1 acid, preparation, salt, structure, 775.
- $C_5H_9OCl_3$. α , β . Trichloroethyl isopropyl ether, preparation, properties, 1773.
- $C_5H_9O_3N$. Methyl ester of aceturic acid, formation 333.
- $C_5H_9O_3K$. Butylpotassium carbonate, preparation, properties, 1798.
- $C_5H_9O_3Na$. Butylsodium carbonate, preparation, properties, transformations, 1797.
- $C_5H_9O_3Rb$. Butylrubidium carbonate, preparation, properties, 1798.
- $C_5H_{10}OBr_2$. Bromide of 2-ethylallyl alcohol, 1616.
- $C_5H_{10}OCl_2$. Dichloroethyl isopropyl ether, preparation, properties, 1773, reaction with isopropyl alcohol, 2423.
- $C_5H_{11}OCl$. Chloromethylbutyl ether, reaction with salts of di β -alkoxyethylphosphorous acids 2239.
- $C_5H_{12}ON_2$. 1) Amide of dl-norvaline, synthesis 1624.
- 2) Amide of dl-valine, synthesis, 1624.

5. IV

- $C_5H_8ON_2Cu$. Copper salt of the oxime of 2-pyrrolaldehyde, 301.
- $C_5H_8ON_2S$. 6-Methylthiouracil, methylation, 837.
- $C_5H_{10}O_3NP$. Methyl ester of β -cyanoethylphosphorous acid, preparation, properties, saponification, 2037.
- $C_5H_{11}O_2NS$. d,l Methionine, synthesis, 1855.

Group C₆

6. I

- C_6H_6 . Benzene, system with CCl_4 , diagrams for

- determining efficiency of rectifying columns with, 1305; molecular compound with AlBr_3 and ammonia, 71; effect on hydrogenation, 795; condensation with butyl and ethyl chloride in presence of zinc, 754; reaction with acid fluorides of carboxylic acids, 723; reaction with allyl chloride and bromide in presence of AlCl_3 , 737; condensation with aliphatic monohalogen derivatives in presence of Radsiwanski AlCl_3 , 563; photoreaction with phenylmercury hydroxide, 713; condensation with 1-methylcyclohexanol-1, 951.
- C_6H_8 . Cyclohexadiene-1,3, combined halogenation, dehalogenation, 2011.
- C_6H_{10} . 1) Tert.-Butylacetylene, Raman spectrum, 545.
2) 2-Methylpentadiene 1,3, formation, 251.
3) 2-Methylpentadiene 1,4, formation, isomerization, spectrum, 255.
4) 2-Methylpentadiene 2,4, formation, isomerization, spectrum, 255.
5) 2,3-Dimethylbutadiene, preparation, properties, salt, structure, 780.
6) Hexylene-1, action of diethylsulfate on sodium derivatives, 259.
7) Hexylene-3, synthesis, 259.
8) Cyclohexene, formation, 1072; catalytic transformation, 959.
- C_6H_{12} . 1) 3,3-Dimethylbutene-1, catalytic transformation, 1742.
2) Cyclohexane, isomerization by aluminum chloride, 2415.
3) Methylcyclopentane, formation, 2415.
- C_6H_{14} . n-Hexane, cryoscopic constants, 1341.
6. II
- $\text{C}_6\text{H}_5\text{Br}$. Bromobenzene, condensation with butylchloride in presence of zinc, 753; photoreaction with diphenylmercury, 1225.
- $\text{C}_6\text{H}_5\text{Cl}$. Chlorobenzene, inhibitory action on hydrogenation, 793; photoreaction with diphenylmercury, 1225.
- $\text{C}_6\text{H}_5\text{I}$. Iodobenzene, photoreactions, 2193.
- $\text{C}_6\text{H}_5\text{O}$. Phenol, coordination compound with SO_2 , 1619; condensation with butylchloride in presence of zinc, 753; condensation with asymm. dimethyldiphenylbutynediol, 593; with 1-methylcyclohexanol-1, 951.
- $\text{C}_6\text{H}_4\text{O}_2$. 1) Hydroquinone, system with urea and resorcinol, 1087.
2) Resorcinol, system with hydroquinone and urea, 1087.
- $\text{C}_6\text{H}_5\text{O}_2$. Methyl pyromucate, reaction with aniline, 281.
- $\text{C}_6\text{H}_7\text{N}$. Aniline, formation, 1071; absence of inhibitory action on hydrogenation reaction, 793; reaction with isomers of alkoxychloropentanes, 1801; reaction with azlactones (oxazolones), 1431; reaction with dinitroderivatives of carbanilide, 1149; reaction with ethylene sulfide, 757; reaction with methylpyromucate, 281; with methyl tetrahydropyromucate, 287; addition at the double bond of olefins, 1821; acetylation, 1642; reaction with furanidine, 1067; reaction with sulfonamides, 2101; system with phenyl mustard oil, 903.
- $\text{C}_6\text{H}_8\text{N}_2$. Phenylenediamine, acetylation, 1642.
- $\text{C}_6\text{H}_{10}\text{O}$. 1) 1-Methoxy-3-methylbutadiene-1,2, preparation, properties, 1598.
2) 3-Methyl-1-pentyn-ol-3, inhibitory action on hydrogenation reaction, 793.
3) Methyl ether of 2-methyl-3-butyne-ol-2, synthesis, properties, inhibitory action on hydrogenation reaction, 803, preparation, 1593.
4) Methyl ether of dimethylethynylcarbinol, preparation, 1597.
5) Product of reaction of sodium methylate and 1-chloro-3-methylbutadiene-1,2, in methanol, 1598.
- $\text{C}_6\text{H}_8\text{O}$. 1) Methyl tetrahydropyromucate, reaction with aniline in presence of AlCl_3 , 287.
2) 2-Ethoxycyclopropane-1-carboxylic acid, preparation, properties, ethyl ester, isomerization to γ -ethoxybutyrolactone, 928.
3) γ -Ethoxybutyrolactone, formation, properties, 930.
- $\text{C}_6\text{H}_{10}\text{Br}_2$. 1,2-Dibromocyclohexane, reaction with quinone, 2011.
- $\text{C}_6\text{H}_{10}\text{S}$. Diallylsulfide, oxidation, 1807.
- $\text{C}_6\text{H}_{11}\text{N}$. Diallylamine, reaction with ethylene sulfides, 757.
- $\text{C}_6\text{H}_{14}\text{O}$. 1) 3-Methyl-1-pentanol-3, inhibitory action on hydrogenation reaction, 793.
2) Methyl ether of methyl butenol, synthesis, properties, inhibitory action on hydrogenation, 806.
3) Vinylbutyl ether, reaction with chlorine, 1770-2424.
4) Methylbutyl ketone, polarographic investigation, 1965.
5) Dimethylallyl carbinol, dehydration with chrome and aluminum oxide, 251.
- $\text{C}_6\text{H}_{12}\text{O}_2$. n-Butylacetate, preparation, 1143.
- $\text{C}_6\text{H}_{14}\text{O}_2$. α -Hydroxycaproic acid, condensation with o-aminothiophenol, 2473.
- $\text{C}_6\text{H}_{12}\text{O}_3$. Glucose, aceto derivatives, 405.
- $\text{C}_6\text{H}_{12}\text{Br}_2$. 1) 2-Methyl-2,3-dibromopentane, preparation, 571.
2) 3-Methyl-2,3-dibromopentane, preparation, 571.
- $\text{C}_6\text{H}_{11}\text{N}$. 1) Cyclohexylamine, reaction with furanidine, 1067.
2) α -Pipicoline, preparation, derivatives, 1792.
- $\text{C}_6\text{H}_{13}\text{N}_3$. N-(β -Cyanethyl)-trimethylenediamine,

preparation, properties, reduction, 292.

$C_6H_{14}O$. 1) 2-Methylpentanol-2, bromination, 571.

2) 3-Methylpentanol-3, bromination, 571.

$C_6H_{14}N_2$. 1,5-Diazocyclooctane, preparation, properties, hydrochloride, picrate, 291.

$C_6H_{15}N$. N-hexylamine, reaction with ethylene sulfide, 757.

$C_6H_{16}N_2$. N,N-Diethylethylenediamine, reaction with ethylene sulfide, 757.

6. III.

$C_6H_4O_4N_2$. m-Dinitrobenzene, preparation, 953.

$C_6H_5O_2N$. Nitrobenzene, system with PBr_5-IBr and PCl_5-ICl , 523.

C_6H_7OHg . Phenylmercury hydroxide, photoreaction, 713.

$C_6H_7O_2N_2$. 1) o-Nitroaniline, reaction with ketene dimer, 2219.

2) p-Nitroaniline, formation, 2259, reaction with carbanilide, 1149.

C_6H_7ON . 2-Acetylpyrrole, stereoisomerism of oxime, 295.

C_6H_7NS . o-Aminothiophenol, condensation with α -hydroxyacids, 2463, 2471.

$C_6H_7ON_2$. Oxime of 2-acetylpyrrole, analysis, stereoisomers, 301.

C_6H_7ON . γ -Acetobutyronitrile, preparation, properties, semicarbazone, 1790.

$C_6H_7O_3N$. 1) 3 Isopropyl-2,5-diketooxazolidine, synthesis, transformations, 1623, 1627.

2) 3-n-Propyl-2,5-diketooxazolidine, synthesis, transformation, 1624, 1627.

$C_6H_{10}OS$. Diallyl sulfoxide, preparation, 1808.

$C_6H_{10}O_3S$. 2,3-Dimethylbutadiene-1,3-sulfonic-1 acid, salt, structure, 775.

$C_6H_{11}OCl$. 1) 1-Methoxy-3-chloropentene-4, reaction with amines, 1801.

2) 1-Methoxy-5-chloropentene-3, reaction with amines, 1801.

$C_6H_{11}O_3N$. Di-exo-N-acetylglycine ethyl ester of 2,5-dihydropyrazinamide hydrate, formation, 332.

$C_6H_{11}O_3P$. Diallylphosphorous acid, synthesis, properties, derivatives, 728.

$C_6H_{11}O_4N_2$. Glycyl tripeptide, spectrophotometry of copper-biuret coordination compound as a method of investigation of proteins, 347, 635, 641.

$C_6H_{12}OCl_2$. α,β -Dichloroethylbutylethyl ether, preparation, 1767; reaction with butyl alcohol, reaction with sodium alkoxide, 2423.

$C_6H_{12}O_2N_2$. Ethylidenediacetamide, synthesis, structure, 1633.

$C_6H_{13}OBr$. α -Bromoethyl butyl ether, decomposition, 431.

$C_6H_{13}O_2Cl$. Diethylchloroacetal, preparation, properties, 2423.

$C_6H_{14}ON_2$. 1) Amide of dl-leucine, synthesis, 1625.

2) Amide of dl-norleucinamide, synthesis, 1625.

3) dl-Norvalyldecarboxyglycine, synthesis, 1628.

4) dl-Valyldecarboxyglycine, synthesis, 1628.

$C_6H_{15}ON$. 6-Aminohexanol-2, preparation, derivatives, 1792.

$C_6H_{15}O_3N$. Triethanolamine, complex with cadmium, 679.

$C_6H_{15}O_3P$. Triethylphosphite, action on dihalogen derivatives, 109.

$C_6H_{15}O_3P$. Di- β -methoxyethyl phosphorous acid, preparation, reaction with halo-substituted ethers, 2241.

$C_6H_{15}NS$. Diethylaminoethylmercaptan, preparation, 757.

$C_6H_{17}O_2Cl$. Diisopropylchloroacetal, preparation, properties, 2423.

6. IV

$C_6H_4O_3Cl_2S$. p-Dichlorobenzene sulfonic acid, equilibrium with its acid chloride, 2097.

$C_6H_4P_2O_6Ba_2$. Barium phosphonoacrylate, product of saponification of the ethyl ester of phosphonoacrylonitrile, 113.

$C_6H_6ON_2Cu$. Copper salt of 2-acetylpyrrole, 295.

$C_6H_7ON_3S$. N-(Nicotinyl)-thiourea, synthesis of hydrochloride, 1685.

$C_6H_8ON_2S$. 1) 6-Ethylthiouracil, synthesis, methylation, 837.

2) S-6-Dimethylthiouracil, synthesis, properties, 837.

$C_6H_8O_2N_2S$. Sulfanilamide (white streptocide), polarographic investigation, 625.

$C_6H_7O_2NHg$. Ethylmercurysuccinimide, preparation, properties, 1404.

$C_6H_{12}O_4NCl$. Hydrochloride of ethylglycine, formation, 337.

$C_6H_{13}ONS$. Morpholineethanethiol, preparation, hydrochloride, 762.

Group C₇

7. I

C_7H_8 . 1) Toluene, molecular compounds with $AlBr_3$ and ammonia, 71; reaction with allyl chloride and bromide in presence of $AlCl_3$, 737; reaction with acid fluorides of carboxylic acid, 701; condensation with butyl chloride in presence of zinc, 753; photoreaction with phenylmercury hydroxide, 713; condensation with 1-methylcyclohexanol-1, 951.

2) Δ^1 -Cyclopentenylacetylene, formation, properties, hydrogenation, action of CO_2 on sodium derivative, 701.

- C_7H_{16} . 1) 3-Methylhexene-3-yne-1, formation, hydration 697.
2) 3-Methylenehexyne-1, formation, hydration, 697.
- C_7H_{12} . 1) 3-Ethylpentadiene-1,3, preparation, properties, oxidation, dimer, condensation with maleic anhydride 1227.
2) Heptyne-1, action of diethylsulfate on sodium derivative, 259.
3) Heptyne-3, synthesis, 259.
- C_7H_{14} . 1) Heptene-1, aromatization, 1567.
2) 2-Methylhexene-2, aromatization, 1567.
3) 4,4-Dimethylpentene-1, catalytic cracking, 1741.
4) 2,3,3-Trimethylbutene-1, catalytic cracking 1741.
5) Methylcyclohexane, formation, 271; isomerization with $AlCl_3$, 2409.
6) 1,1-Dimethylcyclopentane, synthesis, spectra, isomerization with $AlCl_3$, 271.
- C_7H_{16} . n-Heptane, cryoscopic constants, 1341, aromatization, 1567.

7. II

- $C_7H_6O_2$. Benzoic acid, polarographic investigation, 1957; dimethylamidation, 1273.
- $C_7H_6O_3$. Salicylic acid, polarographic investigation, 1957.
- C_7H_7O . Anisole, reaction with benzoyl fluoride, 725.
- $C_7H_6O_3$. Furfyl acetate, preparation, 1147.
- C_7H_7Cl . Dimethylvinylethynylcarbinol, reaction with alkalis, alcoholates, and potassium acetate, 1593; with organomagnesium compounds, 1603.
- C_7H_7N . 1) o-Toluidine, reaction with dinitro derivatives of carbanilide, 1154.
2) m-Toluidine, system with allyl mustard oil 902.
3) Toluidine, acetylation, 1642.
- $C_7H_{10}O$. 1) β,β -Dimethyldivinyl ketone, addition of dialkyl phosphorus acids, 423.
2) α,α -Acetylenylcyclopentanol, dehydration, 701.
- $C_7H_{12}O$. 1) Diethylacetylenylcarbinol, preparation, properties, electrolytic hydrogenation, 1230.
2) Ethyl ether of dimethylethynylcarbinol, preparation, 1597.
3) Methyl n-propylacetylenylcarbinol, synthesis, dehydration, 701.
4) 3-Methenhexanone-2, formation, ozonization 704.
5) 3-Methylhexene-3-one-2, formation, ozonization, 704.
- $C_7H_{12}O_2$. 1) β -Hydroxy ethyl ether of dimethylacetylenylcarbinol, preparation, properties, ethers, 1365.
2) Ethyl ester of allylacetic acid, preparation, oxidation, 939.
- $C_7H_{12}O_3$. 1) Ethyl ester of allyl hydroxyacetic acid, synthesis, properties, 2023.
2) Ethyl ester of trans-2-(ω -hydroxymethyl)-cyclo

propane-1-carboxylic acid, preparation, properties, 2206.

- $C_7H_{14}O$. 1) Diethylvinylcarbinol, preparation, hydrogenation, bromination, dehydration, phenylurethane 1230.
2) Dipropyl ketone, polarographic investigation, 1965.
3) Vinylisoamyl ether, action of chlorine in presence of isoamyl alcohol, 2419.
4) 1-Methylcyclohexanol-1, condensation with benzene, toluene, and phenol, 951.
- $C_7H_{14}O_2$. 1) α -Hydroxybenzoic acid, condensation with o-aminothiophenol, 2473.
2) Butoxyethylidene formate, preparation, properties, 1583; reaction with alcohols and acids, 1757.
- $C_7H_{14}Br_2$. 2-Methyl-2,3-dibromohexane, preparation, 571.
- $C_7H_{14}N_2$. 2-Diethylaminopropionitrile, alkyl-aryl reamination, decomposition of hydrochloride, 93.
- $C_7H_{16}O$. 1) Heptyl alcohol, acetylation, 1144.
2) 2-Methylhexanol-2, bromination, 571.

7. III

- C_7H_5OBr . Benzoyl bromide, complex with $AlBr_3$, 1975.
- C_7H_5OF . Benzoyl fluoride, reaction with aromatic compounds in presence of BF_3 , 723.
- $C_7H_5O_2Cl$. 1) o-Chlorobenzoic acid, dimethylamidation, 1275.
2) p-Chlorobenzoic acid, dimethylamidation, 1275.
- $C_7H_5O_2N$. 1) m-Nitrobenzoic acid, dimethylamidation, 1275.
2) p-Nitrobenzoic acid, dimethylamidation, 1275.
- $C_7H_5O_2N_3$. Benzeneazotrinotromethane, free radicals in decomposition reactions, 1219.
- C_7H_7NS . Phenyl mustard oil, system with amines, 901.
- $C_7H_5O_2S$. 5-Sulfosalicylic acid, hydrolysis, 1649.
- $C_7H_5O_2N$. p-Nitrotoluene, chloromethylation, 1269.
- C_7H_7BrMg . 1) o-Tolyl magnesium bromide, reaction with monochlorodimethyl ether, 123; reaction with ethylformate, 133.
2) p-Tolyl magnesium bromide, reaction with ethylformate, 133.
- C_7H_7ON . Anisidine, acetylation, 1643.
- $C_{11}H_{11}OBr_2$. β -Bromoethyl ether of 3-methyl-1,2-dibromobutene-1-ol-3, preparation, properties, 1366.
- $C_7H_{11}OCl$. 2-Chloro-1-ethoxycyclopentene-2, preparation, properties, 579.
- $C_7H_9O_2Br$. Ethyl ester of α -bromoallylacetic acid,

- preparation 936 oxidation 937. ozonation, 937.
- $C_7H_{12}O_2N$. 1-Methoxymethylene 2-ethoxypropionitrile synthesis transformations 2111
- $C_7H_{12}O_2N$ 1) 3-n-Butyl-2,5-diketooxazolidine, synthesis, transformations. 1624 1627
- 2) 3-Isobutyl 2-5-diketooxazolidine, synthesis transformations 1624, 1627.
- $C_7H_{14}OCl_2$. α β -Dichloroethylisoamyl ether, reaction with isoamyl alcohols. 2419.
- $C_7H_{16}O_3P$. Methyl ester of α methyl β -dimethylphosphono propionic acid, 2038.
- $C_7H_{12}ON_2$. 1) dl Leucyldecarboxyglycine synthesis. 1628
- 2) dl Norleucyldecarboxyglycine, synthesis. 1629

7. IV

- $C_7H_7O_4NS_2$. 2-Benzthiazolesulfo acid preparation properties 2282
- $C_7H_7ON_2S$. 2-Benzothiazolehydroxylamine preparation reduction 2281.
- $C_7H_7ON_2S$. N-(Nicotiny) thiourea synthesis of hydrochloride 1685
- $C_7H_7O_2SCl$. Toluene sulfochloride equilibrium with sulfo acid 787
- $C_7H_7O_4ClS$. 2-Chlorotoluene sulfonate-4, coordination compounds with cobalt and chrome. 538
- $C_7H_7O_4NS$. 2-Nitrotoluene sulfonate 4, coordination compounds with cobalt and chrome 538
- $C_7H_7O_2NS$. p-Toluenesulfonamide reaction of its derivatives with amines, 2101.
- $C_7H_{10}ON_2S$ 1) 6-Propylthiouracil, synthesis, properties, 837
- 2) S-Methyl 6-ethylthiouracil, synthesis, properties 840
- $C_7H_{12}O_3NP$. Ethyl ester of phosphonoacrylonitrile, preparation properties, saponification, 112.
- $C_7H_{14}O_3NP$. 1) Ethyl ester of β phosphonopropionitrile, preparation properties, saponification, 112.
- 2) Product of the addition of diethylphosphorous acid to acrylonitrile 2037

7. V

- $C_7H_7O_2NCIS$ 2-Chloro 5-nitrosulfo acid-4 coordination compounds with cobalt and chrome 537

Group C_4

8. I

- C_8H_8 . Styrene polymerization 2047.
- C_8H_{10} . 1) Ethylbenzene preparation. 754.
- 2) m-Xylene reaction with acid fluorides of carboxylic acids 723
- C_8H_{14} . 1) Octylene 3 synthesis. 259.
- 2) 1,2-Dimethylcyclohexene Δ_1 formation 363.
- 3) Isopropylidenecyclopentane formation, 363.
- C_8H_{12} . 1) 2-Methylheptene-3, aromatization, 1567.
- 2) Diisobutylene, catalytic transformation, 1741.

- 3) Ethylcyclohexane isomerization over $AlCl_3$, 2156

- 4) 1,1-Dimethylcyclohexane, isomerization over $AlCl_3$, 2411

- 5) 2,1-Dimethylcyclohexane isomerization over $AlCl_3$, 2411

- 6) 1,3-Dimethylcyclohexane formation 2411.

- 7) 1,4-Dimethylcyclohexane formation 2411

- 8) 1-Isopropylcyclopentene Δ_1 formation 363

- C_8H_{18} . 1) n-Octane cryoscopic constants 1341

- 2) 1,2,4-Trimethylpentane aromatization 1567

8. II

- $C_8H_6O_4$. Phthalic acid, polarographic investigation 1962 formation 1114 1132

- C_8H_7Cl . o- and p-Chlorostyrene synthesis 2044 polymerization 2047

- $C_8H_7Br_2$. 1) o- and p-Bromostyrene synthesis 2045 polymerization 2047

- 2) ω -Bromostyrene, reaction with diethyl sodium phosphite and triethylphosphite 111

- C_8H_7F . o- and p-Fluorostyrene synthesis 2044 polymerization. 2047

- C_8H_7I . p-Iodostyrene synthesis 2045 polymerization 204

- C_8H_8O . 1) Acetophenone coordination compound with $AlBr_3$, 1975

- 2) Vinyl phenyl ether hydrolysis 697

- $C_8H_8O_2$. 1) 3-Hydroxyacetophenone synthesis absorption spectra 1029

- 2) Phenylacetic acid dimethylamidation 1274.

- 3) Δ_1 -Cyclopentenylpropionic acid, preparation properties salt, 706

- $C_8H_8O_3$. 1) 3,5-Dihydroxyacetophenone synthesis absorption spectrum 1171

- 2) 2,6-Dihydroxyacetophenone synthesis absorption spectrum 1193

- 3) Mandelic acid condensation with o-aminothiophenol 2465

- $C_8H_8Br_2$. Styrene dibromide reaction with diethyl-sodium phosphite, triethylphosphite, and diethylphosphoric acid, 110

- $C_8H_{10}O$. 1) Phenetole condensation with butyl chloride in presence of zinc 755

- 2) β -Phenylethyl alcohol preparation 1391.

- $C_8H_{10}O_2$. Methacrylic anhydride reaction with cellulose 1387

- $C_8H_{11}N$. 1) Ethylaniline reaction with alkoxy chloropentenes 1801 transformation with

- furanidine, 1067. system with allyl mustard oil 899.
 2) 1,2,4-Xylidine. preparation, 1271.
 3) m-Xylidine, acetylation 1642.

$C_8H_{12}O$. Methyl ether of dimethylvinylethynylcarbinol. preparation, properties acetate 1589.

$C_8H_{12}O_2$. β -Hydroxy propyl ether of dimethylethynylcarbinol, preparation, properties acetate, 1590

$C_8H_{14}O_3$. Ethyl ester of 2-ethoxycyclopropane 1 carboxylic acid synthesis 926. cleavage by oxidation 927. hydrolysis 928.

$C_8H_{12}N_2$. N N° Di-(β -cyanethyl) ethylenediamine reduction, 293.

$C_8H_{15}Br$. 1) 1,1-Dimethyl-2-bromocyclohexane. formation, conversion to carbinol 363.

2) Dimethylcyclopentylbromomethane, formation, oxidation, reaction with HB^+ 363

$C_8H_{11}N$. Pseudoheliotridane synthesis of derivatives 2515.

$C_8H_{12}O$. Dimethylcyclopentylcarbinol. isomeric transformation 363

$C_8H_{12}O_3$. 1) α -Hydroxycaprylic acid condensation with o-aminothiophenol 2473.

2) Ethoxyethylidene butyrate preparation properties, 1586

3) Butoxyethylidene acetate preparation properties, 1586. reaction with alcohols and acids 1757.

$C_8H_{12}O$. Secondary octyl alcohol acetylation with ketene, 1145.

$C_8H_{12}N_4$. N N° Di-(γ aminopropyl)-ethylenediamine, preparation, properties, 291.

8. III

$C_8H_7O_2Cl$. Diisopropylchloroacetal preparation properties, 2419.

$C_8H_7O_2N$. β (3-Pyridyl) acrylic acid preparation hydrogenation, 1489.

$C_8H_9O_4N$. 5-Nitrosaligenin methyl ether. reaction with dichlorodimethyl ether, 584

C_8H_7NS . Benzothiazine. salt 169

$C_8H_9O_2N_2$. Nitrosoacetanilide. free radicals in decomposition reactions, 1219.

C_8H_9OBr . α -Bromoethyl phenyl ether decomposition 436

C_8H_9OCl . α -Chloroethyl phenyl ether decomposition 437.

C_8H_9ON . Acetanilide system with 1Cl and $C_2H_5NO_2$ 905

$C_8H_9O_2N$. β (3-Pyridyl) propionic acid preparation 1489.

$C_8H_{10}O_3N_2$. 3-Nitro-4-methylaminoanisole preparation properties, reaction with benzimidazole 972 973

$C_8H_{11}ON$. 2-Butyrylpyrrole. stereoisomerism of oxime 295.

$C_8H_{11}NS$. β -Phenylaminoethanethiol preparation properties, 761.

$C_8H_{12}ON_2$. 1) 2-Dimethylamino-5-pyridylcarbinol, synthesis, properties, transformations, derivatives, 2118.

2) Oxime of 2-butyrylpyrrole configuration 301.

3) 3-Amino-4-methylaminoanisole preparation, properties, 973.

$C_8H_{13}O_2N$. 1) 1-Ethoxymethylene-2-ethoxypropionitrile synthesis transformations 2111.

2) 2-Methyl-4-amino-5-ethoxymethylpyrimidine synthesis 2109.

$C_8H_{14}O_4N_2$. Glycyl tetrapeptide spectrophotometry of copper biuret coordination compounds in presence of a mixture of peptides, 347, 635, 641.

$C_8H_{14}NCl$. Chloropseudoheliotridane. reaction with amines 2515.

$C_8H_{12}OCl$. 1-Isopropoxy-5-chloropentene-3, reaction with amines 1801

$C_8H_{12}O_3N$. 1,3-Diethoxy-2-hydroxy-2-cyanopropane, acetylation acetyl derivatives 2113.

$C_8H_{12}NS$. β -Diallylaminoethanethiol preparation, properties 760

C_8H_9NS . γ -Ethylpiperidylthiocarbamic acid, salt oxidation 1425.

$C_8H_{13}O_3P$. 1) Dibutylphosphorous acid, addition to β , β -dimethyl divinyl ketone, 423.

2) Diisobutylphosphorous acid, addition to β , β -dimethyl divinyl ketone, 423

$C_8H_{13}O_3P$. Di- β -ethoxyethylphosphorous acid preparation, reaction with halo-substituted ethers 2241

C_8H_9NS . β -n-Hexylaminoethanethiol. preparation properties hydrochloride 760

$C_8H_{10}N_2S$. N,N-Diethyl N° β -mercaptoethylethylenediamine preparation properties, 760.

8. IV

$C_8H_8O N_2 Cl_2$. N,N-Dichloroxalyl diketopiperazine, synthesis, condensation with amidines, 1018.

C_8H_7NSBr . 2-Bromomethylbenzothiazole, synthesis, properties 2300

C_8H_7ONS . 2-Hydroxymethylbenzothiazole, synthesis, properties derivatives 2298

$C_8H_9O_2NCl$. 2-Chloromethyl-4-nitrotoluene, preparation reduction, 1270.

$C_8H_{10}O_4N_2S$. Albucide (N-acetylsulfanilamide), polarographic investigation 625.

$C_8H_9O_4NS$. Dimethylaminobenzenesulfo acid, coordination compounds with cobalt and chrome 537

$C_8H_{12}ON_2S$. 1) Butylthiouracil, synthesis, methylation 837

2) S-Methyl-6-propylthiouracil, synthesis, properties, 840.

$C_8H_9O_3P_2Na_4$. Product of reaction of dibromomethyl ether and sodium di- β -methoxyethyl phosphite, 2242

8. V

$C_8H_9O_3NSCl_3$. 1,1,1-Trichloro-2-hydroxyethane (p-nitrophenyl) sulfide, synthesis, properties 1818.

Group C₉

9. I

- C_9H_{10} . 1) Allylbenzene, formation, 739.
2) Hydrindene, formation, 739, bromination, 740.
 C_9H_{12} . Isopropylbenzene, preparation, 566; dealkylation, 943.
 C_9H_{14} . Hydrocarbon, product of reaction of ethylmagnesium bromide on dimethylvinylethynylchloromethane 1605.
 C_9H_{16} . Nonyne-3, synthesis, 259.
 C_9H_{18} . Nonene-1, formation, 268.
 C_9H_{20} . n-Nonane, cryoscopic constants, temperature of transition, heat of transition, 1341.

9. II

- $C_9H_8O_4$. Ninhydrin, formation, 1116.
 $C_9H_8O_6$. Phthalidecarboxylic acid, formation, 1115, 1133.
 $C_9H_8O_8$. Phthalonic acid, formation, 1114, 1133.
 C_9H_8O . Cinnamic aldehyde, formation, 1380.
 $C_9H_8O_2$. Cinnamic acid, formation, 1380.
 C_9H_7Br . α -Methyl- ω -bromostyrene, reaction with sodium diethylphosphite and triethylphosphite, 109.
 $C_9H_{10}O$. Cinnamic alcohol oxidation with chromic acid mixture, 1379.
 $C_9H_{10}O_2$. 1) Phenylacetylcarbinol, formation, 199.
2) 3-Methoxyacetophenone, synthesis, absorption spectrum, 1029.
 $C_9H_{10}O_3$. 1) 2,3-Dimethoxybenzaldehyde, synthesis, 1479.
2) 2-Hydroxy-6-methoxyacetophenone, absorption spectrum, 1193.
 $C_9H_{10}O_4$. 4-Methoxyphenoxyacetic acid, amide, 359.
 $C_9H_{10}Br_2$. α -Methylstyrene dibromide, reaction with sodium diethylphosphite, 109.
 $C_9H_{10}N_2$. 2-Phenylaminopropionitrile, preparation, properties, hydrochloride, 94.
 $C_9H_{11}N$. 1) Ethylidene-p-toluidine, reaction with maleic anhydride, 1645.
2) Crotonylidene aniline, reaction with maleic anhydride, 1645.
 $C_9H_{12}O$. 1) β -p-Tolyloethyl alcohol, preparation, properties, oxidation, 1392.
2) Methyl-2-methyl benzyl ether, preparation, 123.
 $C_9H_{12}O_2$. Acetate of dimethylvinylethynylcarbinol, preparation, 1600.
 $C_9H_{13}N$. Propylaniline, reaction with furanidine, 1067.
 $C_9H_{14}O_3$. Acetate of the β -hydroxy ethyl ether of dimethylacetylenylcarbinol, preparation, properties, 1364.
 $C_9H_{14}O_4$. 1,1-Dimethylolcyclopropane diacetate, 2234.
 $C_9H_{14}O_5$. 1,2-Isopropylidene-5,6-anhydroglucofuranose, preparation, reaction with ammonia, reaction with methylamine, reaction with S-methylisothiurea, O-methylisothiurea, 408.
 $C_9H_{16}O_3$. Ethyl valerylacetate, synthesis, condensation with S-methylisothiurea, 839.
 $C_9H_{16}N_4$. N,N'-Di-(β -cyanethyl)-trimethylenediamine,

preparation, properties, reduction, 292.

$C_9H_{18}O_2$. Heptyl acetate, preparation, 1144.

$C_9H_{19}Br$. Nonyl bromide, preparation, conversion to sulfide, 268.

$C_9H_{20}S$. Primary nonylthiol, formation, 268.

9. III

C_9H_7ON . 2-Phenyloxazole preparation, 145.

$C_9H_9O_4N$. 1) o-Methoxyoxanilic acid, preparation, properties, derivatives, 1880.

2) m-Methoxyoxanilic acid, preparation properties, derivatives, 2067.

C_9H_9NS . 3-Methylbenzothiazine, preparation properties, 173.

$C_9H_9NS_2$. 4-Methyl-3-thiodihydrobenzo-1,4-thiazine preparation, properties, reaction with dimethyl sulfate, 181.

$C_9H_9N_2Cl$. 1) 2-(m-Chlorophenyl) aminopropionitrile, preparation, properties, hydrochloride, 95.

2) 2-(p-Chlorophenyl)-aminopropionitrile preparation, properties, hydrochloride, 96.

$C_9H_{10}ON_2$. 5-Methoxy-1-methylbenzimidazole, synthesis, properties, 973.

$C_9H_{10}O_3N_2$. 1) Dimethylamide of m-nitrobenzoic acid, preparation, 1275.

2) Dimethylamide of p-nitrobenzoic acid preparation, 1275.

3) o-Methoxyoxanilamide, preparation properties, 1880.

4) m-Methoxyoxanilamide, preparation 2068.

$C_9H_{10}O_4N$. 4-Methoxyphenoxyacetic acid, synthesis 359.

$C_9H_{11}ON_3$. 2-Amino-5-methoxy-1-methylbenzimidazole, synthesis, properties, 973.

$C_9H_{11}ON$. 1) p-Dimethylaminobenzaldehyde, condensation with quaternary salts of benzo-1,4-thiazine, 185.

2) Dimethylamid of benzoic acid, preparation, 1275.

$C_9H_{11}BrMg$. Mesitylmagnesium bromide, reaction with α -chlorosubstituted ethers, reaction with methyl-2,4,6-trimethylbenzyl ethers, 119; reaction with ethyl formate, 129.

$C_9H_{12}ON_2$. γ -Acetopimelonitrile, preparation, properties, 1791.

$C_9H_{13}NS$. β -Benzylaminoethanethiol, preparation, properties, hydrochloride, 761.

$C_9H_{14}O_3Br_2$. Acetate of the β -hydroxy ethyl ether of 3-methyl-1,2-dibromobuten-1-ol-3, preparation, properties, 1366.

$C_9H_{14}O_4Br_2$. 1,3-Dibromopropane-2,2-dimethylol diacetate, 2234.

$C_9H_{16}O_3S$. Ethyl ester of γ -methylmercapto- α -acetobutyric acid, preparation, reaction with

phenyldiazonium chloride, 1854.

$C_9H_{17}OCl$. 1-Butoxy-5-chloropentene-3, reaction with amines, 1801.

$C_9H_{17}O_4Cl$. Diethyl acetal of formylchloroacetic ester preparation, 862

$C_9H_{17}O_4P$. Product of the addition of dimethyl phosphorous acid to β,β -dimethyl divinyl ketone 427

$C_9H_{17}O_6N$. 1,2-Isopropylidene-6-desoxy-6-aminoglucose, preparation, properties 405.

$C_9H_{17}O_4P$. Ethyl ester of diallylphosphonoformic acid preparation, properties, 728

$C_9H_{19}O_3P$. Methyl ester of α -methyl β -diethyl phosphonopropionic acid, 2038.

$C_9H_{17}NS_2$. γ -Isopropylpiperidylthiocarbamic acid, salt oxidation 1425.

$C_9H_{19}O_3Br$. 1,1,3-Triethoxy-2-bromopropane, reaction with cyanides 2113

9. iv

C_9H_7ONS . Methyl benzthiazolyl 2 ketone, preparation properties, derivatives, 2466

$C_9H_7ON_2Br$. 1,2-(3'-Bromodivinylene)-6-methyl pyrimidone-4, preparation 1252.

$C_9H_7ON_2Cl$. 1,2-(3'-Chlorodivinylene)-6-methyl pyrimidone-4, preparation, 1252

$C_9H_7ON_2S$. 6-Formylamino 2-methylbenzothiazole synthesis, properties, derivatives, conversion to thiocarbocyanins, 1465.

$C_9H_9O_4NCl$. 3-Chloromethyl-5-nitrosaligenin methylene ether, preparation, reaction with diethylamine 584.

C_9H_7ONS . 1) Methylbenzthiazolyl-2-carbinol, preparation, properties, derivatives, oxidation, 2463.
2) 4-Methyl-3-oxodihydrobenzo-1,4-thiazine synthesis, 181.

$C_9H_9O_2NCl_2$. 2,6-Bischloromethyl-4-nitrotoluene, preparation, reduction, 1270.

$C_9H_7O_2N_3S_2$. Sulfathiazole, polarographic investigation, 626.

$C_9H_{10}ONCl$. 1) Dimethylamide of o-chlorobenzoic acid, preparation, 1275.
2) Dimethylamide of p-chlorobenzoic acid, preparation, 1275

$C_9H_{10}O_2N_2S_2$. 6-Methylsulfoamino-2-methylbenzothiazole, preparation, properties, ethiodide synthesis of thiocarbocyanins, 1467

$C_9H_{14}ON_4S$. S-Methyl-6-butylthiouracil, synthesis properties, 840.

$C_9H_{12}O_3NP$. β -Phosphonopropionitrile, preparation 2037.

9. v

$C_9H_{10}O_4NSCl$. Methyl perchlorate of benzothiazine synthesis, properties, 175. condensation with p-dimethylaminobenzaldehyde, 187.

$C_9H_{12}O_3NSP$. Ethyl ester of 4-phosphonomethyl-2-methylthiazole, preparation, saponification, 2076

Group C_{10}

10 i

$C_{10}H_8$. Naphthalene, absorption spectrum, 1451; action of inhibitors on hydrogenation reaction, 793. condensation with butylchloride in presence of zinc 753

$C_{10}H_8$. 1) Tetralin, condensation with butylchloride, in presence of zinc, 753.

2) 7-Methylhydriene formation, properties 742

$C_{10}H_{14}$. 1) Monobutylbenzene, preparation, 568.

2) Butylbenzene formation, 754 preparation cleavage 579

$C_{10}H_{12}$. Pyrene α - and β - preparation, reaction with acrylonitrile and acrolein, 2079.

$C_{10}H_{20}$. Decene 1 formation 267

$C_{10}H_{22}$. n-Decane, cryoscopic constants, 1341.

10 ii

$C_{10}H_8O_2$. Indanone-1-carboxylic acid-3, properties, derivatives transformation 1140.

$C_{10}H_8O_4$. 1,2,3,4-Tetraoxotetralin, oxidative-hydrolytic transformation, 1113

$C_{10}H_8O_2$. 1) Oxide of 1,4-naphthoquinone, oxidative-hydrolytic transformation, 1005.

2) 3-Hydroxy-1,4-naphthoquinone, cleavage 997 transformations 1005.

$C_{10}H_8O_4$. 2,3-Dihydroxy-1,4-naphthoquinone, (iso naphthazarine) oxidative-hydrolytic transformations 1113

$C_{10}H_8O$. 1) 1-Naphthol, dissociation constant, 1164. absorption spectrum 1451; effect of inhibitors on hydrogenation reaction, 793.

2) 2-Naphthol, effect of inhibitors on hydrogenation reaction 793

$C_{10}H_8O_4$. Lactone of o-lactylbenzoic acid, preparation properties 391-392

$C_{10}H_9O_4$. o-Acetylphenylglyoxalic acid, preparation, derivatives oxidation 1000-1010.

$C_{10}H_9N$. 1) N-Phenylpyrrole, synthesis, properties, 283-285

2) 1-Naphthylamine, absorption spectrum, 1451

3) Naphthylamine, acetylation, 1642.

4) Quinaldehyde, reaction with maleic anhydride 1645

$C_{10}H_9N_3$. 2-Benzeneazopyrrole, sulfonation, 307.

$C_{10}H_{10}O$. 1) Methylphenylacetylenylcarbinol, preparation isomerization, 1997.

2) β -Methylcinnamic aldehyde, formation, 1998

3) Ethylidene acetophenone, formation, 2482.

$C_{10}H_{10}O_3$. 2 Acetyl-4-hydroxycoumaran synthesis, properties, derivatives, 2316.

$C_{10}H_{10}O_5$. 2 Acetyl-4-hydroxy-5-carboxycoumaran, synthesis, properties, 2316.

$C_{10}H_{11}Br$. 1) 2-Phenyl-3-bromobutene-2, formation, oxidation, 573-574.

2) 3-Bromo-2-phenylbutene-2, action of alcoholic alkali, 547.

$C_{10}H_{12}O$. 2 Methyl-4-vinylethynyl- Δ^4 -dihydropyran, synthesis, properties, hydrogenation, hydration, 416.

$C_{10}H_{12}O_2$. 1) 1-Methoxy-1-phenylpropene-1, action of alkali, 199.

2) Methyl-p-tolylcarbinol, preparation, properties, isomeric transformation, derivatives, 750, reaction with organomagnesium compounds, 2083.

3) p-Tolylacetylcarbinol, preparation, properties, isomeric transformations, derivatives, 749, reaction with organomagnesium compounds, 2083.

4) Methylphenylacetylcarbinol, formation, 2083.

5) o-Isoeugenol (2-hydroxy-3-methoxyphenyl propene-1), synthesis, methylation, 1479.

$C_{10}H_{12}O_3$. 1) 3,5-Dimethoxyacetophenone, synthesis, absorption spectrum, 1171.

2) 2,6-Dimethoxyacetophenone, absorption spectrum, 1193.

$C_{10}H_{12}O_4$. 4-Ethoxyphenoxycetic acid, synthesis, 459.

$C_{10}H_{13}N$. N-Phenylpyrrolidine, formation, 287, 1068.

$C_{10}H_{13}Br$. Secondary butylbromobenzene, formation, 754.

$C_{10}H_{14}O$. 1) 2-Phenylbutanol-2, bromination, 571.

2) Secondary butylphenol, formation, 754.

3) β -o Xylylethyl alcohol, preparation, properties, oxidation, 1392.

4) β -m Xylylethyl alcohol, preparation, properties, oxidation, 1392.

$C_{10}H_{14}O_2$. 1) 2,7-Dimethyloctadiyne 3,5-diol 2,7, catalytic hydrogenation, 1281. Electrolytic hydrogenation, 1212.

2) Allyl-2-methyl- Δ^4 -dihydro-4-pyranyl ketone, preparation, properties, hydrogenation, ozonation, reaction with amines and NH_3 , 416.

3) 2-Methyl-4-vinylethynyltetrahydropyran-4-ol, synthesis, dehydration, 416.

$C_{10}H_{15}N$. Butylaniline, reaction with furanidine, 1067.

$C_{10}H_{16}O$. 1-Methyl-4-isopropylcyclohexen-1-one-3 (d,l-piperitone) synthesis, oxidation, oxime, 769.

$C_{10}H_{17}O$. Acetate of the β -hydroxy propyl ether of dimethylethynylcarbinol, preparation, properties, 1590.

$C_{10}H_{18}O$. 1) Dimethyl-2,7-octadien-2,4-ol-7, formation, 2021.

2) 2,7-Dimethyloctadien-4,6-ol-2, formation, 1282.

3) Geraniol, formation, 1239.

4) Linalool, formation, 1239.

5) Isoborneol, isomerization when dehydrated by the xanthogenic method, 833.

$C_{10}H_{14}O_2$. 1) 2,7-Dimethyloctadiene-3,5-diol-2,7, formation, properties, oxidation, 1285.

2) Propyl 2-methyl-4-tetrahydropyranyl ketone, preparation, properties, ozonation, 417.

$C_{10}H_{14}O_3$. 4-Hydroxycoumaranyl dimethylcarbinol synthesis, properties, derivatives, 2317.

$C_{10}H_{20}O$. 2-Methyl-4-butyltetrahydropyran preparation, 416.

$C_{10}H_{20}O_2$. Octyl acetate, preparation, 1145.

$C_{10}H_{21}Br$. Decyl bromide, synthesis, reaction with sodium thiosulfate and alkali, 265.

$C_{10}H_{18}O_3$. Butoxyethylidene butyrate, preparation, properties, 1586.

$C_{10}H_{22}O$. 2,7-Dimethyloctanol 2, formation, 1287.

$C_{10}H_{22}O_2$. 1) 2,7-Dimethyloctanediol-2,7, formation, 1286.

2) Terpin hydrate, formation, 1241.

$C_{10}H_{12}S$. Decylthiol, synthesis, catalytic transformation, 265.

$C_{10}H_{15}N$. Diisoamylamine, reaction with ethylene sulfide, 757.

10 III

$C_{10}H_5O_3Br$. 2-Bromoindenone-1-carboxylic acid-3, formation, 1140.

$C_{10}H_5O_3Cl$. 2-Chloro-3-hydroxy-1,4-naphthoquinone, oxidative-hydrolytic transformation, 1131.

$C_{10}H_7O_2Cl$. Lactone of o-(α -chloropropionyl)-benzoic acid, synthesis, properties, 390.

$C_{10}H_7O_2N$. 5-Hydroxy-2-phenyloxazole, azotization, 165.

$C_{10}H_7O_3Cl$. 2-Chloro-2-methyl-1,3,4-trioxotetralin, ammonolysis, 373.

$C_{10}H_7O_3N$. 1) 2-Phenyloxazole-4-carboxylic acid, preparation, ester, 153.

2) 1-Hydroxy-4-carboxylicisoquinone, formation, 603.

$C_{10}H_7O_4Ag$. Silver salt of o-acetylphenylglyoxalic acid, formation, 1002.

$C_{10}H_7BrMg$. α -Naphthylmagnesium bromide, reaction with α -chloro substituted ethers, 119.

$C_{10}H_7O_4S$. 1-Naphthalenesulfo acid, absorption spectrum, 1453, hydrolysis, 1649.

$C_{10}H_7O_4S$. 1) 1-Naphthol-4-sulfo acid, dissociation constant, 1164.

2) 2-Naphthol-4-sulfonic acid, sulfonation, 1653.

3) 1-Naphthol-5-sulfonic acid, bisulfite compound, 2093.

$C_{10}H_7O_7S_2$. 1) 2-Naphthol-4,6-disulfonic acid, preparation, salt, 1653.

2) 2-Naphthol-4,8-disulfonic acid, preparation

- salt, 1653.
- $C_{10}H_9ON$. 1) 1-Amino-2-naphthol, determination, inability of the hydrochloride to be sulfonated with sulfuric acid, 1412.
- 2) 1,5-Aminonaphthol, absorption spectrum, 1451, dissociation constant, 1157.
- 3) 2,8-Aminonaphthol, preparation, synthesis of dyes, 985
- 4) 1-Acetylindole sulfonation 1415
- 5) 3-Acetylindole, sulfonation, 1415
- $C_{10}H_9O_2N$. 3-Indolylacetic acid, sulfonation, 1415
- $C_{10}H_9O_3N$. 1) 2,8-Aminonaphthol-5-sulfo acid synthesis preparation of dyes, 1255
- 2) 2,8-Aminonaphthol-6-sulfo acid, synthesis preparation of dyes, 1255.
- 3) 2,8-Aminonaphthol-7 sulfo acid synthesis, preparation of dyes, 1255.
- 4) 3-Benzyl 2,5-diketooxazolidine synthesis derivatives, 1624.
- $C_{10}H_9O_4Cl$. 2-Chloro-2-methyl 1,2,3,4 tetrahydro naphthalenediol-3,3 dione-1,4 aminolysis 376
- $C_{10}H_9O_4N$. 1) 1,5-Aminonaphthol-2-sulfo acid dissociation constant, 1164
- 2) 1,5-Aminonaphthol-4-sulfo acid dissociation constant, 1164
- 3) 1,5-Aminonaphthol-6-sulfo acid, dissociation constant, 1164
- 4) 1,5-Aminonaphthol-7-sulfo acid dissociation constant, 1164
- 5) 1,5-Aminonaphthol-8-sulfo acid dissociation constant, 1164.
- 6) 2,5-Aminonaphthol-7 sulfo acid dissociation constant, 1164.
- 7) 2,8-Aminonaphthol-6-sulfo acid, dissociation constant, 1164
- 8) Formylhippuric acid, acetal transformation 622.
- $C_{10}H_{10}ON_2$. 1-Phenyl-4-methylpyrazolone, coordination compounds, 2189
- $C_{10}H_{10}O_2N_4$. Sulfadiazine, polarographic investigation 626
- $C_{10}H_{11}O_3Br$. 2-Bromo-4-ethylphenoxyacetic acid, synthesis, derivatives, 2307
- $C_{10}H_{11}O_3Cl$. 2-Chloro-4-ethylphenoxyacetic acid synthesis, derivatives, 2397
- $C_{10}H_{11}O_3N$. Benzoylsarcosine, preparation, 149
- $C_{10}H_{12}ON_2$. 2-(p-Methoxyphenyl)-aminopropionitrile preparation, properties, hydrochloride, 96
- $C_{10}H_{12}O_4N_2$. Phenylserine cyanate, preparation, 865
- $C_{10}H_{12}N_2S$. 7-Dimethylamino-2-methylbenzothiazole synthesis, derivatives, 2289
- $C_{10}H_{13}ON$. Dimethylamide of phenylacetic acid, preparation, properties, 1274
- $C_{10}H_{13}O_2N$. Ethyl ester of β -(3-pyridyl)-propionic acid, preparation, properties, 1489, hydrochloride picrate, 1490.
- $C_{10}H_{13}BrMg$. Durylmagnesium bromide, reaction with chlorosubstituted ethers, 119.
- $C_{10}H_{14}ON_2$. dl-Phenylalanyldecarboxyglycine, synthesis, 1629.
- $C_{10}H_{15}NS_2$. β -Phenylaminoethyl- β' -mercaptoethyl sulfide preparation, 761
- $C_{10}H_{17}O_2N$. 2,4-Dinitrophenylhydrazones of γ -piperidone, product of the reaction of allyl-2-methyl- Δ^6 -pyranil ketone with NH_3 , preparation, properties, transformations, 418
- $C_{10}H_{17}O_2P$. Ethyl ester of diallylphosphonoacetic acid preparation, properties, saponification, 730
- $C_{10}H_{17}NS_2$. Trans and cis decahydroxyquinolyl-dithiocarbamic acid salt oxidation 1426
- $C_{10}H_{19}O_5N$. 1,2-Isopropylidene-6-desoxy-6-methylaminoglucose preparation, properties, 405
- $C_{10}H_{19}O_5N_2$. (1,2) Isopropylidene-6-desoxy-6-guanidoglucosofuranose, preparation properties, derivatives 411
- $C_{10}H_{20}ON_2$. β -Ethanolpseudoheliotridylamine, preparation properties 2516
- $C_{10}H_{21}ON$. 1-Methoxy-5-diethylaminopentene-3, preparation oxidation 1803
- $C_{10}H_{21}O_2Cl$. α , β -dichloroethylbutyl ether, preparation reaction with butyl alcohol.
- $C_{10}H_{22}ON_2$. dl-Valyldecarboxyleucine, synthesis, 1629

10 IV

- $C_{10}H_6O_3S_3Cl_3$. 1,3,5-Naphthalenetrisulfo chloride, preparation 2253
- $C_{10}H_6O_4N_2S$. Naphthofurazan-3-sulfonic acid, derivatives 2127
- $C_{10}H_6O_7S_2Na_2$. 1) 2-Naphthol-4,8-disulfonic acid, synthesis properties, 1653
- 2) 2-Naphthol-4,6-disulfonic acid, synthesis, properties, 1654
- $C_{10}H_6ON_2S$. Phenylthiouracil synthesis, methylation 837
- $C_{10}H_6ONS$. Ethylbenzthiazolyl-(2) ketone preparation properties derivatives, 2475
- $C_{10}H_6O_2NHg$. Phenylmercury succinimide, preparation properties 1403
- $C_{10}H_6O_2NS_2$. 2-Acetoxyethylbenzothiazole, synthesis properties derivatives 2299
- $C_{10}H_6O_4NS$. β -(Benzothiazolyl-(2))- β -hydroxypropionic acid formation, properties, oxidation, 2468
- $C_{10}H_6O_1N_4S$. 2-Benzeneazopyrrolsulfonic-5 acid, formation properties oxidation, salt, 307.
- $C_{10}H_9O_4NS$. 1) 1,5-Aminonaphthol-2-sulfo acid, absorption spectrum, 1453.
- 2) 1,5-Aminonaphthol-4 sulfo acid,

absorption spectrum, 1453.

3) 1,5-Aminonaphthol-6-sulfo acid, absorption spectrum, 1453.

4) 1,5-Aminonaphthol-7-sulfo acid, absorption spectrum, 1453

5) 1-Acetylindolesulfonic-2 acid, salt, 1415.

6) 3-Acetylindolesulfonic-2 acid, salt, properties, 1415.

7) β -[Benzthiazolyl-(2)]gluceric acid, preparation, properties, 2469

$C_{10}H_9O_2NS$. 2-Sulfo-3-indolylacetic acid, preparation properties, 1415.

$C_{10}H_{10}ON_2S$. 6-Acetamino-2-methylbenzothiazole. synthesis, properties, synthesis of carbocyanines, 1463

$C_{10}H_{10}O_4S_2Ba$. Barium salt of cyclopentadiene (1,3)-sulfonic-5 acid 303

$C_{10}H_{11}ONS$. 1) Ethyl [benzthiazolyl-(2)]-carbinol preparation, properties, derivatives, oxidation, 2472

2) Dimethyl [benzthiazolyl-(2)]-carbinol preparation, properties, derivatives, oxidation, 2473

3) 2-Ethoxymethylbenzothiazole, synthesis properties, derivatives, 2301

$C_{10}H_{11}O_2N_2S_2$. Sulfazole, polarographic investigation 627.

$C_{10}H_{11}O_2NS$. p-Aminophenacetylsulfoglycolic acid, hydrochloride, preparation, properties, 1812

10 V

$C_{10}H_9O_4NSCl_3$. 1,1,1-Trichloro-2-acetoxyethane-(p-nitrophenyl) sulfide, synthesis, properties, oxidation, 1818

$C_{10}H_9O_5NSCl_3$. 1,1,1-Trichloro-2-acetoxyethane-(p-nitrophenyl) sulfoxide, synthesis, properties, 1818.

$C_{10}H_{12}O_4NSCl$. Methyl perchlorate of 3-methylbenzothiazine, preparation, properties, acetylation, 174; condensation with p-dimethylaminobenzaldehyde, 188

$C_{10}H_{11}O_3NSP$. Ethyl ester of 4-phosphonomethyl-2-ethylthiazole, preparation, saponification, 2076.

Group C_{11}

11 I

$C_{11}H_{16}$. 1) Amyl benzene, preparation, dissociation, 569

2) Pentamethylbenzene, preparation, 569

3) Butyltoluene, formation, 754

$C_{11}H_{24}$. n-Decane, cryoscopic constants, transition temperature, 1341

11 II

$C_{11}H_8O_2$. 1) α -Naphthoic acid, formation, 764.

2) 2-Methyl-1,4-naphthoquinone, reaction of bisulfite compounds with phenylhydrazine, 2091.

$C_{11}H_9O_2$. Pyromucanilide, synthesis, 283.

$C_{11}H_{10}O$. Methyl ester of β -naphthol, absence of inhibitory effect on hydrogenation, 793.

$C_{11}H_{10}O_4$. Methyl ester of o-acetylphenylglyoxilic acid, formation, 1002.

$C_{11}H_{12}O$. Phenyl ether of dimethylethynylcarbinol, preparation, properties, 1598

$C_{11}H_{12}O_2$. 1) Ethylstyryl ketone, oxide, hydrogenation, 555

2) Tubanol, synthesis, transformation to tubaic acid, 2317.

$C_{11}H_{12}O_3$. p-Methoxyphenyl- γ -butyrolactone, preparation, 139.

$C_{11}H_{12}O_4$. p-Methoxybenzoylpropionic acid, reduction, 139.

$C_{11}H_{14}O_2$. Benzylpropionylcarbinol, preparation, reaction with C_6H_5MgBr , 560.

$C_{11}H_{14}O_3$. 1-Methyl-2-ethyltetrahydrophthalic anhydride-5,6, preparation, properties, 1231.

$C_{11}H_{14}O_4$. 1) 4-Methoxyphenoxy- α -butyric acid, synthesis, 360

2) 4-Propoxyphenoxyacetic acid, synthesis, 360.

$C_{11}H_{14}O$. 1) 3-Hydroxy-5-tert-butyltoluene, preparation, properties, 734

2) Methyl 2,4,6-trimethylbenzyl ether, preparation, properties, 124

$C_{11}H_{14}O_2$. 2 p-Tolylbutanediol-2,3, formation, 2087.

$C_{11}H_{17}N$. 1) 2-Methyl-2-phenylaminobutane, formation, 1821

2) 2-Methyl-3-phenylaminobutane, formation, 1821

3) Tert-p-amyraniline, formation, 1821.

4) 3-Amino-5-tert-butyltoluene, preparation, properties, hydroxy derivatives, 731.

$C_{11}H_{18}O$. 1) 1-Methyl-4-n-butylcyclohexen-1-one-3, preparation, properties, oxidation, derivatives, 771

2) 4-Methylcamphor, methylation, 2406.

$C_{11}H_{17}O_4$. Butyrate of the β -hydroxy ethyl ether of dimethylacetonylcarbinol, preparation, properties, 1365

$C_{11}H_{19}N_2$. m-Diethylaminobenzylamine, preparation, properties, derivatives, 1901.

$C_{11}H_{20}O$. 4-Methylisoborneol, isomerization upon dehydration by the xanthogenic method, 833.

11. III

$C_{11}H_9O_2N$. 2-Cyanacetyl coumarone, sulfonation, 843.

$C_{11}H_9ON$. 1) 2-Benzoylpyrrole, stereoisomerism of oxime, 295.

2) Pyromucanilide, formation, 281.

$C_{11}H_9O_2N$. 2-Methyl-4-benzyliden-5-oxazolone, preparation, properties, reaction with amines, 1431

- $C_{11}H_9O_4N$. 1) Lactam of o-alanylphenylglyoxylic acid, synthesis, properties transformation 377, 378.
2) 2-Benzyl-4-oxymethyleneoxazolinone-(5), preparation 866
3) 2-Phenyl 4 (1-hydroxyethyliden)-5-oxazolinone preparation, properties reaction with amines 1431
- $C_{11}H_{10}ON_2$. Oxime of 2-benzoylpyrrole stereoisomer 301
- $C_{11}H_{11}O_4N_2$. Semicarbazone of indanone-1-carboxylic acid 3 1140
- $C_{11}H_{11}O_4N$. o-Lactylphenylglyoxylamide, preparation, properties transformation 377
- $C_{11}H_{12}ON_2$. Antipyrine complex compounds 2183, 2189
- $C_{11}H_{11}O_2N$. Acetylenic piperidol synthesis, properties hydrochloride hydrogenation 418, 419
- $C_{11}H_{17}O_3N$. 1) Hydrastinine reaction with caustic alkalis, 353
2) Diethylacetate of hippuric ester, methylation 145
3) Ethyl ester of m-methoxyxanilic acid, synthesis 2067
- $C_{11}H_{13}O_4N$. Ethyl ester of o-methoxyxanilic acid synthesis, properties 1880
- $C_{11}H_{11}O_4N$. 2,4,6-Trinitro-3-hydroxy-5-tert-butyl-toluene, preparation properties 734
- $C_{11}H_{13}NS$. 2-Ethyl-3-methylbenzothiazine salt, 169
- $C_{11}H_{14}O_4N_2$. x,x-Dinitro-3-hydroxy-5-tert-butyltoluene, preparation, properties 734.
- $C_{11}H_{15}ON$. Diethylbenzamide system with ICl and $C_6H_5NO_2$, 905
- $C_{11}H_{11}O_2N$. Salsoline. methylation attempts at conversion 815
- $C_{11}H_{15}O_2N_2$. Semicarbazone of methylphenylacetyl carbinol preparation properties 1999
- $C_{11}H_{15}O_5P$. Methyl ester of α -methyl- β -diisopropylphosphonopropionic acid, 2038.
- $C_{11}H_{15}O_2N_2$. 2-Hydroxy-5-nitrobenzyl-diethylamine, synthesis, properties hydrochloride, 585.
- $C_{11}H_{16}NCl$. m-Diethylaminobenzyl chloride preparation, properties reaction with 6-methoxy-8-aminoquinoline 1900.
- $C_{11}H_{17}ON$. 1) m-Diethylaminobenzyl alcohol, preparation, properties transformation into chloride, 1900.
2) Dimethylaminoethyl ester of benzyl alcohol, preparation properties hydrochloride 633.
- $C_{11}H_{17}O_3N_2$. 1,4-endo-N-Acetyl-2-propyl-5-ketopiperazine-amidine, preparation, 336.
- $C_{11}H_{17}O_2N$. γ Piperidone product of action of methylamine on allyl-2-methyl Δ^4 -dihydro-4-pyranyl ketone, preparation, properties, transformations, 415.
- $C_{11}H_{17}O_4N$. α -Aminohomocamphoric acid, preparation, properties, 402
- $C_{11}H_{21}O_4P$. Product of addition of diethylphosphorous acid to β,β -dimethyldivinyl ketone 425.
- $C_{11}H_{21}O_5P$. 1) Methyl ester of α -methyl- β -diisopropylphosphonopropionic acid, 2038.
2) Ethyl α -diisopropylphosphopropionate, preparation, properties, action of NH_3 , 2450.
- $C_{11}H_{24}ON_2$. dl-Leucyldecarboxyleucine, synthesis, 1629.
- $C_{11}H_{16}N_2Cl_2$. Picrate of m-Diethylaminobenzylamine, 1902

11. IV

- $C_{11}H_7O_7NS$. 2-Cyanacetyl coumarone-5-sulfo acid, 843
- $C_{11}H_7O_5SK$. Oxide of potassium 2-methyl-1,4-naphthoquinone-3-sulfonate, preparation, oxidizing ability, 1826.
- $C_{11}H_9ON_2Cu$. Cupric salt of the oxime of 2-benzoylpyrrole, 301.
- $C_{11}H_9O_2N_4S$. 4-Nitroso-1-benzothiazolyl-3-methyl-5-pyrazolone, synthesis, properties, transformation 2284.
- $C_{11}H_9N_4Cl_2S$. Sym-dl-(5-chloropyridyl)-thiourea, synthesis 2124
- $C_{11}H_9ON_2S$. 1-(2'-benzothiazolyl)-3-methyl-5-pyrazolone, synthesis, properties, transformation 2284.
- $C_{11}H_{10}O_4NCl$. o-(α -Chloropropionyl)-phenylglyoxylamide, synthesis, properties, transformations, 376
- $C_{11}H_{10}ON_2S$. 1) 6-Benzylthiouracil, synthesis, methyl derivatives, 839.
2) S-Methyl-6-phenylthiouracil, synthesis, properties 840.
- $C_{11}H_{11}O_2NHg$. o-Tolylmercurysuccinimide, preparation, properties, 1404.
- $C_{11}H_{11}O_2N_2S$. Sulfidine, polarographic investigation, 625
- $C_{11}H_{13}ONS$. n-Propyl-[benzthiazolyl-(2)]-carbinol, preparation, properties, derivatives, 2473.
- $C_{11}H_{13}O_3N_2Br$. N-(β -Ethylcrotonate)-5-bromo-2-pyridonimide, preparation, transformations, 1252
- $C_{11}H_{13}O_2N_2Cl$. N-(β -Ethylcrotonate)-5-chloro-2-pyridonimide, preparation, transformations, 1252.
- $C_{11}H_{13}O_2N_2I$. N-(β -Ethylcrotonate)-5-iodo-2-pyridonimide preparation, 1251.
- $C_{11}H_{14}O_2N_2S$. Phenylhydrazones of γ -methylmercapto- α -ketobutyric acid, preparation, reduction, 1854
- $C_{11}H_{16}ONS$. Isobornylxanthogenamide, preparation, properties, 835.
- $C_{11}H_{22}O_4NP$. 1) Diisobutyl ester of β -cyanoethylphosphinic acid, 2038.
2) Dibutyl ester of β -cyanoethylphosphinic acid, 2038.

11. V

- $C_{11}H_7O_4NClS$. Acid chloride of 2-cyanacetyl coumarone-5-sulfo acid, preparation, oxidation, 844.

Group C₁₂

12. I

- C₁₂H₁₄** Diallylbenzene, formation, 740.
C₁₂H₁₆ 1) Diisopropylbenzene, preparation and transformation, 566.
 2) Hexamethylbenzene, preparation, 565
C₁₂H₁₆ 3,4-Dimethylbornylene, synthesis, properties, oxidation, 2406.
C₁₂H₂₂ n-Dodecane, cryoscopic constants, 1341.

12. II

- C₁₂H₈O₂** 1) Naphthoylformic acid, ester, formation, 763.
 2) Oxide of 2-phenyl-1,4-benzoquinone, preparation, properties, acetylation, 1827.
C₁₂H₉N 1) Carbazole formation from furanidine, 821.
 2) Naphthylacetoneitrile, oxidation, 763.
C₁₂H₁₀O₂ Naphthylacetic acid, oxidation of esters, 763.
C₁₂H₁₀Hg Diphenylmercury, reaction with succinimide, 1403, photoreaction in mixed solvents, 2459.
C₁₂H₁₁N Diphenylamine, reaction with maleic anhydride, 1563; reaction with ketene dimer, 2219.
C₁₂H₁₂O Methyl- α -naphthyl methyl ether, preparation, properties, 123.
C₁₂H₁₂O₄ 1) Tubaic acid, synthesis, properties, derivatives, isomerization, 2318.
 2) α -Benzylparaconic acid, preparation, properties, 396
C₁₂H₁₂O₅ 2-Acetyl-4-hydroxy-5-carbomethoxycoumaran synthesis, properties, derivatives, transformation, 2315.
C₁₂H₁₂N₂ Benzidine, acetylation, 1642.
C₁₂H₁₄O₂ Isopropyl styryl ketonic ether, preparation, properties, semicarbazone, hydrogenation, 557.
C₁₂H₁₄O₃ Ethylphenylacetylacetate, condensation with S-methyl-6-isothiouacil, 841.
C₁₂H₁₆O 2-Phenyl-4-ethoxybutene-2, preparation, properties, oxidation, 549.
C₁₂H₁₆O₂ 1) Tert.-Amyltoluquinone, formation, reduction, 2429.
 2) Benzylisobutylcarbinol, preparation, reaction with MgBrCH₃, 558.
C₁₂H₁₆O₃ 4-Butylphenoxyacetic acid, synthesis, 2398.
C₁₂H₁₆O₄ 1) 4-Ethoxyphenoxy- α -butyric acid, synthesis, properties, 361.
 2) Methyl ester of β -(2,3-dimethoxyphenyl)-propionic acid, preparation, properties, conversion to amide, 1482.
 3) 4-Butoxyphenoxyacetic acid, synthesis, properties, amide, 360.
C₁₂H₁₇N Cyclohexylaniline, reaction with furanidine, 1067.
C₁₂H₁₈O 1) Secondary butylphenetole, preparation, 754.
 2) 3-Methoxy-5-tert-butyltoluene, preparation, properties, 735.
 3) Ethyl-2,4,6-trimethylbenzyl ether, preparation, 125.

C₁₂H₁₈O₂ 1) 3-p-Tolylpentandiol-2,3, formation, 2088

2) 1-p-Tolyl 2-methylbutanediol-1,2 formation, 2088.

3) Tert.-amyltoluhydroquinone preparation, properties, 2430.

C₁₂H₁₈O 1) 1-Methyl-4-isomamylcyclohexan-1-one 3. Preparation, properties, oxidation, derivatives, 772.

2) 3,4-Dimethylcamphor, synthesis, properties, reduction, 2406.

C₁₂H₂₂O 3,4-Dimethylborneol, synthesis, properties, dehydration, 2406

C₁₂H₂₄N₂ Diethylpseudoheliotridylamine, preparation, properties, 2517.

12. III

C₁₂H₇ON Nitrile of α -naphthoylformic acid preparation, 763

C₁₂H₁₁O₂N 2-Phenyl-4-isopropyliden-5-oxazolone, preparation, properties, reaction with amines, 1431.

C₁₂H₁₁O₃N 1) Ethyl ester of 2-phenyloxazole-4-carboxylic acid, synthesis, properties, 153.

2) 2-Phenyl-4-ethoxymethyleneoxazolin-one-(5), preparation, properties, 23 reaction with amines, 1431

C₁₂H₁₂N₂S₂ o,o'-Diaminodiphenyl disulfide preparation, 2469

C₁₂H₁₉O₄N 1) Ethyl formylhippurate, preparation, isolation, properties, saponification, transformation, 621-622.

2) Oxocotarnine, preparation, properties, hydrochloride, 355.

C₁₂H₁₃O₅N Methylsuccinylanthranilic acid, preparation, properties, isomeric forms, 1060.

C₁₂H₁₄O₅N₂ Amide of ethoxymethylenehippuric acid, preparation, properties, 150

C₁₂H₁₄O₄N₂ Delseminic acid preparation, properties, 194.

C₁₂H₁₅ON₃ γ -Aceto- γ -(2-cyanethyl)-pimelonitrile, preparation, properties, 1791

C₁₂H₁₅O₂N ar-1-Hydroxy-4-(aminoaceto)-tetralin, see Hydrochloride, C₁₂H₁₅O₂NCl.

C₁₂H₁₅O₃Br 1) 2-Bromo-4-ethylphenoxy- α -butyric acid, synthesis, 2398.

2) 2-Bromo-4-butylphenoxyacetic acid synthesis, 2398.

C₁₂H₁₅O₃N 1) Hydrocotarnine, preparation, 355.

2) Ethyl ester of benzoilsarcosine, preparation, saponification, 149

C₁₂H₁₅O₃Cl 2-Chloro-4-butylphenoxyacetic acid synthesis, 2398.

C₁₂H₁₅O₄N Cotarnine, reaction with caustic alkalies, 353

C₁₂H₁₅O₇N₃ 2,4,6-Trinitro-3-methoxy-5-tert.-butyltoluene, preparation, properties, 735.

- $C_{12}H_{16}O_4N_2$. α Pipecoline, picrate, preparation, properties, 1792.
- $C_{12}H_{15}O_2N_7$. x, x-Dinitro-3-methoxy-5-tert.-butyl-toluene, preparation, properties, 735.
- $C_{12}H_{16}O_5N_4$. Product of the reaction of diacetyl-diketopiperazine with glycine ester, 331, with methyl glycine, 333.
- $C_{12}H_{16}N_7S$. 2-(Diethylaminomethyl)-benzothiazole, synthesis, properties, 2303.
- $C_{12}H_{17}ON$. 1) 5-Methoxypentenyl-2 aniline, preparation, 1805.
2) (3 Methoxy-1-vinylpropyl)-aniline, preparation, 1805.
3) Nitrile of α -naphthoylformic acid, preparation, 764.
- $C_{12}H_{17}O_2N$. 1) Anilide of γ,γ -dimethyl- γ -hydroxy-butyric acid, preparation, properties, 1681.
2) N-Methylsalsoline, preparation, properties, derivatives 816.
- $C_{12}H_{19}ON$. Dimethylaminopropyl ester of benzyl alcohol, synthesis, properties, hydrochloride, 634.
- $C_{12}H_{26}ON$. 1-isopropoxy-5 diethylaminopentene-3, preparation, properties, 1804.
- $C_{12}H_{22}O_2Cl$. Diisoamylchloroacetal, preparation, 2423.
- $C_{12}H_{24}O_6P$. Ethyl α -diisopropylphosphoisobutyrate, preparation, properties, 2450.
- $C_{12}H_{17}NS$. Diisoamylaminoethanethiol, preparation, properties, hydrochloride, 759.

12. IV

- $C_{12}H_9O_5N_2S$. 6-Nitrocarbazolsulfonic-3 acid, coordination compounds with chrome and cobalt, 537.
- $C_{12}H_9O_5NS$. 3-Carbazolsulfonic acid, coordination compounds with chrome and cobalt, 537.
- $C_{12}H_{10}O_2N_2S_2$. 5-(Acetanilinomethylene)-rhodanine, preparation, conversion to dyestuffs, 849.
- $C_{12}H_{12}ON_2S$. S Methyl-6 benzylthiouracil, synthesis, properties, 841.
- $C_{12}H_{13}ONS$. 1) 2-(α -Acetyl)-ethylidene-3-methylbenzothiazoline, preparation, picrate, 174.
2) n-Butylbenzothiazolyl-(2) ketone, preparation, properties, derivatives, 2474.
- $C_{12}H_{13}O_7NS$. 2-Carboxy-3-methylbenzothiazine, salt, 169.
- $C_{12}H_{13}O_4N_3S_2$. Disulfan, polarographic investigation, 627.
- $C_{12}H_{14}ON_2S$. N-Morpholylbenzothiazolyl-(2)-methane, synthesis, properties, 2304.
- $C_{12}H_{14}O_3N_2S$. 2-Benzoylaminomethyl-4-carboxythiazolidine, properties, 623.
- $C_{12}H_{15}ONS$. n-Butyl-[benzthiazolyl-(2)]-carbinol, preparation, properties, derivatives, oxidation, 2473.
- $C_{12}H_{16}O_2NCl$. ar-1-Hydroxy-4-(aminoaceto)-tetralin hydrochloride, preparation, properties, 982.
- $C_{12}H_{18}O_4N_4S$. N^a-Benzosulfolysine, (d and l forms), preparation, properties, 1246.
- $C_{12}H_{19}O_4N_5S$. N^a-(p-Aminobenzosulfanil)-lysine, (d and l forms), preparation, properties, 1247.

- $C_{12}H_{21}ONS$. 4-Methylisobornylxanthogenamide, preparation, properties, 835.

12. V

- $C_{12}H_{14}O_7N_2SCL$. Basic streptocides, polarographic investigation, 627.
- $C_{12}H_{16}O_4NSCL$. Methyl perchlorate of 2-ethyl-3-methylbenzothiazine, synthesis, 174; condensation with p-dimethylaminobenzaldehyde, 187.

Group C₁₃

13. I

- $C_{13}H_{18}$. Diphenylmethane, formation, 569.
- $C_{13}H_{14}$. Hydrocarbon, product of the action of phenylmagnesium bromide on dimethyl-vinylethynylchloromethane, 1604.
- $C_{13}H_{18}$. 1-Methyl-1-phenylcyclohexane, preparation, properties, derivatives, 953.
- $C_{13}H_{22}$. Product of the dehydration of tert.-propylborneol, 829.
- $C_{13}H_{28}$. n-Tridecane, purification, physicochemical constants, 85; cryoscopic constants, transition temperature, 1341.

13. II

- $C_{13}H_9N$. Acridine, reaction with bisulfites, 1885.
- $C_{13}H_{10}O$. Benzophenone, polarographic investigation, 1965; coordination compounds with $AlBr_3$, 1975.
- $C_{13}H_{11}N$. 1) Benzaldehyde, reaction with maleic anhydride, 1645.
2) 9,10-Dihydroacridine, preparation, oxidation, 1885.
- $C_{13}H_{12}O$. 2-Methoxy-1-vinylnaphthalene, polymer, synthesis, properties, 442.
- $C_{13}H_{14}O$. 1) 2,3-Dimethyl-5-phenylpentadiene-1,3-one, formation, properties, derivatives, oxidation, 2480.
2) 3,3-Dimethyl-5-phenylpentene-4-one-2 (dimethylphenylacetylenylacetyl methane), formation, properties, oxidation, 2481.
3) 2-Propoxynaphthalene, condensation with succinic anhydride, 647.
4) Ethyl- α -naphthylidimethyl ether, 123.
- $C_{13}H_{14}O_2$. (2-Methoxy-1-naphthyl)-methylcarbinol. Preparation, properties, dehydration, 442.
- $C_{13}H_{16}O_2$. 1) Trimethylphenylacetylenyl ethylene glycol, (2,3-dimethyl-5-phenylpentene-4-diol-2,3), preparation, action of 30% sulfuric acid, 2479.
2) 2,3-Dimethyl-5-phenylpentene-3-ol-2-one-5, formation, properties, 2481.
- $C_{13}H_{16}N_4$. Di-(2-pyridylmethylamino)-methylene, synthesis, properties, 2119.
- $C_{13}H_{14}O$. 4-(1-Methylcyclohexyl)-phenol, preparation, 556.

- $C_{13}H_{16}O_4$. 1) 4-Propoxyphenoxy- α -butyric acid, synthesis, 361.
2) 4-Isoamoxyphenoxyacetic acid, synthesis, 360.
- $C_{13}H_{19}N$. 1) Product of the action of acrylonitrile upon α - and β -pyronene, 2081, 2082.
2) 4-(1-Methylcyclohexyl)-aniline, preparation, properties, derivatives, 953.
- $C_{13}H_{20}O$. 1) 3-Methoxy-4-tert.-amyltoluene, synthesis, nitration, 2429.
2) Product of the reaction of acrolein upon α - and β -pyronene, 2081.
- $C_{13}H_{20}O_2$. 2,3-Dimethyl-5-phenylpentanediol-3,4, preparation, properties, oxidation, 559.
- $C_{13}H_{20}O_3$. 1) 1-Methyl-4-isopropyl-4-carbethoxycyclohexen-1-one-3, preparation, decarboxylation, 769.
2) Ethyl camphorcarboxylate-3, reaction with diazobenzene, 399.
- $C_{13}H_{22}O$. Tert-allylbornyl alcohol, preparation, properties, hydrogenation, 828.
- $C_{13}H_{23}N$. Amines, product of reduction of $C_{13}H_{19}N$, 2082.
- $C_{13}H_{24}O$. 1) 4-Propylborneol, preparation, properties, 829.
2) Tert.-Propylborneol, preparation, properties, dehydration, 828.
- $C_{13}H_{24}N_2$. N-Pseudohellotridyl piperidine, preparation, properties, 2517.

13. III

- $C_{13}H_{17}O_4N$. β -(4-Nitronaphthyl-1)-acrylic acid, formation, 2435.
- $C_{13}H_{16}O_3N_2$. p-Carboxyphenylnicotinylamide, synthesis, properties, 1687.
- $C_{13}H_{16}O_5N_4$. 1) 4,4'-Dinitrophenylurea (4,4'-dinitrocarbanilide), preparation, 1421; hydrolysis, 2259; reaction with amines, 1155.
2) 3,3'-Dinitrodiphenylurea, reaction with amines, 1155.
- $C_{13}H_{12}ON_2$. Diphenylurea (carbanilide), hydrolysis, 1637; nitration, 1421; reaction with p-nitroaniline, 1155.
- $C_{13}H_{12}O_5N_2$. 1-(p-Nitrobenzoylhydroxymethylene)-2-ethoxypropionitrile, synthesis, 2112.
- $C_{13}H_{15}OBr$. 1) 2-(α -Bromopropionyl)-tetralin, preparation, reaction with benzyl amine, 2441.
2) β -(5-Methoxy-1-naphthyl)-ethyl bromide, preparation, 1353.
- $C_{13}H_{15}O_4N$. Ethyl ester of α -formylphenacetic acid, preparation, properties, reduction 864.
- $C_{13}H_{16}O_3N_2$. Amide of ethoxymethylene-N-methylhippuric acid, preparation, properties, 152.
- $C_{13}H_{16}N_2S$. N-Piperidylbenzothiazolyl-(2)-methane, synthesis, properties, 2303.
- $C_{13}H_{17}ON_2$. Dimethylaminoantipyridine (pyramidone), spot reaction for cobalt, 531.

- $C_{13}H_{17}O_2N$. 1) ar-1-Hydroxy-4-(methylaminoaceto)tetralin, see hydrochloride, $C_{13}H_{17}O_2NCl$.
2) 4-(1-Methylcyclohexyl)-nitrobenzene preparation, properties, 953.
- $C_{13}H_{17}O_4N$. Carbobenzoxy-d,l-norvaline, synthesis, transformations, 1622.
- $C_{13}H_{17}O_5N$. Ethyl methyl acetal of formylhippuric acid, preparation, 151.
- $C_{13}H_{18}O_4N_2$. 3-Diethylaminomethyl-5-nitrosaligenin methylene ether. Preparation, properties reduction, hydrochloride, comparison with Einhorn's "2-hydroxy-5-nitrobenzyl-diethylamine" 584, 585.
- $C_{13}H_{18}O_5N_2$. 2,6-Dinitro-3-methoxy-tert.-amyltoluene synthesis, odor, 2429.
- $C_{13}H_{19}ON$. 1'-(Tetralyl-2)-2'-(amino) propanol, preparation, properties, hydrochloride, 2441.
- $C_{13}H_{19}O_3N$. 6-Nitro-3-methoxy-4-tert.-amyltoluene preparation, properties, nitration 2429.
- $C_{13}H_{19}O_3P$. Ethyl ester of α -methyl- ω -phosphono-styrene, preparation, properties, saponification, 116.
- $C_{13}H_{20}ON_2$. dl-Valyldecarboxyphenylalanine synthesis, 1629.
- $C_{13}H_{20}O_3N_2$. 3-Diethylaminomethyl-5-aminosaligenin methylene ether, preparation, properties, hydrochloride, 586.
- $C_{13}H_{21}O_3N$. Acetylenic piperidol, 418.
- $C_{13}H_{21}O_3Cl$. Isopropyl-(γ -chlorocrotyl)-acetoacetic ester, preparation, cyclization, 769.
- $C_{13}H_{21}O_2N$. Ethylpiperidol, product of the hydrogenation of the piperidol $C_{13}H_{21}O_2N$, 419.
- $C_{13}H_{21}ON$. 1-Butoxy-5-chloropentene-3, preparation properties, 1804.
- $C_{13}H_{21}O_5P$. Ethyl α -diisobutylphosphopropionate, preparation, properties, 2450.

13. IV

- $C_{13}H_{16}ONS$. n-Amylbenzothiazolyl-(2)-ketone, preparation properties, derivatives, 2475.
- $C_{13}H_{15}O_2NHg$. Meistylmercury succinimide, preparation, properties, 719.
- $C_{13}H_{17}ONS$. n-Amyl-[benzthiazolyl-(2)]-carbinol preparation, properties, derivatives, oxidation, 2473.
- $C_{13}H_{17}O_3NS$. 2-Methylaminophenyl- α -mercaptoacetic ester, synthesis, 175.
- $C_{13}H_{16}O_2NCl$. ar-1-Hydroxy-4-(methylaminoaceto)-tetralin hydrochloride, preparation, properties, 975.
- $C_{13}H_{18}O_3N_2S$. Phenylhydrazone of the ethyl ester of γ -methylmercapto- α -ketobutyric acid, preparation, properties, 1855.
- $C_{13}H_{19}O_3NS$. (1-Methylcyclohexyl)-benzenesulfamide, preparation, 954.
- $C_{13}H_{20}O_4N_2S$. N^a -(p-Toluenesulfo)-lysine, (d and l

forms) preparation, properties, 1246.

13. V

$C_{13}H_{10}O_3NSNa$. Sulfite of sodium-acridinium, 1888.

$C_{13}H_{10}O_2NSCl$. Methyl perchlorate of 2-carbethoxy-3-methylbenzothiazine, synthesis, properties, 174, condensation with p-dimethylaminobenzaldehyde, 186

Group C_{14}

14. I

$C_{14}H_{14}$. p,p-Ditolyl, preparation, 133.

$C_{14}H_{16}$. Butyl-naphthalene, preparation, 754.

$C_{14}H_{20}$ 1) Butyltetralin, preparation, 754.

2) (1-Methylcyclohexyl)-toluene, preparation, 955.

$C_{14}H_{22}$. 1,4-Di-tert.-butylbenzene, preparation, 568.

$C_{14}H_{24}$. Dimer of 3-ethylpentadiene-1,3, 1232.

$C_{14}H_{30}$. n-Tetradecane, purification, physico-chemical constants, 85; cryoscopic constants, 1341.

14. II

$C_{14}H_9N_2$. 9-Cyanacridine, synthesis, 2131.

$C_{14}H_9Br$. 9-Bromophenanthrene, preparation, reaction with phenyllithium, 1659.

$C_{14}H_{11}N$. 1) Phenylindole, sulfonation, 1415.

2) 2-Methylacridine, preparation, 1885.

$C_{14}H_{12}O$. p-Tolylphenylketone, polarographic investigation, 1965

$C_{14}H_{12}O_4$. β -(2-Hydroxynaphthoyl-6)-propionic acid, preparation, 647.

$C_{14}H_{12}O_6$. Product of the acetylation of the oxide of 1,4-naphthoquinone, 1827

$C_{14}H_{13}N$. 2-Methyl-9,10-dihydroacridine preparation oxidation, 1885.

$C_{14}H_{14}Hg$. 1) Dibenzylmercury, reaction with succinimide, 1483, photoreaction with organoiodine compounds, 2193.

2) Di-o-tolylmercury, reaction with succinimide, 1483.

$C_{14}H_{15}N$. α , β -Diphenylethylamine, synthesis, 871.

$C_{14}H_{16}O$. 1) 1-Methyl-4-benzylcyclohexen-1-one-3, preparation, properties, oxidation, semicarbazone, 772.

2) 2-Butoxynaphthalene, condensation with succinic anhydride, 649.

$C_{14}H_{15}O_3$. 1) Lactone of [1-hydroxy-(5,6,7,8)-tetrahydronaphthyl-4]-hydroxybutyric acid, preparation, 139.

2) Benzoate of the β -hydroxy ethyl ether of dimethylacetonylcarbinol, preparation, properties, 1365.

$C_{14}H_{14}O_4$. 1) β -[1-Hydroxy-(5,6,7,8)-tetrahydronaphthyl-4]propionic acid, reduction, 139.

2) α -Benzylparaconic ester, preparation, properties, 396.

$C_{14}H_{16}O_4$. 4-Butoxyphenoxy- α -butyric acid, synthesis, 361.

$C_{14}H_{18}N_2$. Phenylpseudoheliotridylamine preparation, properties, dihydrochloride, 2517.

$C_{14}H_{22}O_4$. 3,8-Diethyldecadiene-4,6-diol-3,8, synthesis, properties, 1233

$C_{14}H_{22}O_3$. 1-Methyl-4-n-butyl-4-carbethoxycyclohexen-1-one-3, preparation, properties, decarboxylation, 771.

$C_{14}H_{24}N_2$. 1) Piptantine, isolation, properties, derivatives, structure, 857.

2) Piptamine, isolation, properties, derivatives, structure, 858.

14. III

$C_{14}H_8O_7S$. Alizarinsulfonic acid, coordination compounds with chrome and cobalt, 539.

$C_{14}H_8O_2N$. Betaine of 2-pyridine-3(1)-hydroxy-1,4 (3,4)-naphthoquinone, preparation, structure, properties, oxidation, 611, 612.

$C_{14}H_{11}ON$. 1) 2-Methoxyacridine, preparation, 1885.

2) 1,8-o-Phenylene lepidone, preparation, 2224.

$C_{14}H_{11}NS$. 3-Phenylbenzothiazine, salt, 169.

$C_{14}H_{12}O_2N_2$. 1) 1,6-Dimethoxyphenazine, synthesis, 2266

2) 1,8-Dimethoxyphenazine, synthesis, 2266

$C_{14}H_{15}O_2N$. 1) α -Naphthalide of propionylformic acid, preparation, properties, 1675.

2) β -Naphthalide of propionylformic acid, preparation, properties, 1676.

3) N-Acetoacetyl carbazole, preparation, 2223

$C_{14}H_{13}O_3N$. Product of the reaction of maleic anhydride and crotonylideneaniline, 1645.

$C_{14}H_{13}NS$. 2-Isopropyl α -naphthothiazole, synthesis, properties, transformations, 2309.

$C_{14}H_{15}ON$. 1) α -(4-Hydroxyphenyl)- β -phenylethylamine, preparation, methoxy derivatives, 873

2) 2-(Methylaminopropionyl)-naphthalene, preparation, hydrochloride, hydrogenation, 2440.

$C_{14}H_{16}O_2N$. 1) α -Naphthalide of α -hydroxyisobutyric acid, preparation, 1674.

2) β -Naphthalide of α -hydroxyisobutyric acid, preparation, 1674.

$C_{14}H_{17}ON$. 1'-(Naphthyl-2)-2'-(methylamino)-propanol, preparation, hydrochloride, properties, 2440.

$C_{14}H_{17}O_4N$. Ethoxymethylene hippurate, preparation, action of C_2H_5ONa , saponification, 150.

$C_{14}H_{17}NBr_2$. symm.-Amylbenzthiazolyl-2-ethylene, preparation, properties, 2474.

$C_{14}H_{19}ON$. 1) 2-Methylaminopropionyl-tetralin, preparation, properties, hydrochloride, 2436.

- 2) Pseudoheliotridyl phenyl ether, preparation properties, picrate, 2518.
- $C_{16}H_{19}O_4Br$ 2-Bromo-4-butylphenoxy- α -butyric acid synthesis, 2398
- $C_{14}H_{17}O_2N$ 1) Carbobenzoxy-dl-leucine, synthesis, transformations 1623
- 2) Carbobenzoxy-dl-norleucine, synthesis, transformations 1623
- $C_{14}H_{19}O_5N$ Diethyl acetal of formylhippuric acid, formation 150 622.
- $C_{14}H_{19}O_4N$ Diethyl acetal of formylhippuramide, preparation properties, 150
- $C_{14}H_{19}N_3S$ 2-(Dipropylaminomethyl)-benzothiazole, synthesis properties, 2303
- $C_{14}H_{17}ON$ 1) 2-(Methylaminopropanol) tetralin, preparation, hydrochloride, properties, 2436
- 2) Ethyl (5-methoxypentenyl 2) aniline, preparation properties, 1805
- $C_{14}H_{19}O_2N$ Anilide of γ,γ -diethyl γ -hydroxybutyric acid preparation, properties 1682
- $C_{14}H_{22}ON_2$ 1) dl-Leucyldecarboxyphenylalanine, synthesis, 1630
- 2) dl-Norleucyldecarboxyphenylalanine, synthesis, 1630
- $C_{14}H_{19}O_2Cl$ n-Butyl-(γ -chlorocrotyl)-acetoacetic ester, preparation, properties, cyclization, 770.
- $C_{14}H_{19}O_3N_4$ Di-exo-acetyl-glycinemethyl ester of 2,5-dihydropyrazinamide hydrate, synthesis, properties, 333.
- $C_{14}H_{19}ON$ Diethylaminopropyl ester of benzyl alcohol synthesis properties, hydrochloride, 633.
- $C_{14}H_{19}O_4P$ Ethyl α -diisobutylphosphoisobutyrate, preparation properties 2450

14. IV

- $C_{14}H_9ONS$ 1) Phenyl benzthiazolyl-2- ketone, preparation, properties, derivatives, 2466
- 2) Sulfur analog of the betaine of $C_{14}H_9O_2N$, 613
- $C_{14}H_9O_4NS$ 4-Nitrophenylthiophthalide, synthesis, properties, oxidation reduction 1698
- $C_{14}H_9O_2NS$ 4-Nitrophenylsulfonephthalide, synthesis properties reduction, 1698
- $C_{14}H_{11}ONS$ Phenylbenzothiazolyl (2)-carbinol, preparation properties, oxidation 2466
- $C_{14}H_{11}O_2NS$ 4-Aminophenylthiophthalide, synthesis, properties, 1698.
- $C_{14}H_{11}O_3NS$ 2-Phenylindolesulfonic-3 acid, synthesis, properties, 1415.
- $C_{14}H_{11}O_4NS$ 4-Aminophenylsulfonephthalide synthesis, properties 1698
- $C_{14}H_{11}O_3NBr_2$ Ethyl ester of 2,4-dibromo-1-naphthyl-oxamic acid 2059
- $C_{14}H_{12}ON_2S_3$ 5-(3'-Ethylbenzothiazolynilidene-2'-ethylidene)-thiazolidine-2-one-4; preparation, properties 849

- $C_{14}H_{12}ON_4Cl_2$ 5'-Chloropyridylamide of β -(5-chloropyridyl 2)aminocrotonic acid preparation, properties 1253
- $C_{14}H_{12}ON_4Br_2$ 5'-Bromopyridylamide of β -(5'-bromopyridyl 2)aminocrotonic acid, preparation, properties, 1252
- $C_{14}H_{12}O_3NBr$ 1) Ethyl ester of 1-bromo-2-naphthyl oxamic acid 2059
- 2) Ethyl ester of 4-bromo-1-naphthyl oxamic acid, 2059
- $C_{14}H_{19}O_4N_3S$ 1) β -Phenylaminoethyl 2,4-dinitrophenyl sulfide, preparation, 761
- 2) p-Benzenesulfoacetamide nicotinylamide, synthesis properties 1687
- $C_{14}H_{14}ON_3S$ p-Aminophenacyl-p'-aminophenyl sulfide preparation, properties 1814
- $C_{14}H_{17}ONS$ n-Hexylbenzothiazolyl-2 ketone preparation, properties, derivatives 2475
- $C_{14}H_{17}O_2NCl$ ar-1-Hydroxy-4-(methylaminoaceto) tetralin hydrochloride preparation 980
- $C_{14}H_{17}O_4NS$ p-Acetaminophenacyl (ethyl glycolate) sulfide, synthesis properties oxidation 1812.
- $C_{14}H_{17}O_3NS$ p-Acetaminophenacyl (ethyl glycolate)-sulfide preparation properties 1812
- $C_{14}H_{17}ONS$ n-Hexyl-[benzthiazolyl (2)] carbinol preparation, properties, derivatives 2473
- $C_{14}H_{17}O_4NS$ 4-Nitrophenylthiophthalide synthesis, properties oxidation reduction 1697

14 V

- $C_{14}H_{12}ON_4ClBr$ 5'-Bromopyridylamide of β -(5-chloropyridyl 2)-aminocrotonic acid preparation, properties, 1253
- $C_{14}H_{12}ON_4ClI$ 5'-Chloropyridylamide of β -(5-iodopyridyl-2)-aminocrotonic acid preparation, properties, 1253.
- $C_{14}H_{12}O_3NSNa$ Sulfite of sodium 2-methylacridinium 1890
- $C_{14}H_{12}O_4NSNa$ Sulfite of sodium 2-methoxyacridinium 1891
- $C_{14}H_{11}N_3O_2SNa$ Sodium salt of 3-nitro-4-p-toluene sulfaminoaniline, preparation 972.
- $C_{14}H_{17}O_3NSP$ Ethyl ester of 4-phosphonomethyl-2-phenylthiazole preparation saponification 2077.

Group C_{14}

15. I

- $C_{15}H_{12}$ 9-Methylphenanthrene synthesis, 1662 bromination, 1663
- $C_{15}H_{14}$ 9-Methyl 9',10-dihydroanthracene formation, 741.
- $C_{15}H_{16}$ 1,2-Diphenylpropane, formation 740, nitration 741
- $C_{15}H_{16}$ Guaiazulene, formation, derivatives 2326
- $C_{15}H_{16}$ 1) Triisopropylbenzene preparation, 566.

- 2) Ledene, hydrogenation, 2322, oxidation, 2327
3) Leddiene, hydrogenation, 2322, dehydrogenation, 2327.

- $C_{18}H_{28}$. 1) Dihydroledene, preparation, properties, 2321.
2) Dihydroleddiene, preparation, properties, 2322.
 $C_{15}H_{22}$. Tetrahydroleddiene, preparation, properties, 2322.
 $C_{18}H_{32}$. n-Pentadecane, purification, physicochemical constants, 85 cryoscopic constants, transition temperature, 1341.

15. II

- $C_{18}H_{10}O_2$. Phenanthrene-9-carboxylic acid, preparation, 1659.
 $C_{11}H_{10}N_2$. 2-Methyl-9-cyanacridine, synthesis, properties, 2134.
 $C_{18}H_{11}Br$. 9-Methyl-10-bromophenanthrene, synthesis, reaction with butyllithium, 1663, 1664.
 $C_{18}H_{12}O$. 3-Hydroxy-6-methylphenanthrene, preparation, properties, 1278.
 $C_{18}H_{13}Br$. 1,1-Diphenyl-2-bromopropanol-1, formation, oxidation, 573, 574.
 $C_{11}H_{11}N$. Cinnamylideneaniline, reaction with maleic anhydride, 1645.
 $C_{15}H_{14}O_3$. 4-Benzylphenoxyacetic acid, synthesis, 2398.
 $C_{18}H_{14}O_2$. Product of the acetylation of the oxide of 2-methyl-1,4-naphthoquinone, 1828.
 $C_{18}H_{18}O$. 1) Di-p-tolylcarbinol, preparation, 133.
2) Di-o-tolylcarbinol, preparation, 133.
3) 3-Keto-6-methyl-1,2,3,9,10,11-hexahydrophenanthrene, preparation, properties, derivatives, dehydrogenation, 1279.
4) 1,1-Diphenylpropanol-1, bromination, 575.
 $C_{18}H_{14}O_3$. Lactone of [1-methoxy-(5,6,7,8)-tetrahydronaphthyl]-4-hydroxybutyric acid, preparation, properties, 138.
 $C_{11}H_{14}O_4$. 1) 4,7-Dihydroxy-6-hexylcoumarin, preparation, properties, 1895.
2) β -[1-Methoxy-(5,6,7,8)-tetrahydronaphthyl]-4-propionic acid, reduction, 138.
 $C_{18}H_{16}O_2$. Acetic ester of 4(1-Methylcyclohexyl) phenol, properties, 956.
 $C_{18}H_{26}N_4$. Di-(2-dimethylamino-5-pyridyl)-methane, synthesis, 2119.
 $C_{15}H_{21}O_4$. 4-Isoamoxyphenoxy- α -butyric acid, preparation, properties, 361.
 $C_{18}H_{24}O$. Isoamyl-2,4,6-trimethylbenzyl ether, preparation, properties, 124.
 $C_{15}H_{24}O_3$. 1) 1-Methyl-4-isoamyl-4-carbethoxycyclohexen-1-one-3, preparation, properties, decarboxylation, 771.
2) Ledoic acid, preparation, properties, derivatives, oxidation, 2328.
 $C_{18}H_{24}O_4$. 1) α -Hydroxyledoic acid, preparation,

properties, derivatives, 2329.

- 2) β -Hydroxyledoic acid, preparation, properties, derivatives, 2330.

- $C_{18}H_{20}O$. Ledol, structure, 2325.
 $C_{18}H_{20}O_2$. Ledglycol, preparation, properties, transformation, oxidation, 2328.
 $C_{11}H_{17}N_3$. 1) N-Methylpiptantine, preparation, properties, 858.
2) N-Methylpiptamine, preparation, properties, 857.

15. III

- $C_{18}H_{10}O_3N$. Betaine of 2-pyridine-3(1)-hydroxy-1,4-(3,4)-naphthoquinone, hydrolytic cleavage, 599, chlorination, 607, oxidative-hydrolytic transformation, 1131.
 $C_{18}H_{10}ON_2$. 2-Methoxy-9-cyanacridine, synthesis, 2134.
 $C_{18}H_{10}O_4N_4$. 4-(p-Nitrobenzeneazo)-2-phenyl-5-oxoxazole, synthesis, cleavage with ammonia, 167.
 $C_{11}H_{10}N_2S_2$. 2-[Benzothiazolyl-(2)-methylmercapto]-benzothiazole, synthesis, properties, 2302.
 $C_{18}H_{12}O_3N_2$. 4-Benzeneazo-2-phenyl-5-oxoxazole, synthesis, cleavage with ammonia, 168.
 $C_{18}H_{11}O_4N$. 1) γ -Keto- γ -phenyl- α -(2-nitrophenyl)-propylene, synthesis, 878.
2) γ -Keto- γ -(2-nitrophenyl)- α -phenyl-propylene, synthesis, 878.
 $C_{15}H_{12}O_3Br_2$. 4-Benzyl-2,6-dibromophenoxyacetic acid, synthesis, derivatives, 2400.
 $C_{18}H_{12}O_4Cl_2$. 4-Benzyl-2,6-dichlorophenoxyacetic acid, synthesis, derivatives, 2399.
 $C_{18}H_{12}O_9N_4$. 2',4',2'',4''-Tetranitro-1,2-diphenylpropane, preparation, properties, 741.
 $C_{18}H_{11}ON$. 1) γ -Keto- γ -(2-aminophenyl)- α -phenyl-propylene, preparation, properties, 878.
2) γ -Keto- γ -phenyl- α -(2-aminophenyl)-propylene, preparation, properties, hydrochloride, 878.
 $C_{18}H_{13}O_3Br$. 4-Benzyl-2-bromophenoxyacetic acid, synthesis, derivatives, 2399.
 $C_{18}H_{13}O_3Cl$. 4-Benzyl-2-chlorophenoxyacetic acid, synthesis, derivatives, 2399.
 $C_{15}H_{13}O_3N$. Product of action of NH_3 on 4-(p-nitrobenzeneazo)-phenyl-5-oxoxazole, 167.
 $C_{15}H_{14}O_3N$. Product of action of NH_3 on 4-benzeneazo-2-phenyl-5-oxoxazole, 168.
 $C_{18}H_{14}O_4N_2$. Di-(2-methyl-5-nitrophenyl)-methane, preparation, properties, 1271.
 $C_{18}H_{14}O_7N_4$. 4,4'-Dinitro-2,2'-dimethylcarbanilide, reaction with amines, 1153.
 $C_{18}H_{16}OBr$. 1,1-Diphenyl-2-bromopropanol-1, preparation, 575.
 $C_{18}H_{16}O_3N$. 4'-Nitro-1,2-diphenylpropane, preparation, properties, 741.
 $C_{18}H_{18}NS$. 1) 2-Butyl- α -naphthothiazole, synthesis,

properties, transformations, 2309.

2) 2-Isobutyl- α -naphthothiazole, synthesis, properties, transformations, 2309.

$C_{15}H_{15}NCl$. α -Phenyl- γ -(2-chlorophenyl)-propylamine, preparation, properties, 875.

$C_{15}H_{17}ON$. α -(4-Methoxyphenyl)- β -phenylethylamine, preparation, 872.

$C_{15}H_{19}O_2Cl$. α -(3-Chlorocrotyl)- γ -(p-tolyl)-butyric acid, preparation, properties, hydrolysis, cyclization, 1278.

$C_{15}H_{19}O_3N$. 2-Oxo-4-amino-6-hexyl-7-hydroxychroman, preparation, properties, 1895.

$C_{15}H_{19}O_4N$. Ethoxymethylene-N-methyl hippurate, preparation, properties, 152, saponification, reaction with alcohol elements, 152, 153.

$C_{15}H_{21}O_5N$. Diethyl acetal of α -formylphenacetic acid, preparation, 865.

$C_{15}H_{23}O_2N$. Vinylacetylenicpiperidol, synthesis, properties, hydrogenation, 419.

$C_{15}H_{25}O_3Cl$. Isoamyl-(γ -chlorocrotyl)-acetoacetic ester, preparation, properties, cyclization, 771.

$C_{15}H_{29}O_2N$. Butylpiperidol, preparation, properties, hydrochloride, 419.

$C_{15}H_{29}O_4P$. Product of the addition of diisobutylphosphorous acid to β,β -dimethyl divinyl ketone, 427.

$C_{15}H_{29}O_5P$. Diisobutylphosphomalonate ester, preparation, properties, 2451.

15. IV

$C_{15}H_9O_3NCl_2$. 2-Chloro-2-pyridine-1,2,3,4-tetrahydronaphthalene-1,3,4-trione chloride, hydrolytic cleavage, 611.

$C_{15}H_{11}O_2NS$. 2-Benzoylhydroxymethylbenzothiazole, synthesis, properties, methiodide, 2300.

$C_{15}H_{12}O_5NCl$. Base - product of hydrolytic cleavage of 2-chloro-2-pyridine-1,2,3,4-tetrahydronaphthalene-1,3,4-trione chloride, formation, salt, transformation, 610.

$C_{15}H_{14}ONCl$. 1) Hydrochloride of γ -keto- γ -phenyl- α -(2-aminophenyl)-propylene, preparation, 878.

2) Oxime of γ -keto- γ -phenyl- α -(2-chlorophenyl)-propane, preparation, 875.

$C_{15}H_{16}ON_2S_3$. 1) 2-Methylmercapto-5-(3'-ethylbenzothiazolinylidene-2'-ethylidene)-thiazolinone-4, preparation, properties, 850.

2) 3-Methyl-5-(3'-ethylbenzothiazolinylidene-2'-ethylidene)-thiazolidinethione-2-one-4, preparation, properties, 849.

$C_{15}H_{14}O_2N_2S$. 3-Methyl-(3'-ethylbenzothiazolinylidene-2'-ethylidene)-thiazolidinethione-2,4, preparation, properties, 847.

$C_{15}H_{16}O_3N_2S$. 2-Nitro-4-methoxy-N-methylanilide of p-toluenesulfonic acid, preparation, reaction with H_2SO_4 , 972.

$C_{15}H_{18}ON_2S_3$. Bis [benzothiazolyl (2) ketone synthesis, properties, derivatives, 2467.

$C_{15}H_{18}O_2N_2S$. Ethyl α -(4-carboxy-2-thiazolidyl) hippurate, preparation, properties, hydrobromide, 623.

$C_{15}H_{24}O_4NP$. α Diisopropylphosphopropionanilide preparation, properties, 2451.

15. V

$C_{15}H_{14}O_4NSCl$. 1) Phenyl perchlorate of 3 methyl benzothiazine, synthesis, 174.

2) Methyl perchlorate of 3 phenylbenzothiazine condensation with aldehydes, 186.

$C_{15}H_{20}O_4NSP$. Ethyl ester of 4-phosphonomethyl 2-p-methoxyphenylthiazole preparation saponification, 2077.

Group C₂

16. I

$C_{16}H_{14}$. 1) 9-Ethylphenanthrene, synthesis, 1663.

2) 9,10-Dimethylphenanthrene, synthesis, 1664.

$C_{16}H_{18}$. Diamylbenzenes, formation, 569.

$C_{16}H_{26}$. n-Hexadecane, purification, physicochemical constants, 85, cryoscopic constants, 1341.

16. II

$C_{16}H_8O_4$. Glycols, product of transformation of the oxide of 1,4-naphthoquinone, 1005.

$C_{16}H_{10}O_3$. Oxide of 2-phenyl-1,4-naphthoquinone, preparation, oxidizing ability, 1826.

$C_{16}H_{11}N$. 3-Amino-5-tert-butyltoluene, preparation, 734.

$C_{16}H_{12}O_3$. 9-Methylphenanthrene-10-carboxylic acid, preparation, 1664.

$C_{16}H_{12}N_2$. 1-Benzeneazophthalene, absorption spectrum, 1455.

$C_{17}H_{13}N_4$. 4-Benzeneazo-1-naphthylamine, absorption spectrum, 1455.

$C_{16}H_{14}O$. β -Hydroxyethylphenanthrene, synthesis, 1659.

$C_{16}H_{14}O_2$. Diphenylcyclopropylcarboxylic acid, preparation, properties, 2216.

$C_{15}H_{15}N$. 1) Cinnamylidene-p-toluidine, reaction with maleic anhydride, 1646.

2) Cinnamylidene-m-toluidine, reaction with maleic anhydride, 1647.

3) Cinnamylidene-o-toluidine, reaction with maleic anhydride, 1647.

$C_{16}H_{16}O$. 1) Allylbenzohydril ether, preparation, properties, 2212.

2) Diphenylcyclopropyl carbinol, preparation, properties, transformations, 2215.

$C_{16}H_{16}O_3$. Lactone of (2-ethoxynaphthyl-6)-hydroxybutyric acid, preparation, 139.

$C_{16}H_{16}O_4$. (2-Ethoxynaphthyl-6)-propionic acid

reduction, 139.

$C_{16}H_{14}O_8$. Benzoyl derivatives of methyl-p-toluy-carbinol. preparation, properties, 750.

$C_{16}H_{18}O_2$. 1) 1-Phenyl-1-p-tolylpropanediol-1,2, formation, 2088.

2) 1-Phenyl-1-tolylpropanediol-1,2 formation 2087

3) 1-p-Tolyl-2-phenylpropanediol-1,2, formation 2088

$C_{16}H_{18}O_5$. Lactone of [1-ethoxy-(5,6,7,8)-tetrahydronaphthyl-4]-hydroxybutyric acid, synthesis, properties 137

$C_{15}H_{18}O_4$. 1) β -[1-Ethoxy-(5,6,7,8)-tetrahydronaphthyl-4]-hydroxybutyric acid, reduction, 137.

2) Ethyl ester of 1-hydroxy-4-tetrahydronaphthoylpropionic acid, preparation 977.

$C_{16}H_{18}Sn$. Diethylidiphenyltin, detachment of radicals 1107.

$C_{16}H_{18}N_8$. 2-Dimethylamino-5-pyridyl-(p-dimethylaminophenyl)-methane, synthesis, properties, derivatives 2119

$C_{15}H_{18}N_8$. Methylbenzylpseudoheliotridylamine, preparation properties 2516.

$C_{16}H_{18}O_3$. 1) Methyl ester of ledoic acid, preparation 2328

2) Product of the condensation of the addition product of acrolein and α -pyronene with ethyl acetate, 2081.

$C_{15}H_{18}N_2$. Octylpseudoheliotridylamine, preparation properties 2516

16. III

$C_{16}H_{14}O_2N$. 2-Phenyl-4-benzyliden-5-oxazolone, preparation, properties, reaction with amines, 1431.

$C_{16}H_{12}ON_2$. 1) 2-Benzeneazo-1-naphthol, absorption spectrum, 1451.

2) 4-Benzeneazo-1-naphthol, absorption spectrum 1451.

$C_{16}H_{12}O_2N_2$. 1) 2-(o-Hydroxy)-benzeneazo-1-naphthol, absorption spectrum, 1451.

2) 4-(p-Hydroxy)-benzeneazo-1-naphthol, absorption spectrum, 1451

3) 2-Phenyl-4-(1-phenylaminoethyliden)-5-oxazolone, preparation, properties, reaction with amines, 1431

$C_{16}H_{12}N_2S_2$. Bis-benzothiazolyl-(2)-sulfide, synthesis, properties, 2302.

$C_{16}H_{12}ON_2$. 1) 2-Benzeneazo-1,5-aminonaphthol, absorption spectrum, 1451.

2) 8-Benzeneazo-1,5-aminonaphthol, absorption spectrum, 1451.

3) 5-Benzeneazo-2,8-aminonaphthol, preparation, properties, 992.

4) 1-Benzeneazo-2,8-aminonaphthol, preparation, properties, 990.

$C_{16}H_{12}O_2N_2$. 1) 8-(p-Hydroxy)-benzeneazo-1,5-aminonaphthol, absorption spectrum, 1451

2) 5-(p-Hydroxy)-benzeneazo-2,8-aminonaphthol, absorption spectrum, 1451.

3) 1-(p-Hydroxy)-benzeneazo-2,8-aminonaphthol, absorption spectrum, 1451.

4) 4-p-Tolueneazo-2-phenyl-5-oxazole, preparation, 165.

$C_{16}H_{14}O_2N$. γ -Keto- γ -(2-nitrophenyl)- α -(4-methoxyphenyl)-propylene, synthesis, 879

$C_{16}H_{14}N_4S_2$. Bis-[benzothiazolyl-(2)-methyl]-amine, synthesis, properties, acetylation 2302

$C_{16}H_{12}ON_2$. 2-(o-Amino)-benzeneazo-1,5-aminonaphthol, absorption spectrum, 1451

$C_{16}H_{14}O_2N_2$. 2-(2'-Nitrobenzylidene)-amino-5-methoxy-1-methylbenzimidazole, preparation, properties 974

$C_{16}H_{14}ON$. Cinnamylidene p-anisidine, reaction with maleic anhydride 1647

$C_{16}H_{14}O_2N$. γ -Keto- γ -(2-aminophenyl)- α -(4-methoxyphenyl) propylene, preparation, properties, 879

$C_{16}H_{18}NS$. Diethylaminoethanethiol, preparation, 759.

$C_{16}H_{14}O_2N_2$. 1) Ethylidenedibenzamide, synthesis, structure, 1634

2) 1,6-Diethoxyphenazine, synthesis, 2269.

3) 1,8-Diethoxyphenazine, synthesis, 2270.

$C_{16}H_{12}O_4N_2$. Di-(m)-anide of oxalic acid, synthesis, 2067

$C_{16}H_{14}O_2N$. Oxime of β -keto- α -phenyl- β -(2,5-dimethoxyphenyl) ethane, preparation, 873

$C_{16}H_{14}O_2N_2$. m-Acetoaminodimethylaniline, synthesis, action of phosphorus pentasulfide, 2289.

$C_{16}H_{14}NS$. 2-Amyl- α -naphthothiazole, synthesis, properties, transformations 2309.

$C_{16}H_{12}ON_2$. 2-Dimethylamino-5-pyridyl-(p-dimethylaminophenyl) ketone, synthesis, 2120.

$C_{16}H_{14}O_2N$. 1) α -(2,5-Dimethoxyphenyl)- β -phenylethylamine, synthesis, 873.

2) α - β -Di-(4-methoxyphenyl)-ethylamine, preparation, derivatives, 874.

3) α -Naphthalide of diethylglycolic acid, preparation, properties, 1674.

4) β -Naphthalide of diethylglycolic acid, preparation, properties, 1675

$C_{16}H_{12}O_4Cl$. β -(p-Tolyl)-ethyl-(γ -chloro)crotylmalonic acid, preparation, decarboxylation, 1278.

$C_{14}H_{12}N_2S$. 2-Dimethylamino-5-pyridyl-(p-dimethylaminophenyl) thione, synthesis, properties, 2119.

$C_{16}H_{18}ON_2$. α -Phenyl- γ -(4-methoxyphenyl)- γ -(amino)-propylamine, preparation, properties, 877.

$C_{16}H_{18}O_2N_2$. Piperidine of α -benzoylamino- β -hydroxy-crotonic acid, preparation, properties, 1437.

$C_{16}H_{18}N_2S_2$. α , α -Bis-(4-aminophenylthio)-butane, synthesis, properties, dihydrochloride, 1690.

$C_{16}H_{14}ON_2$. 2-Dimethylamino-5-pyridyl-(p-di-

- methyaminophenyl)-carbinol, synthesis, 2120.
- $C_{16}H_{17}O_2N$. Anilide of γ,γ -diallyl- γ -hydroxybutyric acid, preparation, properties, 1682.
- $C_{16}H_{15}O_2N$. ar-1-Hydroxy-4-(diethylaminoaceto)-tetralin, see hydrochloride, $C_{16}H_{14}O_2NCl$.
- $C_{16}H_{17}O_5N$. Diethylacetal of formyl hippurate, methylation, 145; preparation, 151; preparation, 622.
- $C_{16}H_{14}O_{12}N_4$. N,N'-exo-dimethoxyxalyldihydrate-2,5-diglycylmethyl ester of dihydropyrazinamidine, preparation, properties, 1021.
- $C_{16}H_{18}ON_2$. N-Acetylpiptantine, preparation, properties, 858.
- $C_{16}H_{18}O_6N_4$. 2,5-Diethyl ester of glycyl-glycine dihydropyrazineamidine, hydrochloride, preparation, transformation, 319.
- $C_{16}H_{18}O_4P_2$. Ethyl ester of diphosphonostyrene, preparation, properties, saponification, 113.
- $C_{16}H_{18}O_9N_4$. Product of the reaction of diacetyl-diketopiperazine with glycine ester, 330.
- $C_{16}H_{18}N_2S_4$. Thiuram, disulfide, of γ -ethyl-piperidine, preparation, properties, 1427.

16. IV

- $C_{16}H_{15}O_4N_2S$. 2-Benzeneazo-1-naphthol-4-sulfo acid, dissociation constant, 1165.
- $C_{16}H_{15}O_4N_2S$. 1) 1-Benzeneazo-2,8-aminonaphthol-5-sulfo acid, preparation, properties, 1265.
 2) 1-Benzeneazo-2,8-aminonaphthol-6-sulfo acid, synthesis, structure, transformation, 1263.
 3) 1-Benzeneazo-2,8-aminonaphthol-7-sulfo acid, preparation, properties, 1265.
 4) 2-Benzeneazo-1,5-aminonaphthol-4-sulfo acid, absorption spectrum, 1458; dissociation constants, 1165.
 5) 2-Benzeneazo-1,5-aminonaphthol-6-sulfo acid, absorption spectrum, 1459; dissociation constants, 1165.
 6) 2-Benzeneazo-1,5-aminonaphthol-7-sulfo acid, absorption spectrum, 1458; dissociation constants, 1165.
 7) 2-Benzeneazo-1,5-aminonaphthol-8-sulfo acid, absorption spectrum, 1459; dissociation constants, 1165.
 8) 4-Benzeneazo-1,5-aminonaphthol-2-sulfo acid, absorption spectrum, 1458; dissociation constants, 1165.
 9) 5-Benzeneazo-2,8-aminonaphthol-7-sulfo acid, preparation, properties, 1262.
 10) 6-Benzeneazo-1,5-aminonaphthol-7-sulfo acid, absorption spectrum, 1458; dissociation constants, 1165.
 11) 6-Benzene-azo-1,5-aminonaphthol-8-sulfo acid, absorption spectrum, 1459; dissociation constants, 1165.
 12) 7-Benzeneazo-2,8-aminonaphthol-5-sulfo acid, preparation, properties, 1263.
- 13) 7-Benzeneazo-2,8-aminonaphthol-6-sulfo acid, preparation, properties, 1263.
- 14) 8-Benzeneazo-1,5-aminonaphthol-2-sulfo acid, absorption spectrum, 1458; dissociation constants, 1165.
- 15) 8-Benzeneazo-1,5-aminonaphthol-4-sulfo acid, absorption spectrum, 1458; dissociation constants, 1165.
- 16) 8-Benzeneazo-1,5-aminonaphthol-6-sulfo acid, absorption spectrum, 1459; dissociation constants, 1165.
- $C_{16}H_{15}O_6NS$. 4-Nitrophenylthio-6,7-dimethoxy-phthalide, synthesis, properties, oxidation, reduction, 1697.
- $C_{16}H_{15}O_6NS$. 4-Nitrophenylsulfone-6,7-dimethoxy-phthalide; synthesis, properties, reduction, 1697.
- $C_{16}H_{14}O_4N_2S$. p-Acetaminophenacyl-p'-nitrophenylsulfide, preparation, properties, reduction, 1814.
- $C_{16}H_{14}O_6N_2S$. p-Acetaminophenacyl-p'-nitrophenyl sulfone, preparation, properties, reduction, 1814.
- $C_{16}H_{15}O_4NS$. 4-Aminophenylthio-6,7-dimethoxy-phthalide, synthesis, properties, hydrochloride, 1697.
- $C_{16}H_{15}O_6NS$. 4-Aminophenylsulfone-6,7-dimethoxy-phthalide, synthesis, properties, hydrochloride, 1697.
- $C_{16}H_{16}O_7N_2S$. 1) 2-(Ethylaminomethyl)-benzothiazole, synthesis, properties, 2302.
 2) 2-(Dimethylaminomethyl)-benzothiazole, synthesis, properties, 2302.
 3) m-Thioacetaminodimethylaniline, preparation, reaction with potassium ferricyanide, 2289.
- $C_{16}H_{16}O_2NCl$. Hydrochloride of γ -keto- γ -(2-amino-phenyl)- α -(4-methoxyphenyl)-propylene, synthesis, 879.
- $C_{16}H_{16}O_2N_2S$. p-Acetaminophenacyl-p'-aminophenyl sulfide, preparation, properties, 1814.
- $C_{16}H_{16}O_4N_2S$. p-Acetaminophenacyl-p'-aminophenyl sulfone, preparation, properties, reduction, saponification, 1814.
- $C_{16}H_{16}O_4N_2S_2$. a,a-Bis-(4-nitrophenylthio)-butane, synthesis, properties, reduction, 1689.
- $C_{16}H_{17}O_7N_2S$. m-Thioacetaminodimethylaniline, preparation, reaction with potassium ferricyanide, 2290.
- $C_{16}H_{16}O_5N_2S$. Ethyl ester of α -(4-carboxy-2-thiazolidyl)-phenacetic acid, preparation, 865.
- $C_{16}H_{21}O_2N_4Cu$. Copper salt of 2-butyryl ketone ketoxime, 295.
- $C_{16}H_{21}O_{16}N_4Cl_2$. N,N'-exo-Dichloroxalyldihydrate-2,5-ethylglycine-dihydropyrazinamidine, formation, properties, transformation, 1019.
- $C_{16}H_{14}O_2NCl$. ar-1-Hydroxy-4-(diethylaminoaceto)-tetralin hydrochloride, preparation, properties, 983.

- $C_{16}H_{26}O_4NP$. α -Diisopropylphosphopropion-p-toluide, preparation, properties, 2451.
- $C_{16}H_{28}O_2N_4C_{12}$. Hydrochloride of the 2,5-diethyl ester of glycyl glycine dihydropyrazinamide, synthesis, properties, 319.
- $C_{16}H_{29}O_2N_4C_{12}$. di-*exo*-N-Chloroacetyl-glycine-ethyl ester of 2,5-dihydropyrazinamide hydrate, synthesis, 336.

Group C_{17}

17. I

- $C_{17}H_{18}$. 2,7,9-Trimethyl-9^o, 10-dihydroanthracene, formation, properties, 742.
- $C_{17}H_{20}$. 2^o,2^o-Dimethyl-1,2-diphenylpropane, formation, 743.
- $C_{17}H_{22}$. Benzylidenecamphane, dextrorotatory, preparation, properties, 830.

17. II

- $C_{17}H_{16}O$. 9-Methyl-10- β -hydroxyethylphenanthrene, synthesis, 1664.
- $C_{17}H_{17}N$. Cinnamylidene-m-xylidene, reaction with maleic anhydride, 1647.
- $C_{17}H_{18}O_4$. 1) 4-Benzylphenoxy- α -butyric acid, synthesis, 2400.
- 2) γ -(2-Propoxynaphthyl-6)-butyrolactone, preparation, 648.
- 3) Lactone of (2-propoxynaphthyl-6)-propionic acid, preparation, 136.
- $C_{17}H_{18}O_4$. β -(2-Propoxynaphthyl-6)-propionic acid, synthesis, 647; reduction, 136, 647; derivatives, 647.
- $C_{17}H_{20}O_2$. 1,3-Diphenylpentanediol-2,3, preparation, properties, oxidation, 560.
- $C_{17}H_{20}O_3$. 1) γ -(2-Propoxynaphthyl-6)-butyric acid, preparation, 648.
- 2) 1-Methyl-4-benzyl-4-carbethoxycyclohexen-1-one-3, preparation, properties, decarboxylation, 772.
- $C_{17}H_{22}O_3$. Lactone of [1-propoxy-(5,6,7,8)-tetrahydronaphthyl-4]-hydroxybutyric acid, preparation, properties, 138.
- $C_{17}H_{22}O_4$. β -[1-Propoxy-(5,6,7,8)-tetrahydronaphthyl-4]-propionic acid, reduction, 136.
- $C_{17}H_{24}O$. Tert-Benzylbornyl alcohol, preparation, dehydration, 829.
- $C_{17}H_{24}O_3$. Ethyl ester of ledoic acid, preparation, properties, 2328.
- $C_{17}H_{26}O_4$. 1) Ethyl ester of α -Hydroxyledoic acid, preparation, 2329.
- 2) Ethyl ester of β -hydroxyledoic acid, preparation, 2330.
- $C_{17}H_{34}N_2$. Methyloctylpseudoheliotridylamine, preparation, properties, 2516.

17. III

- $C_{17}H_{11}O_4N$. 2-Benzoylamino-3-hydroxy-1,4-naphthoquinone, synthesis, derivatives, oxidative-hydrolytic transformation, 1137.

- $C_{17}H_{15}O_5N$. p-Nitrobenzyl ester of indanone-1-carboxylic acid-3, preparation, 1140.
- $C_{17}H_{15}O_5N$. 2-Benzyl-4-benzyliden-5-oxazolone, preparation, properties, reaction with amines, 1431.
- $C_{17}H_{16}O_7N_2$. Anilide of α -acetylaminocinnamic acid, preparation, properties, 1431.
- $C_{17}H_{16}O_5Br_2$. 4-Benzyl-2,6-dibromophenoxy- α -butyric acid, synthesis, 2400.
- $C_{17}H_{16}O_5Cl_2$. 4-Benzyl-2,6-dichlorophenoxy- α -butyric acid, synthesis, 2400.
- $C_{17}H_{16}O_5N_2$. Methyl ester of α -benzoylamino- β -phenylaminoacrylic acid. Preparation, properties, 1437.
- $C_{17}H_{17}ON$. α -(4-Methoxyphenyl)- γ -(phenyl)-butyronitrile, preparation, 877.
- $C_{17}H_{17}O_4N$. Benzoylhydrastinine, reaction with caustic alkalies, 353.
- $C_{17}H_{17}O_5Br$. 4-Benzyl-2-bromophenoxy- α -butyric acid, synthesis, 2400.
- $C_{17}H_{17}O_5Cl$. 4-Benzyl-2-chlorophenoxy- α -butyric acid, synthesis, 2400.
- $C_{17}H_{18}O_4N_2$. Di-o-aniside of malonic acid, preparation, properties, 1681.
- $C_{17}H_{19}O_4N$. Oxime of β -(2-propoxynaphthyl-6)-propionic acid, preparation, 648.
- $C_{17}H_{19}NS$. 2-Hexyl- α -naphthothiazole, synthesis, properties, transformations, 2309.
- $C_{17}H_{20}O_4N_2$. 1) (N-Butyl-N-hydroxyethyl)-amide of 4-nitro-1-naphthoic acid, preparation, properties, rearrangement, benzoyl derivative, 2434.
- 2) (N-Isobutyl-N-hydroxyethyl)-amide of 5-nitro-1-naphthoic acid, preparation, properties, 2435.
- 3) Butylaminoethyl ester of 4-nitro-1-naphthoic acid, formation, rearrangement, 2433.
- 4) Isobutylaminoethyl ester of 5-nitro-1-naphthoic acid, formation, 2433.
- $C_{17}H_{21}ON$. 1) Dimethylaminoethyl ester of diphenylcarbinol, synthesis, properties, hydrochloride, 632.
- 2) β -(4-Methoxyphenyl)- δ -phenylbutylamine, preparation, 877.
- $C_{17}H_{21}O_3Cl$. Benzyl- γ -chlorocrotyl)-acetoacetic ester, preparation, properties, cyclization, 772.
- $C_{17}H_{23}O_3N_2$. Piperidine of α -benzoyl-amino- β -ethoxyacrylic acid, preparation, properties, 1438.
- $C_{17}H_{23}O_4N_2$. Phenylhydrazone of α -oxohomocamphoric acid, preparation, properties, 401.
- $C_{17}H_{25}ON$. 2-(α)-Diethylaminopropionyl)-tetralin, preparation, hydrochloride, dehydrogenation, 2437.
- $C_{17}H_{25}O_3N$. Phenylpiperidol, synthesis, properties, acetate, propionate, 419, 420.
- $C_{17}H_{25}O_5N$. Diethylacetal of formylphenacetic ester, preparation, 865.
- $C_{17}H_{25}ON$. 1^o-(Tetralyl-2)-2-(diethylamino)-propanol,

preparation, properties, hydrochloride, 2437.

17. IV

- $C_{17}H_{12}O_4N_2S$. Anilide of 2-cyanacetyl coumarone-5-sulfo acid, preparation, 845.
- $C_{17}H_{13}ON_5S$. Azo compound from 1-benzothiazolyl-3-methyl-5-pyrazolone, 2284.
- $C_{17}H_{17}O_7N_3S$. m-Thioacetaminodimethylaniline, preparation, reaction with alkaline solution of potassium ferricyanide, 2289.
- $C_{17}H_{20}O_5N_2S_4$. Methyl-methyl sulfate of 2-methyl-mercapto-5-(3'-ethylbenzothiazolylidene-2'-ethylidene)-thiazolinone-4, preparation, properties, 850.
- $C_{17}H_{21}ONCl$. Hydrochloride of the dimethylamino-ethyl ester of diphenylcarbinol (benadryl), preparation, properties, 632.
- $C_{17}H_{27}O_4NP$. α -Diisobutylphosphopropionanilide, preparation, properties, 2451.

17. V

- $C_{17}H_{15}O_4N_2SK$. Product of the reaction of the potassium salt of the bisulfite compound of 2-methyl-1,4-naphthoquinone with phenylhydrazine, 2094.
- $C_{17}H_{15}O_4N_2SNa$. Product of the reaction of the sodium salt of the bisulfite compound of 2-methyl-1,4-naphthoquinone with phenylhydrazine, 2093.

Group 18.

18. I

- $C_{18}H_{12}$. 1,2-Benzanthracene, action of phosphorous pentahalides, 2443.
- $C_{18}H_{38}$. n-Octadecane, purification, physicochemical constants, 85; cryoscopic constants, 1341.

18. II

- $C_{18}H_{10}Br_4$. 9, 10, 10, x-Tetrabromo-9, 10-dihydro-1,2-benzanthracene, preparation, properties, 2446.
- $C_{18}H_{11}Br$. 10-Bromo-1,2-benzanthracene, preparation, properties, 2443.
- $C_{18}H_{11}Br_3$. 9, 10, 11-Tribromo-9,10-dihydro-1,2-benzanthracene, preparation, properties, debromination, 2443.
- $C_{18}H_{11}Cl$. 10-Chloro-1,2-benzanthracene, preparation, properties, 2445.
- $C_{18}H_{11}Li$. 1,2-Benzanthryllithium, preparation, transformation, 1395.
- $C_{18}H_{12}O_2$. 1) β -(2-Phenanthryl)- $\Delta^{\alpha\beta}$ -butenolide, synthesis, properties, 1905.
- 2) β -(3-Phenanthryl)- $\Delta^{\alpha\beta}$ -butenolide, synthesis, properties, 1905.
- $C_{18}H_{15}Bi$. Triphenylbismuth, synthesis, reaction with aluminum chloride, ferric chloride, 104, 106.

- $C_{18}H_{15}Sb$. Triphenylantimony, photoreactions with organoiodine, compounds, 2193, reaction with $AlCl_3$, 103.

- $C_{18}H_{19}O_2$. asymm.-Dimethyldiphenylbutynediol, condensation with phenols, 593.
- $C_{18}H_{21}O_3$. γ -(2-B toxy-naphthyl)-6- butyrolactone, preparation, properties, 650.
- $C_{18}H_{21}O_4$. γ -(2-Butoxynaphthoyl-6)-propionic acid, preparation, properties, saponification, derivatives, 649, 650.
- $C_{18}H_{22}Hg$. Dimesitylmercury, preparation, photoreaction, decomposition upon heating with silver, 717.
- $C_{18}H_{22}O_3$. γ -(2-Butoxynaphthyl-6)-butyric acid, preparation, cleavage, 650.
- $C_{18}H_{24}O_2$. β -[1-Butoxy-(5,6,7,8)-tetrahydronaphthoyl-4] hydroxybutyric acid, reduction, 138.
- $C_{18}H_{26}N_6$. Di-2-pyridyl-(3'-diethylaminopropyl)-guanide, 2123.
- $C_{18}H_{24}O_3$. Lactone of [1-butoxy-(5,6,7,8)-tetrahydronaphthyl-4]-hydroxybutyric acid, preparation, 138.
- $C_{18}H_{24}O_4$. β -[1-Butoxy-(5,6,7,8)-tetrahydronaphthyl-4]-hydroxybutyric acid, preparation, properties, 138.
- $C_{18}H_{34}O_2$. Oleic acid, polymerization, 1775.
- $C_{18}H_{34}S$. Dinonyl sulfide, synthesis, properties, catalytic conversions, 268.
- $C_{18}H_{38}S_2$. Dinonyl disulfide, synthesis, properties, catalytic conversions, 269.

18. III

- $C_{18}H_{19}O_2N_2$. Anilide of α -Benzoylamino- β,β -dimethylacrylic acid, preparation, properties, 1434.
- $C_{18}H_{19}O_2N$. α,γ -Di-(4-methoxyphenyl)-butyronitrile, preparation, 876.
- $C_{18}H_{21}O_2N_2$. 1) Ethyldenediphenylacetamide, synthesis, structure, 1635.
- 2) 1-[β -(3'-Pyridyl)-ethyl]-6,7-dimethoxy-3,4-dihydroisoquinoline, preparation, properties, reduction, hydrochloride, 1490.
- $C_{18}H_{21}O_3N$. α,β -Di-(4-methoxyphenyl)-ethylacetamine, preparation, 874.
- $C_{18}H_{21}NS$. 2-Heptyl- α -naphthothiazole, synthesis, properties, transformation, 2309.
- $C_{18}H_{21}O_3N$. Oxime of β -(2-butoxynaphthoyl-6)-propionic acid, preparation, 650.
- $C_{18}H_{22}O_2N_2$. 1-[β -(3'-Pyridyl)-ethyl]-6,7 dimethoxy-1,2,3,4-tetrahydroisoquinoline, synthesis, properties, hydrochloride, 1491.
- $C_{18}H_{22}O_3N_2$. β -(3,4-Dimethoxyphenyl)-ethyl- β -(3'-pyridyl)-propionamide, reaction with $POCl_3$, 1490.
- $C_{18}H_{23}CN$. Dimethylaminopropyl ester of diphenylcarbinol, synthesis, properties, hydrochloride, 633.

- $C_{18}H_{22}O_2N$. β -6-Di-(4-methoxyphenyl)-butylamine, preparation, 876.
- $C_{19}H_{24}N_4Cl_2$. symm. Di-2-(5-chloropyridyl)-(3'-diethylaminopropyl)guanidine, 2121.
- $C_{17}H_{17}ON$. Di-(5-methoxypentenyl-2) aniline, preparation, 1805.
- $C_{18}H_{31}O_4N_7$. Heptapeptide leucyl-pentaglycyl-glycine, synthesis, spectrophotometry of biuret coordination compounds, 341.
- $C_{16}H_{28}N_2S_4$. Thiuram disulfide of γ -isopropylpiperidine, preparation properties, 1428.
- $C_{16}H_{32}N_4S_4$. Thiuram tetrasulfide of γ -isopropylpiperidine, preparation properties, 1428.

18. IV.

- $C_{18}H_{14}O_4N_7S$. p-Toluide of 2-cyanacetyl coumarone-5-sulfo acid, preparation 845.
- $C_{19}H_{24}O_6N_2S$. α -(4-Carboxy-5,5-dimethyl-2-thiazolidyl)-phenacetic ester, hydrochloride, 865.
- $C_{19}H_{30}O_4NP$. α -Diisobutylphosphopropion-p-toluidide, preparation, properties, 2452.

18. V.

- $C_{19}H_{14}O_9N_4S_3Na_2$. Soluble streptocide, polarographic investigation, 627.
- $C_{18}H_{17}O_4N_2S_2Cl$. (3-Methylbenzothiazole-2)-(4-methylbenzo-1,4-thiazine-3)-monomethylnecyanin perchlorate, synthesis, properties, 181.
- $C_{18}H_{15}O_6NSCl$. Phenyl perchlorate of 2-carbethoxy-3-methylbenzothiazine, synthesis, 175.
- $C_{19}H_{19}O_4N_2SCl$. Methyl perchlorate of 2-(p-dimethylaminobenzylidene)-benzo-1,4-thiazine, synthesis, properties, 187.
- $C_{18}H_{25}O_6N_2SCl$. Hydrochloride of α -(4-carboxy-5,5-dimethyl-2-thiazolidyl)-phenacetic ester, preparation, 865.

Group 19.

19 I

- $C_{19}H_{16}$. 1) 9-Methyl-1,2-benzanthracene, bromination, 2445.
- 2) 10-Methyl-1,2-benzanthracene, action of PBr_5 , 2445.
- $C_{19}H_{16}$. Triphenylmethane, formation, 569.
- $C_{19}H_{24}$. Dimesitylmethane, preparation, 126, 131, 132.
- $C_{19}H_{40}$. n-Nonadecane purification, physicochemical constants, 85; cryoscopic constants, transition temperature, 1341.

19. II

- $C_{19}H_9Br_3$. 9,10,10-Tribromo-9,10-dihydro-1,2-benzanthracene, preparation properties, 2446.
- $C_{19}H_{11}Br$. 9-Methyl-10-bromo-1,2-benzanthracene, preparation, 2443.
- $C_{19}H_{16}O$. Triphenylcarbinol, synthesis, 1874.
- $C_{19}H_{14}O_2$. 3-Keto-7-methoxy-1,2,3,11,12,12a-hexahydrochrysene, preparation, properties, dehydrogena-

tion, 2,4-dinitrophenylhydrazone, 1353, 1354.

- $C_{19}H_{17}O_3$. ar-1-Benzoylhydroxy-4-acetotetralin, preparation, bromination, 976.
- $C_{19}H_{27}O_6$. Ethyl ester of β -(2-propoxynaphthyl-6)-propionic acid, synthesis, saponification, 648.
- $C_{19}H_{24}O$. Dimesitylcarbinol, preparation, 131.
- $C_{19}H_{24}O_3$. Ethyl ester of γ -(2-propoxynaphthyl-6)-butyric acid, preparation, 648.
- $C_{19}H_{24}N_6$. symm Di-2-pyridyl-(4'-diethylamino-butyl)-guanidine, 2123.
- $C_{19}H_{18}O_5$. Ethyl ester of acetylated α -hydroxy-ledeic acid, preparation, 2330.
- $C_{19}H_{34}O_2$. Methyl ester of oleic acid, polymerization, 1775.

19. III

- $C_{19}H_{15}O_4N$. Product of the reaction of maleic anhydride and cinnamylideneaniline, 1646.
- $C_{19}H_{17}O_3Br$. ar-1-Benzoylhydroxy-4-bromacetotetralin, preparation, reaction with amines, 983.
- $C_{19}H_{17}O_4N$. ar-1-Benzoylhydroxy-4-(aminoaceto)-tetralin, see hydrochloride, $C_{19}H_{22}O_3NCl$.
- $C_{18}H_{19}O_4N$. [2- β -(N-Methyl-N-benzoyl)-aminoethyl]piperonyl alcohol, preparation, properties, phenylurethane, 357.
- $C_{19}H_{19}O_7N_4$. Dinitrophenylhydrazone of the ethyl ester of α -formylphenacetic acid, preparation, 862.
- $C_{19}H_{26}O_3N_2$. m-Diethylaminobenzylphthalimide, preparation properties, transformation, 1901.
- $C_{19}H_{21}O_2N$. ar-1-Hydroxy-4-(benzylaminoaceto)-tetralin, see Hydrochloride, $C_{19}H_{22}O_3NCl$.
- $C_{19}H_{21}O_2N$. β -(4-Methoxyphenyl)- δ -phenylbutylacetamide, preparation, 877.
- $C_{19}H_{23}NS$. 2-Octyl- α -naphthothiazole, synthesis, properties, transformation, 2309.
- $C_{19}H_{24}O_3N_2$. Ethyl ester of 3-benzeneazocamphocarboxylic-3 acid, Preparation properties, reaction with alcoholic alkali, 401.
- $C_{19}H_{27}O_3N$. Phenylpiperidol acetate, preparation, 420.

19 IV

- $C_{19}H_{14}O_6N_2S_2$. Bis-(4-nitrophenylthio)-2'-hydroxy-benzal, synthesis, properties, reduction, 1690.
- $C_{19}H_{19}ON_2S_2$. Bis-(4-aminophenylthio)-2'-hydroxy-benzal, synthesis, properties, dihydrochloride, 1691.
- $C_{19}H_{22}O_3NCl$. ar-1-Benzoylhydroxy-4-(aminoaceto)-tetralin hydrochloride, preparation, properties, 982.
- $C_{19}H_{22}O_3NCl$. ar-1-Hydroxy-4-(benzylaminoaceto)-tetralin hydrochloride, preparation, properties, reduction, 981.
- $C_{19}H_{28}O_6N_7S$. N⁶-Benzoyl-N⁴-benzosulfolysine (d and l forms), preparation, properties, 1244.

19. V

- $C_{19}H_{17}O_6N_2S_2Cl$. Product of reaction of methyl-

perchlorate of benzo-1,4-thiazine with orthoformic ester, 181.

$C_{11}H_{11}O_4N_2S_2$. Bis-(4-methylbenzo-1,4-thiazine-3)-monomethynecyanin perchlorate, synthesis, properties, 181.

$C_{19}H_{21}O_4N_2SCl$. Methyl perchlorate of 3-(p-dimethylaminostyryl)-benzothiazine, synthesis, properties, 187.

Group 20

20 I

$C_{20}H_{14}$. 3,4'-Ace-1,2-benzanthracene, action of PCl_5 , 2445.

$C_{20}H_{16}$. 9,10-Dimethyl-1,2-benzanthracene, preparation, 1401.

$C_{20}H_{24}$. Symm.-Dimesitylethane, preparation, 124.

$C_{20}H_{20}$. Product of the condensation of benzene with 1-methylcyclohexanol-1, 955.

$C_{20}H_{42}$. n-Eicosane, cryoscopic constant, 1343.

20. II

$C_{20}H_{13}Br$. 10-Bromo-3,4'-ace-1,2-benzanthracene, preparation, properties, 2447.

$C_{20}H_{13}Cl$. 10-Chloro-3,4'-ace-1,2-benzanthracene, preparation, properties, 2445.

$C_{20}H_{14}O_2$. 9-Methyl-1,2-benzanthracene-10-carboxylic acid, preparation, properties, 1400.

$C_{20}H_{14}Hg$. α - and β -Dinaphthylmercury, reaction with succinimide, 1403.

$C_{20}H_{16}O$. 10- β -Oxethyl-1,2-benzanthracene, preparation, 1400.

$C_{20}H_{18}O_2$. Product of the acetylation of the oxide of 2-phenyl-1,4-benzoquinone, 1827.

$C_{20}H_{22}O_2$. Benzoic ester of 4-(1-methylcyclohexyl)-phenol, properties, 956.

$C_{20}H_{22}O_2$. Product of distillation of p-tolylacetyl carbinol, 749.

$C_{20}H_{24}O_4$. Ethyl ester of β -(2-butoxynaphthyl-6)-propionic acid, preparation, 649.

$C_{20}H_{26}O$. 2,4,6,2',4',6'-Hexamethyl dibenzyl ether, preparation, 122.

$C_{20}H_{26}O_2$. Ethyl ester of 2-butoxynaphthyl-6-butyric acid, preparation, 650.

$C_{20}H_{28}O_3$. Lactone of [1-hexoxy-(5,6,7,8)-tetrahydronaphthyl-4]-hydroxybutyric acid, preparation, 138, 139.

$C_{20}H_{28}O_4$. β -[1-Hexoxy-(5,6,7,8)-tetrahydronaphthyl-4]-hydroxybutyric acid, preparation, properties, 138.

$C_{20}H_{30}O_6$. Adipate of the β -hydroxy ethyl ether of dimethylacetenylcarbinol, preparation, properties, 1366.

$C_{20}H_{30}N_6$. symm.-Di-2-pyridyl-(4'-diethylamino-1'-methylbutyl)-guanidine, 2122.

$C_{20}H_{42}S$. Didecyl sulfide, synthesis, properties, 267.

$C_{20}H_{42}S_2$. Didecyl disulfide, synthesis, properties, reduction, 265.

20. III

$C_{20}H_{15}ON$. 3,3-Diphenyloxindole, synthesis, 1882.

$C_{20}H_{17}O_3N$. Product of reaction of maleic anhydride with cinnamylidene-p-toluidine, 1646.

$C_{20}H_{20}N_4S_2$. N,N'-Bis-[benzothiazolyl-(2)-methyl]-piperazine, synthesis, properties, 2304.

$C_{20}H_{21}O_3N$. ar-1-Benzoylhydroxy-4-(methyldiamino-aceto)-tetralin, see hydrochloride, $C_{20}H_{23}O_3NCl$.

$C_{20}H_{21}O_4N$. p-Nitrobenzoic ester of 4-(1-methylcyclohexyl)-phenol, properties, 956.

$C_{20}H_{21}O_6N$. 3',4'-Dimethoxyphenyl-5,6-dimethoxy-3,4-dihydroisoquinolyl-(1) ketone, synthesis, iod-methylation, reduction, 1484.

$C_{20}H_{21}O_5Cl$. β -(5-Methoxy-1-naphthyl)-ethyl-(3-chlorocrotyl) malonic acid, preparation, properties, 1353.

$C_{20}H_{23}ON$. 2-(α -Benzylaminopropionyl)-tetralin, preparation, properties, reduction, hydrochloride, 2441.

$C_{20}H_{23}O_3N$. ar-1-Hydroxy-4-(benzylmethylamino-aceto)-tetralin hydrochloride, see hydrochloride $C_{20}H_{24}O_3NCl$.

$C_{20}H_{25}O_3N$. β , 6-Di-(4-methoxyphenyl)-acetamine, preparation, 877.

$C_{20}H_{25}O_5N$. β -(2,3-Dimethoxyphenyl)-ethyl-3',4'-dimethoxyphenylacetamide, preparation, properties, reaction with $POCl_3$, 1483.

$C_{20}H_{27}ON$. Diethylaminopropyl ester of diphenylcarbinol, preparation, properties, hydrochloride, 632.

$C_{20}H_{27}O_4Cl$. β -(p-Tolyl)-ethyl-(γ -chlorocrotyl)-malonic ester, preparation, properties, saponification, 1278.

$C_{20}H_{29}N_4Cl_2$. symm.-Di-2-(5-chloropyridyl)-(4-diethylamino-1'-methylbutyl)-guanidine, 2124.

$C_{20}H_{29}O_3N$. Phenylpiperidol propionate, preparation, 420.

$C_{20}H_{32}O_{12}N_4$. N,N'-exo-Diethoxyoxyldihydrate-2,5-diglycylethyl ester of dihydropyrazinamide, preparation, properties, 1019, 1021.

$C_{20}H_{28}N_2S_4$. Thiuram, disulfide of cis- and trans-decahydroquinoline, preparation, properties, 1429.

$C_{20}H_{28}N_2S_6$. Thiuram hexasulfide of cis- and trans-decahydroquinoline, preparation, properties, 1429.

$C_{20}H_{33}O_3N$. Anilide of γ , γ -diisoamyl- γ -hydroxybutyric acid, preparation, properties, 1682.

$C_{20}H_{34}O_3N_8$. Octapeptide leucylglycyl-glycine, synthesis, spectrophotometry, of biuret coordination compounds, 341.

20. IV

$C_{20}H_{14}ONBr$. 3,3-Diphenyl-5-bromoxindole, preparation, properties, 1882.

$C_{20}H_{16}O_2NBr$. p-Bromanilide of benzoic acid, preparation, properties, 1881.

$C_{20}H_{16}O_6N_2S_2$. Bis-(4-nitrophenylthio)-3'-methoxy-4'-hydroxybenzal, synthesis, properties, reduction, 1691.

$C_{20}H_{18}O_2N_2S_2$. Bis-(4-aminophenylthio)-3'-methoxy-4'-hydroxybenzal, synthesis, properties, 1691.

- $C_{20}H_{17}O_2Cl$. β -(5-Methoxy-1-naphthyl)-ethyl-(3-chlorocrotyl)-malonic acid, preparation, decarboxylation, 1353.
- $C_{20}H_{17}O_2NCl$. ar-1-Benzoylhydroxy-4-(methylaminoaceto)-tetralin hydrochloride, preparation, 979.
- $C_{20}H_{17}O_2NCl$. ar-1-Hydroxy-4-(benzylmethylaminoaceto)-tetralin hydrochloride, preparation, properties, 979.
- $C_{20}H_{17}O_2N_2S$. N^{ϵ} -Benzoyl- N^{α} -p-toluenesulfolysine, (d and l forms), preparation, properties, 1245.
- $C_{20}H_{17}O_2NS$. (1-Methoxycyclohexyl)-benzene sulfo-p-toluide preparation, 955.

20 V

- $C_{20}H_{15}O_4N_2S_2Ba$. Barium salt of 2-benzeneazo-pyrrole-sulfonic-5 acid, 309.
- $C_{20}H_{15}O_4N_2S_2Cl$. (4-Methylbenzo-1,4-thiazine-3)-(3-methylbenzothiazole-2)-trimethynecyanin perchlorate, synthesis properties 183.

Group C₁₁

21. I

- $C_{21}H_{19}$. 10-n-Propyl-1,2-benzanthracene, preparation, properties, 1399.
- $C_{21}H_{19}$. Di-3-cymylmethane, preparation, 132.

21. II

- $C_{21}H_{19}O_2$. Ethyl ester of 1,2-benzanthracene-10-carboxylic acid, preparation, properties, 1400.
- $C_{21}H_{19}O$. 9-Methyl-10- β -oxethyl-1,2-benzanthracene, preparation, properties, 1401.
- $C_{21}H_{19}O_3$. Lactone of [1-heptyloxy-(5,6,7,8)-tetrahydronaphthyl-4]-hydroxybutyric acid, preparation, 139.
- $C_{21}H_{19}O_4$. 8-[1-Heptyloxy-(5,6,7,8)-tetrahydronaphthyl-4]-propionic acid, reduction, 139.
- $C_{21}H_{19}O_1$. Sapogenin patringenin, preparation, properties, structure, 1055.

21. III

- $C_{21}H_{17}ON$. 1) 3,3-Diphenyl-5-methoxyindole, synthesis, properties, 1882.
2) 3,3-Diphenyl-7-methoxyoxindole, preparation, properties, 1882.
3) p-Toluidide, of benzoic acid, preparation, 1880.
- $C_{21}H_{19}O_3N$. o-Antiside of benzoic acid, synthesis, properties, 1881.
- $C_{21}H_{21}ON$. 2-(α -Benzylmethylaminopropionyl)-naphthalene, synthesis, hydrochloride, dehydrogenation, 2440.
- $C_{21}H_{23}O_6N$. Colchicine acid, preparation, properties, methyl and ethyl esters, 812.
- $C_{21}H_{23}N_3S_2$. Bis-(4-aminophenylthio)-4'-dimethyl-aminobenzal, synthesis, properties, 1692.
- $C_{21}H_{24}O_2N_2$. Aminocolchicine, preparation, properties, 810.
- $C_{21}H_{25}ON$. 2-(α -Benzylmethylaminopropionyl)-tetralin, preparation, hydrochloride, reduction, 2439.
- $C_{21}H_{26}ON_2$. 6-Methoxy-8-(m-diethylaminobenzyl)-aminoquinoline, preparation, properties, dipicrate, 1901.

- $C_{21}H_{27}O_4N$. N-Methyl-1-(3',4'-dimethoxybenzyl)-5,6-dimethoxy-1,2,3,4-tetrahydroisoquinoline, preparation, properties, hydrochloride, 1484.

21. IV

- $C_{21}H_{19}O_4N_2S_2$. Bis-(4-nitrophenylthio)-4'-dimethyl-aminobenzal, synthesis, properties, reduction, 1692.
- $C_{21}H_{23}N_4S_2I$. 3,3'-Diethyl-6,6'-diaminothiacyanocyanine iodide, preparation, properties, 1467.
- $C_{21}H_{25}O_4N$. Methiodide of 3',4'-dimethoxyphenyl-5,6-dimethoxy-3,4-dihydroisoquinolyl-(1) ketone, preparation, properties, 1484.
- $C_{21}H_{25}O_6N_2S$. N^{ϵ} -Benzoyl- N^{α} -(p-acetylaminobenzo-sulfo)lysine (d and l forms), preparation, properties, 1245.
- $C_{21}H_{25}O_7N_2S$. N^{ϵ} -Benzoyl- N^{α} -(p-carbomethoxy-benzosulfo)-lysine (d and l forms), preparation, properties, 1246.
- $C_{21}H_{27}O_5N_2P$. Diisopropylphosphomalonanilide, preparation, properties, 2452.

21. V

- $C_{21}H_{21}O_4N_2S_2Cl$. 1) Bis-(3-methylbenzothiazole-2)-8,10-dimethyltrimethynecyanin perchlorate, synthesis, properties, 182.
2) Bis-(4-methylbenzo-1,4-thiazine-3)-trimethynecyanin perchlorate, synthesis, properties, 182.
- $C_{21}H_{27}O_3N_2SL$. 2-[p-Dimethylamino- β -acetoxystyryl]benzothiazole ethiodide, synthesis, properties, 2304.
- $C_{21}H_{26}O_4N_2SCl$. Methyl perchlorate of 2-ethyl-3-(p-dimethylaminostyryl)-benzo-1,4-thiazine, synthesis, properties, 187.

Group C₂₂

22. I

- $C_{22}H_{20}$. 10-n-Butyl-1,2-benzanthracene, preparation, properties, 1399.

22. II

- $C_{22}H_{20}N_2$. 2,2',4,4'-Tetramethylbiquinoline, transformation to biquinophthalone, 1475.
- $C_{22}H_{22}N_4$. Osazone of p-tolylacetylcarbinol, preparation, 749.
- $C_{22}H_{24}O_2$. o-Dicumylbutynediol, synthesis, hydro-genation, 1610.
- $C_{22}H_{24}O_2$. o-Dicumylbutenediol, preparation, properties, 1611.
- $C_{22}H_{24}O_4$. 1) Butyl ester of β -(2-butoxynaphoyl-6)-propionic acid, preparation, 649.
2) Cyclodimethyl lactolide of p-tolylacetyl-carbinol and methyl-p-tolylcarbinol, preparation, 751.
- $C_{22}H_{26}O_2$. o-Dicumylbutanediol, preparation, properties, 1611.

22. II

- $C_{22}H_{17}ON_5$. 1) 1,5-Disbenzeneazo-2,8-aminonaphthol, absorption spectrum, 1457.
2) 5,7-Disbenzeneazo-2,8-aminonaphthol preparation, properties, 994.
- $C_{22}H_{17}O_2N_5$. Anilide of α -benzoylamino cinnamic acid, preparation, properties, 1434.
- $C_{22}H_{17}ON$. 1) 3,3-Di(o)-tolylloxindole (o-tolylisatin), preparation, properties, 2251.
2) 3,3-Di(m)-tolylloxindole (m-tolylisatin), synthesis properties, 2246.
3) 3,3-Di(p)-tolylloxindole (p-tolylisatin), preparation, 2069.
- $C_{22}H_{17}O_2N$. 3,3-Diphenyl-5-ethoxyoxindole, preparation properties, 1882.
- $C_{22}H_{17}ON_2$. 3,3-Diphenyl-5-dimethylaminooxindole preparation, properties, 1883.
- $C_{22}H_{21}O_2N$. 1) Anilide of o,o-ditolylglycolic acid, synthesis, properties, 2250.
2) Anilide of m,m-ditolylglycolic acid, preparation, properties, 2245.
- $C_{22}H_{21}O_3N$. p-Phenetidine of benzoic acid, synthesis, preparation, properties, 1881.
- $C_{22}H_{23}O_2N_2$. p-Dimethylaminoanilide of benzoic acid, synthesis, properties, 1881.
- $C_{22}H_{24}O_2N_4$. Di-exo-acetylbenzyl-2,5-dihydropyrazinamide, synthesis properties, 335.
- $C_{22}H_{25}O_6N$. Methyl ester of colchicine acid, preparation properties, saponification, 812.
- $C_{22}H_{26}O_6N_2$. Methylaminocolchicine, preparation, properties, 810.
- $C_{22}H_{29}NS$. 2-Undecyl- α -naphthothiazole, synthesis properties, transformation, 2309.
- $C_{22}H_{21}O_2N$. 1) α -Naphthalide of diisoamylglycolic acid, preparation, properties, 1674.
2) β -Naphthalide of diisoamylglycolic acid, preparation, properties, 1675.

22. IV

- $C_{22}H_{17}O_4N_5S$. 1) 1,5-Disbenzeneazo-2,8-aminonaphthoyl-7-sulfo acid, preparation, properties, 1263.
2) 1,7-Disbenzeneazo-2,8-aminonaphthoyl-5-sulfo acid, preparation, properties, 1265.
3) 2,6-Disbenzeneazo-1,5-aminonaphthoyl-8-sulfo acid, absorption spectrum, 1459.
4) 2,8-Disbenzeneazo-1,5-aminonaphthoyl-6-sulfo acid, absorption spectrum, 1459.
- $C_{22}H_{18}ONBr$. 3,3-Di(p)-tolyl-5-bromoxindole, preparation, 2070.
- $C_{22}H_{19}O_2NBr$. p-Bromanilide of p,p-ditolylglycolic acid, preparation, 2068.
- $C_{22}H_{19}N_4S_2I$. 3,3'-Diethyl-9-methyl-6,6'-diaminothiacarbocyanin iodide, preparation, properties, 1469.

22. V

$C_{22}H_{15}O_4NSCl$. Methyl perchlorate of 2-benzylidene-3-

phenylbenzo-1,4-thiazine, synthesis, properties, 188

- $C_{22}H_{15}O_6N_2SCl$. (4-Methylbenzo-1,4-thiazine-3)-(1-methylquinoline-2)-trimethynecyanin perchlorate, synthesis, properties, 183.
- $C_{22}H_{15}O_6N_2S_2Cl$. Methyl perchlorate of 2-carbethoxy-3-(p-dimethylaminostyryl)-benzo-1,4-thiazine, synthesis, properties, 187.

Group C_{22}

23. I

- $C_{22}H_{19}$. 10-isoamyl-1,2-benzanthracene, preparation, properties, 1399.

23. II

- $C_{22}H_{21}O$. Strophantidine, polarographic investigation, 156.

23. III

- $C_{22}H_{17}O_2N$. Azine derivative of 2-benzoylamino-3-hydroxy-1,4-naphthoquinone, synthesis, 1137.
- $C_{22}H_{19}N_2S_2$. N-(p-Dimethylaminophenyl)-imine bis(benzthiazolyl-2)-ketone, preparation, properties, hydrolysis, 2467.
- $C_{22}H_{23}O_2N_2$. Anilide of α -phenacylamino cinnamic acid, preparation, properties, 1431.
- $C_{22}H_{25}ON$. 1) 3,3-Di(o)-tolyl-5-methyloxindole, synthesis, properties, 2251.
2) 3,3-Di(p)-tolyl-5-methyloxindole, preparation, 2069.
- $C_{22}H_{27}O_2N$. 1) 3,3-Di(m)-tolyl-7-methoxy-oxindole, synthesis, properties, 2247.
2) 3,3-Di(p)-tolyl-7-methoxyoxindole, preparation, 2069.
- $C_{22}H_{21}O_2N_2$. Anilide of α -benzoylamino- β -phenylaminocrotonic acid, preparation, properties, 1431.
- $C_{22}H_{21}O_2N_2$. α -Naphthyl isocyanate, preparation, properties, 1793.
- $C_{22}H_{23}O_2N$. 1) p-Toluidide of o,o-ditolylglycolic acid, preparation, properties, 2250.
2) p-Toluidide of p,p-ditolylglycolic acid, 2068.
- $C_{22}H_{25}O_3N$. 1) o-Aniside of p,p-ditolylglycolic acid, preparation, 2068.
2) p-Toluidide of p,p-ditolylglycolic acid, preparation, 2068.
3) m-Aniside of p,p-ditolylglycolic acid, preparation, 2069.
4) o-Aniside of m,m-ditolylglycolic acid, preparation, properties, 2246.
- $C_{22}H_{27}O_2N$. 1-Benzoylhydroxy-4-(diethylamino-aceto)-tetralin, see hydrochloride $C_{22}H_{29}O_2NCl$.
- $C_{22}H_{27}O_6N$. Ethyl ester of colchicine acid, preparation, properties, saponification, 813.

23. IV

$C_{22}H_{21}O_3N_2S$. 2-p-Aminobenzoyl 2-p'-aminophenyl sulfone of 1-p'-dimethylaminophenyl ethylene, preparation, properties, 1815.

$C_{22}H_{21}ON_4Cl$. 2-Methoxy-5-chloro-9-(dimethylaminobenzyl)aminoacridine, preparation, properties, dihydrochloride, 1902.

$C_{22}H_{27}N_4S_2I$. 1) 3,3'-Dimethyl-7,7'-bis-(dimethylamino)thiacarbocyanine iodide, synthesis, properties, 2290.

2) 3,3',9-Trimethyl-6,6'-diaminothiacyanin iodide preparation, properties, 1469.

$C_{23}H_{25}O_3NCl$. ar-1-Benzoylhydroxy-4-(diethylaminoacetate)-tetralin hydrochloride, preparation, saponification, 982.

$C_{22}H_{21}O_3N_2P$. 1) Diisopropylphosphomalon-p-toluidide preparation properties, 2452.

2) Diisobutylphosphomalonanilide, preparation, properties, 2452.

23. V

$C_{19}H_{21}O_3N_2S_2Cl$. Bis-[3-methylbenzothiazole-(2)]-8,10-diacetoxytrimethinecyanine perchlorate, synthesis, properties, 2304.

$C_{22}H_{25}O_2N_4S_2I$. 3,3'-Diethyl-6,6'-di-(formylamino)-thiacarbocyanin iodide preparation, properties, 1469.

$C_{23}H_{23}O_4N_2S_2Cl$. Bis-(4-methylbenzo-1,4-thiazine-3)-pentamethinecyanin perchlorate, synthesis, properties, 183.

$C_{23}H_{24}ON_4SI$. 3,1'-Diethyl-6-acetaminothia-4'-cyanin iodide, preparation, properties, 1470.

$C_{23}H_{27}O_4N_4S_4Br$. 3,3'-Diethyl-6,6'-di-(methylsulfamino)-thiacarbocyanin bromide, preparation, properties, 1468.

Group C_{24}

24. II

$C_{24}H_{22}O_2$. 1) 2,2-Dimethyl-5,5-diphenyl-3-phenoxydihydrofuran-2,5, preparation, properties, 595.

2) 2,2-Dimethyl-5,5-diphenyl-3-hydroxyphenyldihydrofuran-2,5, preparation, properties, 596.

$C_{26}H_{24}N_2$. 2,2',4,4',8,8'-Hexamethylbiquinoline, synthesis, transformation to biquinophthalone, 1476.

24. III

$C_{24}H_{14}ON_2$. 8-Hydroxy-1,2-naphthophenanthrene azine, synthesis, properties, 991.

$C_{24}H_{17}ON$. 1) 3,3-Diphenyl-6,7-benzoxindole, preparation, properties, 1883.

2) 3,3-Diphenyl-4,5-benzoxindole, preparation, properties, 1883.

$C_{24}H_{19}O_2N$. 1) α -Naphthalide of diphenylglycolic acid, preparation, properties, 1674.

2) β -Naphthalide of diphenylglycolic acid, preparation, properties, 1675.

$C_{24}H_{23}O_2N$. 1) 3,3-Di-(o)-tolyl-5-ethoxyoxindole, preparation, properties, 2251.

2) 3,3-Di-(m)-tolyl-5-ethoxyoxindole, synthesis, properties, 2247.

3) 3,3-Di-(p)-tolyl-5-ethoxyoxindole, preparation, 2070.

$C_{24}H_{24}O_2N_2$. 2,2',4,4'-Tetramethyl-8,8'-dimethoxybiquinoline, synthesis, transformation to biquinophthalone, 1476.

$C_{24}H_{24}O_3N_2$. (N-Butyl-N-benzoyloxyethyl)-amide of 4-nitro-1-naphthoic acid, preparation, properties, 2434.

$C_{24}H_{25}O_3N$. 1) p-Phenetidide of o,o-ditolylglycolic acid, preparation, properties, 2250.

2) p-Phenetidide of m,m-ditolylglycolic acid, preparation, properties, 2246.

3) p-Phenetide of p,p-ditolylglycolic acid, preparation, 2068.

$C_{24}H_{25}O_4N$. Anilide of γ,γ -bis-(2-methoxyphenyl)- γ -hydroxybutyric acid, preparation, properties, 1682.

$C_{24}H_{27}O_7N_2$. Carboethoxycolchicine, preparation, properties, 812.

$C_{24}H_{29}O_4Cl$. β -(5-Methoxy-1-naphthyl)-ethyl-(3-chlorocrotyl)-malonate, preparation, saponification, 1353.

24. IV

$C_{24}H_{15}ONBr_2$. Lactam of 1-amino-2,4-dibromo-naphthyl-(8)-diphenylacetic acid, synthesis, 2061.

$C_{24}H_{17}ONBr$. 1) 3,3-Diphenyl-7-bromo-5,6-benzoxindole, synthesis, 2061.

2) 3,3-Diphenyl-6-bromo- β -naphthoxindole, 2061.

3) 3,3-Diphenyl-5-bromo-6,7-benzoxindole, preparation, 2060.

$C_{24}H_{17}O_2NBr$. 2,4-Dibromo-1-naphthalide of benzilic acid, 2060.

$C_{24}H_{19}O_2NBr$. 1) 1-Bromo-2-naphthalide of benzilic acid, 2060.

2) 4-Bromo-1-naphthalide of benzilic acid, 2060.

24. V

$C_{24}H_{15}O_3N_2SCl$. Methylperchlorate of 2-[p-dimethylbenzylidene]-3-phenylbenzo-1,4-thiazine, preparation, properties, 187.

$C_{24}H_{25}O_4N_4S_2I$. 3,3'-Diethyl-9-methyl-6,6'-di-(formylamino)-thiacarbocyanin iodide, preparation, properties, 1469.

$C_{24}H_{29}O_4N_4S_2Cl$. 3,3',9-Trimethyl-7,7'-bis-(dimethylamino)-thiacarbocyanine perchlorate, synthesis, properties, 2290.

$C_{24}H_{29}O_4N_4S_4Br$. 3,3'-Diethyl-9-methyl-6,6'-di-(methylsulfamino)-thiacarbocyanin bromide, preparation, properties, 1468.

Group C_{25}

25. II

$C_{25}H_{20}N_2$. Benzeneazotriphenylmethane, free radicals in decomposition reactions, 1219.

$C_{25}H_{24}O_7$. Product of the acetylation of 3,3'-dimethoxybenzaurin, 1446.

25. III

$C_{25}H_{32}O_2N_5$. Diethylaminocolchicine, preparation, properties, 810.

$C_{25}H_{41}O_7N$. Delsin, purification, properties, salts, structure, 195.

25. IV

$C_{25}H_{23}O_6N_3S$. 2-p-Acetaminobenzoyl 2-p'-nitrophenyl sulfone of 1-p'-dimethylaminophenyl ethylene, preparation, properties, reduction, 1815.

$C_{25}H_{25}O_4N_3S$. 2-p-Acetaminobenzoyl 2-p'-aminophenyl sulfone of 1-p'-dimethylaminophenyl ethylene, preparation, properties, saponification, 1815.

$C_{25}H_{29}ONS_2$. 1) 1,2-Diphenyl-3,4-methylbornylimido xanthide, preparation, properties, 835.

2) 1,2-Diphenyl-3,4-methylisobornylimido xanthide, preparation, properties, 835.

$C_{25}H_{35}O_5N_2P$. Diisobutylphosphomalon-p-toluidide, preparation, properties, 2452.

25. V

$C_{25}H_{27}O_2N_4S_2Br$. 3,3'-Diethyl-6,6'-di-(acetamino)-thiacarbocyaninbromide, preparation, properties, 1468.

$C_{25}H_{27}O_2N_4S_2I$. 3,3',9-Triethyl-6,6'-di-(formylamino)-thiacarbocyanin iodide, preparation, properties, 1469.

$C_{25}H_{27}O_4N_2SCl$. Dye, synthesis, properties, 2310.

$C_{25}H_{29}O_4N_2S_2Cl$. Bis-(2-ethyl-4-methyl-benzo-1,4-thiazine-3)-trimethyne cyanin perchlorate, synthesis, properties, 182.

$C_{25}H_{31}O_4N_4S_2Cl$. 1) 3,3'-Dimethyl-9-ethyl-7,7'-bis-(dimethylamino)-thiacarbocyanine perchlorate, synthesis, properties, 2290.

2) 3,3'-Diethyl-7,7'-bis-(dimethylamino)-thiacarbocyanine perchlorate, synthesis, properties, 2290.

$C_{25}H_{31}O_4N_4S_4Br$. 3,3',9-Triethyl-6,6'-di-(methylsulfamino)-thiacarbocyanin bromide, preparation, properties, 1468.

Group C_{26}

26. II

$C_{26}H_{16}N_2$. 9,9'-Biacridine, synthesis, 659.

$C_{26}H_{22}O_7$. 3,3',3''-Trimethoxy-4',4''-diacetoxymuchone, preparation, properties, 1844.

$C_{26}H_{24}O_8$. 3,3',3''-Trimethoxy-4',4''-diacetoxymuchone-triphenylcarbinol, formation, 1845.

$C_{26}H_{24}Sn$. Dibenzyltriphenyltin, synthesis, detachment of radicals, 1108.

26. III

$C_{26}H_{14}N_2Cl_2$. 3,3'-Dichloro-9,9'-biacridine, synthesis, properties, 659.

$C_{26}H_{21}ON$. 1) 3,3-Di-(o)-tolyl-4,5-benzoxindole (3,3-di-(o)-tolyl- β -naphthoxindole), synthesis, properties, 2251.

2) 3,3-Di-(o)-tolyl-6,7-benzoxindole (3,3-di-(o)-tolyl- α -naphthoxindole), synthesis, properties, 2251.

3) 3,3-Di-(m)-tolyl-4,5-benzoxindole (3,3-di-(m)-tolyl- β -naphthoxindole) synthesis, properties, 2247.

4) 3,3-Di-(p)-tolyl-6,7-benzoxindole (3,3-di-(p)-tolyl- α -naphthoxindole), preparation, 2070.

5) 3,3-Di-(p)-tolyl-4,5-benzoxindole (3,3-di-p-tolyl- β -naphthoxindole), synthesis, properties, 2070.

$C_{26}H_{25}O_2N$. 1) α -Naphthalide of p,p'-ditolylglycolic acid, preparation, properties, 1675.

2) β -Naphthalide of m,m'-ditolylglycolic acid, preparation, properties, 2246.

3) β -Naphthalide of o,o'-ditolylglycolic acid, preparation, properties, 2251.

4) β -Naphthalide of p,p'-ditolylglycolic acid, preparation, properties, 1676.

$C_{26}H_{25}O_3N$. ar-1-Benzoylhydroxy-4-(benzylamino-aceto)-tetralin, see hydrochloride, $C_{26}H_{26}O_3NCl$.

26. IV

$C_{26}H_{26}O_3NCl$. ar-1-Benzoylhydroxy-4-(benzylamino-aceto)-tetralin hydrochloride, preparation, properties, saponification, hydrogenation, 981.

$C_{26}H_{38}O_7NCl$. Quinoid perchlorate of 2,2'-dimethyl-5,5'-ditert.-amyl-4,4'-dimethoxydiphenylhydroxylamine-N-oxide, 2430.

26. V

$C_{26}H_{29}O_2N_4S_2Br$. 3,3'-Diethyl-9-methyl-6,6'-di-(acetamino)-thiacarbocyanin bromide, preparation, properties, 1468.

$C_{26}H_{29}O_4N_2SCl$. Dye, synthesis, properties, 2310.

$C_{26}H_{33}O_4N_4S_2Cl$. 3,3'-Diethyl-9-methyl-7,7'-bis-(dimethylamino)-thiacarbocyanine perchlorate, synthesis, properties, 2290.

Group C_{27}

27. II

$C_{27}H_{18}O$. Biphenylene-9-phenanthrylcarbinol, preparation, 1663.

$C_{27}H_{50}O_5$. Product of ozonation of the dimer of oleic acid, 1781.

27. III

$C_{27}H_{17}ON_5$. 5,7-Dibenzeneazo-2,8-aminonaphthol, synthesis, properties, 994.

$C_{27}H_{27}O_3N$. ar-1-Benzoylhydroxy-4-(benzylmethylaminoaceto)-tetrahydronaphthalene, hydrochloride, 978.

$C_{27}H_{27}O_6N_4S_2Cl$. Phenyl perchlorate of 2-carbethoxy-3-(p-dimethylaminostyryl)-benzo-1,4-thiazine, synthesis, properties, 188.

$C_{27}H_{29}O_8N_4S_2Cl$. Bis-(2-carbethoxy-4-methylbenzo-1,4-thiazine-3)-trimethynecyanin perchlorate, synthesis, properties, 182.

$C_{27}H_{31}O_2N_4S_2Br$. 3,3',9-Triethyl-6,6'-di-(acetoamino)-thiacarbocyanin bromide, preparation, properties, 1468.

$C_{27}H_{31}O_4N_4S_2Cl$. Dye, synthesis, properties, 2310.

$C_{27}H_{35}O_4N_4S_2Cl$. 3,3',9-Triethyl-7,7'-bis-(dimethylamino)-thiacarbocyanine perchlorate, synthesis, properties, 2290.

Group C_{28}

28. II

$C_{28}H_{20}O$. Biphenylene-9-methylphenanthryl-10-carbinol, preparation, 1664.

$C_{28}H_{20}N_2$. Lucigenin, transformations, 653.

$C_{28}H_{22}N_2$. N,N'-Dimethyl-9,9'-biacridene, preparation, properties, 661.

$C_{28}H_{24}N_2$. N,N'-Dimethylbiacridan, preparation, properties, 661.

$C_{28}H_{28}O_{10}$. Product of the acetylation of 3,3',3''-Trimethoxyaurin (rubrocol), 1448.

28. III

$C_{28}H_{22}ON_2$. N,N'-Dimethyl-9,9'-biacridene oxide, preparation, properties, 660.

$C_{28}H_{22}O_6N_4$. Lucigenin nitrate, preparation, properties, transformation, 660.

$C_{28}H_{22}N_2Br_2$. Lucigenin bromide, synthesis, properties, transformation, 659.

$C_{28}H_{30}O_5N_2$. Benzylaminocolchicine, preparation, properties, 811.

$C_{28}H_{36}O_{10}N_4$. Product of the reaction of diacetyl-diketopiperazine with methyltyrosine, 334.

28. IV

$C_{28}H_{20}N_2Cl_2Br_2$. N,N'-Dimethyl-3,3'-dichlorobi-acridylum bromide, preparation, properties, 660.

$C_{28}H_{34}O_{10}N_4Cl_2$. Di-*cis*-N-chloroacetyl-tyrosine-methyl ester of 2,5-dihydropyrazinamidine, synthesis, 337.

28. V

$C_{28}H_{33}O_4N_4S_2Cl$. Dye, synthesis, properties, 2310.

Group C_{29}

29. III

$C_{29}H_{30}O_{10}N_4$. Picrate of ar-1-benzoylhydroxy-4-(diethylaminoaceto)-tetralin, preparation, properties, 983.

29. V

$C_{29}H_{35}O_4N_4S_2Cl$. Dye, synthesis, properties, 2310.

Group C_{30}

30. I

$C_{30}H_{30}$. 1) Tetra-p-tolyloethane, preparation, 133.

2) Tetra-o-tolyloethane, preparation, 133.

30. II

$C_{30}H_{42}O_8$. Cymar, polarographic investigation, acid hydrolysis, 157.

Group C_{31}

31. II

$C_{31}H_{36}O_8$. Methylene-bis-(4,7-dihydroxy-6-hexyl-coumarin), preparation, properties, 1896.

31. III

$C_{31}H_{31}O_8N_3$. Guanido derivative of monoisopropylidenglucose, preparation, properties, 410.

31. V

$C_{31}H_{25}O_4N_4S_2Cl$. Bis-(4-phenylbenzo-1,4-thiazine-3)-trimethynecyanin perchlorate, synthesis, properties, 182.

Group C_{32}

32. III

$C_{32}H_{46}O_8N_2$. Anthranoyldelsine, preparation, properties, derivatives, 1061.

Group C_{33}

33. III

$C_{33}H_{31}O_{15}N_9$. Dipicrate of 6-methoxy-8-(m-diethylaminobenzyl)-aminoquinoline, preparation, 1901.

Group C_{34}

34. IV

$C_{34}H_{36}O_5N_4S_3$. 3,3'-Diethyl-6,6'-di-(acetamino)-thiacarbocyanin p-toluene-sulfonate, preparation, properties, 1470.

Group C_{36}

36. II

$C_{36}H_{56}O_{13}$. Periplocin, polarographic investigation, 158.

$C_{36}H_{68}O_4$. Dimer of oleic acid, preparation, properties, ozonation, 1780.

Group C_{37}

37. III

$C_{37}H_{53}O_{10}N_9$. Delsemin, properties, purification, total alkaloids, saponification, 191.

Group C₃₈

38. II

C₃₈H₇₂O₄. Dimer of methyl oleate, preparation, properties, saponification, 1779.

38. III

C₃₈H₇₄O₄N₂. Biquinophthalone from tetramethylbiquinoline, synthesis, properties, 1477.

Group C₄₀

40. III

C₄₀H₇₈O₄N₂. Biquinophthalone from hexamethylbiquinoline, synthesis, properties, 1477.

C₄₀H₇₈O₆N₂. Biquinophthalone from dimethyldimethoxybiquinoline, synthesis, properties, 1477.

C₄₀H₄₀O₁₀N₄. Carbobenzoxy derivative of tyrosinamidine, 319.

Group C₅₃

53. II

C₅₃H₈₃O₁₅. Saponin of the roots of Patrinia intermedia R et Schult, isolation, structure, hydrolysis, 1049.

